


Product Catalog



Catalog Index

Asphalt Shingles	58
Caulks & Sealants	34
Concrete & Accessories	166
Cupolas & Weathervanes	128
Decking & Railing	119
Drywall	103
Electrical	174
Entry Doors	136
Fasteners	113
Gutter & Accessories	181
Horse Stall Components.....	125
House Wrap & Underlayment.....	61
Insulation.....	156
Joist Hangers & Ties.....	81
Lumber, Posts, & Trusses	65
Metal Panels	5
Metal Roofing Accessories	17
Overhead Garage Doors.....	139

Catalog Index

Paint & Stain	109
Pipe & Fittings	170
PVC Ceiling & Wall Panels	51
Roof Boots.....	40
Roofing Screws & Fasteners	26
Round Track Sliding Door	150
S-5!® Clamps.....	187
Siding & Accessories.....	88
Skylights & Sidelights	54
Snow Retention Systems.....	184
Ventilation & Closures.....	44
Welded Wire Fencing & Poultry.....	179
Windows	133
Product Index	191

Metal Panels



G-Rib AG Panel

GAA & GAB

FEATURES

- 36" Coverage
- 9" Rib Spacing
- 3/4" Rib Height
- Anti-Siphon Leg ensures a weather tight seal


UNDERSTANDING GALVALUME® STEEL FOR METAL ROOFING AND SIDING

Galvalume® is a cost-effective steel option made from high-quality bare steel coated with a proven blend of zinc and aluminum, plus trace amounts of silicon. This advanced coating system is designed to deliver excellent long-term weather resistance—making it a popular choice for most metal roofing and siding applications.

Painted Galvalume® panels may show minor cosmetic characteristics such as edge rust or tension-bend markings earlier than heavier galvanized options like G-100. However, Galvalume® has earned a strong reputation for superior long-term weathering performance when compared to G-90 and other lower-grade galvanized panels.

Important Note: Galvalume® steel is not recommended for animal confinement applications. Our experts are always happy to guide you toward the proper material for those environments.

This panel is manufactured from 26-gauge Galvalume® steel and is available in 21 smooth colors and 8 Frost CERAM-A-STAR® 1050 colors, as well as AZ-55 Galvalume® Acrylic. Additional options include four woodgrain prints, two stacked stone prints, and Realtree® Edge digital print patterns, offering both classic and decorative design flexibility.



Available in 21 smooth color options and 8 frost/ textured finishes, all engineered for energy efficiency and backed by a 40-year chalk and fade warranty. We also stock AZ-55 Galvalume® Acrylic and G-90 Galvanized Acrylic.

See colors in page 14

G-Rib Secondary AG Panel

GCA & GCB


G-Rib seconds are manufactured from Galvanized or Galvalume® steel that was rejected by the steel mill for unspecified reasons. These rejections may be related to the base steel, primer, or pre-coat, though any imperfections are often not immediately visible.

Because these panels receive the same top-coat finish as our Premium and Standard G-Rib panels, they may look identical at first glance.

However, due to the unknown nature of the mill rejection and the uncertainty surrounding long-term performance, overall service life cannot be guaranteed.

For this reason, Graber Post Buildings recommends G-Rib seconds for interior applications or non-critical uses such as shade and shelter structures, where long-term exposure and appearance consistency are less critical.

Please inquire for current availability of secondary material. Color availability may vary based on inventory.



Perforated G-Rib


GPA

G-Rib perforated panels feature **0.125" perforations**, providing approximately **13.5% open area** across the panel. This design significantly reduces sound reverberation, making G-Rib perforated panels an excellent choice for **ceilings in noisy environments**. G-Rib perforated panels are also an excellent solution for eave ventilation on post-frame buildings with overhangs, allowing for proper airflow while maintaining a clean, finished appearance.

Common applications include offices, workshops, reception areas, retail spaces, and similar settings where sound control and durability are both important.

Available in:

- | | | |
|----------------|----------------|-------------------|
| ▪ Black | ▪ Clay | ▪ Hartford Green |
| ▪ Blue | ▪ Copper | ▪ Ivory |
| ▪ Bone White | ▪ Crimson Red | ▪ Red |
| ▪ Bright White | ▪ Dark Red | ▪ Shiny Black |
| ▪ Brown | ▪ Gallery Blue | ▪ Stone |
| ▪ Burgundy | ▪ Gray | ▪ Tan |
| ▪ Charcoal | ▪ Evergreen | ▪ Burnished Slate |



G-10 G-Rib Liner Panel

GGA & GGB

Our G-10 G-Rib panel falls directly between our 40-Year G-Rib panel and our secondary panel offerings. It ensures a close color match to our 40-Year color system but is backed by a 10-year film integrity warranty.

The G-10 G-Rib uses a polyester paint system, making it an excellent option for budget-conscious projects that still require reliable color-matching capability for future add-ons or replacement panels. It is well suited for portable buildings, carports, interior liners, and temporary or short-term structures.

Available in the following colors in 29 gauge (Gauge: Bright White):

- | | | |
|-------------------|-------------|---------------|
| ▪ Bright White | ▪ Clay | ▪ Shiny Black |
| ▪ Brown | ▪ Evergreen | ▪ Stone |
| ▪ Burnished Slate | ▪ Gray | |
| ▪ Charcoal | ▪ Red | |

See colors in page 14

R-Rib Panel

RAB



FEATURES

- 36" Coverage
- 12" Rib Spacing
- 1-1/4" Rib Height
- Purlin Bearing Leg

R-Rib, also known as our Commercial Panel, is our go-to profile for projects that require added strength and stability. Designed for both roofing and siding applications, it is commonly used on agricultural and commercial buildings. Its versatility and affordability make it a reliable choice for a wide range of project types.

This panel is manufactured from 26-gauge Galvalume® steel and is available in 21 smooth CERAM-A-STAR® 1050 colors and AZ-55 Galvalume® Acrylic and G-90 Galvanized Acrylic.

See colors in page 14



Snap-Loc - Standing Seam

SSBB





FEATURES

- 12" or 16" Coverage
- Flat or Styrated Profile
- Pre-Notched Panels (optional)
- Vinyl masking applied to panel during production

Standing Seam (Snap-Lock) panels are engineered for strength and built to last, making them a trusted choice for both **residential and commercial roofing applications**. Known for their **sleek appearance, exceptional durability, and long-term performance**, these panels deliver a clean, modern look while providing superior weather protection.

This panel is manufactured from 26-gauge Galvalume® steel and is available in 21 smooth CERAM-A-STAR® 1050 colors and AZ-55 Galvalume® Acrylic.

See colors in page 14



MAA & MAB

See colors in page 14

Our Colors:

- Black
- Blue/Military Blue
- Brite White
- Brown/Royal Brown
- Burqundy
- Burnished Slate
- Charcoal
- Clay
- Copper
- Crimson Red
- Dark Red
- Evergreen
- Gallery Blue
- Gold
- Gray/Silver
- Hartford Green
- Ivory
- Red/Rustic Red
- Shiny Black
- Stone
- Tan/Rawhide
- White/Bone White

BB1026

See colors in page 14

BBP1026





1.25" Corrugated Panel

FEATURES

- 24" Coverage
- 1/4" Rib Height



Our 1.25" Galvanized Corrugated panels offer a classic profile with proven strength and versatility for a wide range of applications. Commonly used for siding, roofing, interior liners, wainscot, and accent features, this panel delivers a timeless industrial look that works equally well in agricultural, residential, and light commercial projects.



AkzoNobel
CERAM-A-STAR® 1050

The industry's strongest, most durable and best performing silicone-modified polyester (SMP) coil coating system.

Our prime warranted panels all feature AkzoNobel's CERAM-A-STAR® 1050, a top-tier silicone-modified polyester (SMP) coating engineered for durability, fade resistance, and long-term performance. It delivers enhanced protection and color retention that outperforms standard SMP systems, while offering a cost-effective alternative to premium PVDF coatings.

Benefits of CERAM-A-STAR

- Industry leading warranty, backed by years of real world exposure
- Rivals 70% PVDF in color stability
- Superior scratch resistance to stand up to rough handling and installation processes
- Available in a range of colors, gloss, and textures
- SELECT palette offers readily available colors with added warranty advantages
- Formulated with COOL Chemistry technology to help reduce peak energy demands of buildings



Graber Post Buildings now stocks 4 different wood grain print options to give your project that clean wood look, without the frustrating maintenance of real wood.

This product is produced on a digital print line that incorporates an inline inkjet printer, roll coater, and electron-beam curing system to produce single-sided printed steel with image resolution up to 400 dpi.

This product is proudly 100% produced in the United States. We offer this printed steel on board and batten, standing seam, trim components, and also in coil form.

WOOD GRAIN PRINT OPTIONS



Rough Cedar Natural



Hickory Natural



Rough Cedar Aged



Rough Cedar Gray



Also Available:
Realtree Edge

Smooth Colors



Shiny Black




Black



Charcoal



Gray



Bright White



White



Ivory




Tan




Stone



Clay



Burnished Slate



Brown




Red



Dark Red



Crimson Red



Burgundy



Gallery Blue



Evergreen



Hartford Green



Copper



Galvalume

Textured Colors



Textured Black



Textured Shiny Black



Textured Charcoal



Textured Burnished Slate




Textured Evergreen



Textured Dark Red



Textured Burgundy



Textured Bright White

The above colors are intended only as an approximation of actual colors. Exact color chips can be supplied if required.



Unified Steel Stone Coated Metal Roofing



Cottage Panel

Unified Steel Cottage Panels combine the appearance of traditional roofing with the durability and long-lasting performance of stone coated steel. Designed to withstand harsh weather conditions, these panels provide a beautiful, low-maintenance roofing solution for residential applications.

FEATURES

- Stone coated steel construction
- Lightweight and durable roofing system
- Designed to withstand harsh weather conditions
- Low-maintenance roofing solution
- Traditional cottage-style appearance
- Available in Barclay HD, Charcoal HD, Ironwood HD, and Timberwood HD

xx = color

Part #	Description	Coverage	Length
BORALCOTxx	Cottage Panel Barclay HD, Charcoal HD, Ironwood HD, Timberwood HD are available colors	22 pieces per square	-



Barclay HD



Charcoal HD



Ironwood HD



Timberwood HD

Premium Stone Coated Steel Profiles Available by Special Order

Explore additional Unified Steel roofing styles designed to deliver the beauty of traditional shingles, shake, and tile with the long-lasting performance of stone coated steel. Available profiles include GRANITE-RIDGE Shingle, PINE-CREST Shake, PACIFIC Tile, and BARREL-VAULT Tile. These premium roofing options are available by special order with an estimated lead time of 4-6 weeks.

Part #	Description
SOBORALGRANPANEL	GRANITE-RIDGE Shingle
SOBORALSHAKE	PINE-CREST Shake
SOBORALPTILE	PACIFIC Tile
SOBORALVTILE	BARREL-VAULT Tile



Barrel Vault - Charcoal



Granite Ridge - Barclay



Pacific - Timberwood



Pine Crest - Ironwood



Unified Steel Accessories

xx = color

Part #	Description	Coverage	Length
BORALCOTCAPxx	Cap Cottage (Hip & Ridge) Barclay, Charcoal, Ironwood, Timberwood are available colors	12"	12"
BORALCEZVENTxx	COTTAGE EZ Vent Barclay, Charcoal, Ironwood, Timberwood.	82 Sq In	14" x 47.5"
BORALRAKExx	Rake Channel 2" x 3.25" x 79" Barclay, Charcoal, Ironwood, Timberwood		79"
BORALRxx	Rake Roof-To-Wall (Bare)		10' 4"
BORALFLATxx	Flat Sheets 18" x 54" Barclay, Charcoal, Ironwood, Timberwood	18" x 54"	
BORALFOAM6	Cap Barrier Foam Rolls 1" x 6" x 20'	1" x 6"	20'
BORALRMVENT	Ridgemaster Plus Ridge Vent	10.62" x 1.37"	4'
BORALHWALLxx	Head-Side-Wall Barclay (110 Deg Head Metal)	3" x 3.75"	79"
MVENT11	Shingle-Over Rolled Ridge Vent	11-1/4"	20'
BORALVALCOVxx	Valley Center Cover Barclay, Charcoal, Ironwood, Timberwood	4.25"	79"
MRP20VALBK	Double 'V' Valley Black	20"	10' 4"
MRPSMAVALBK	Smart Valley Black (Requires 2 pieces per length)		10' 4"
MRPSMAGUTGV	Smart Gutter Riser		10' 4"
BORALTKxx	Touch-Up Kit (2lb Chip, 8-oz of Basecoat & Brush)		
BORALSHIELD	MetalSeal HT Ice & Water Shield	3'	72'
BORALSLEEVExx	Pipe Sleeve 4" Diameter Barclay, Charcoal, Ironwood, Timberwood		
BORAL4N1xx	Pipe Jack 4-in-1 Base 18"x18" Barclay, Charcoal, Ironwood, Timberwood (Fits Pipes 1-1/4" to 4")		
BORALxx2	Unified Steel Screw HWH #10x2" 500 Bag		
BORALxx22	Unified Steel Screw HWH #10x2-1/2" 500 Bag		
BORALxx34	Screws STITCH HWH #8 x 3/4" 250 Bag		

Metal Roofing Accessories





Touch Up Paint

As careful as you might try to be, even the very best installers might not make it throughout the installation process without a scratch. And since the paint is the first line of defense against a rusting metal panel, it is imperative that the scratch be repaired. That's where our touch up paint comes in. A word of caution though. Because the performance of touch up paint is rarely the same as the factory-applied finish, it should always be used in moderation and only as much as is necessary.

FEATURES

- Color-matched to our metal panel colors.

Part #	Description	Size
PAINTBcc	1 oz Brush Touchup Paint	1 oz
PAINTcc	12 oz Spray Touchup Paint	12 oz
PAINTPENcc	Touchup Paint Pen	.3 oz

Adhesive Backer Rod - for Standing Seam

Standing Seam Backer Rod is a flexible extruded closed cell foam product with a 5/8" diameter and adhesive backing. Many installers use backer rods to help prevent oil canning in standing seam metal roof panels.

Part #	Description
SSBR58	Backer Rod with Adhesive for Standing Seam

DEWALT Swivel Head Shear

Standing Seam Backer Rod is a flexible extruded closed cell foam product with a 5/8" diameter and adhesive backing. Many installers use backer rods to help prevent oil canning in standing seam metal roof panels.

Part #	Description	Gauge
Y361704	DEWALT 18-Gauge 5-Amp Swivel Head Shear	18

MAX Offset Snips - Malco

Features superior hardened blade edges for maximum cutting life. Riveted, head-to-handle compound linkage multiplies hand leverage applied by user. Linkage will not rattle or loosen ever! And an easily adjustable pivot bolt, with nylon locking nut, holds its adjustment securely for these hard-working aviation snips.

Part #	Description	Handling/Cutting	Color
MALM2006	Offset MAX 2006 Snip	Right Hand / Left Cut	Red
MALM2007	Offset MAX 2007 Snip	Left Hand / Right Cut	Green

CAPACITIES

Aluminum	Copper	Stainless Steel	Galvanized Steel	Milled Steel
.062 (1.57)	.054 (1.37)	.038 (0.97) 20 Ga.	.054 (1.37) 18 Ga.	.048 (1.22) 18 Ga.



Andy Snips - Malco

Lightweight aluminum handles with inlaid steel blades. 1/3 the weight of steel type snips. Aluminum handles have reinforcing ribs for increased strength. Steel blades are electronically heat-treated and tempered for continuous use. Precision ground cutting edges. Blades are resharpenable.

FEATURES

- 1/3 the weight of steel type snips
- Aluminum handles have reinforcing ribs for increased strength
- Steel blades are electronically heat-treated and tempered for continuous use
- Precision ground cutting edges
- Blades can be resharpened

Part #	Description
Y351660	Malco Andy 12 in. Tin Straight Aluminum Handle Snips

CAPACITIES

Aluminum	Copper	Stainless Steel	Galvanized Steel	Mild Steel
.035 (0.89)	.023 (0.58)	.018 (0.46) 26 Ga.	.028 (0.71) 24 Ga.	.024 (0.61) 24 Ga.



Hand Notcher - Malco

Specialized for folding and fabricating metal, including metal ductwork. The N2R Hand Notcher makes a full 1-inch (25.4 mm) deep "V" shaped cut.

Part #	Description
YYN2R	1" Hand Notcher

CAPACITIES

Aluminum	Copper	Stainless Steel	Galvanized Steel	Mild Steel
.035 (0.89)	.023 (0.58)	.018 (0.46) 26 Ga.	.028 (0.71) 24 Ga.	.024 (0.61) 24 Ga.



Power Shears - Malco

The Malco TurboShear Heavy Duty (TSHD) is a powerful sheet metal cutting tool that can be quickly attached to a corded or cordless drill. This electric shear attachment has the capability to make fast straight, curved, or square cuts in most common sheet metals. The shear's wide-opening jaws can operate at high or low speeds for the control you need, when you need it.

Part #	Description
Y332973	Turbo Shear 3/8 In., 1/2 In. Heavy-Duty Power Shear Attachment



James Way Slitter

The easy to use slitter from Jamesway Tools allows for fast on-site cuts to metal and vinyl panels. The Jamesway slitter is highly durable, portable, and can cut through metal up to 24 gauge. The tool is designed to be pushed or pulled without any power. The slitter will not scratch the metal, leaving a smooth cut and edge. The Jamesway slitter is made in America and comes with a one-year manufacturer’s warranty. The slitter has a heavy-duty aluminum body with cutting wheels that can be sharpened or replaced.

Part #	Description
YYJWSLIT	James Way Metal & Vinyl Slitter



Pipe Crimper - Malco

Malco crimpers create clean, secure crimps for fitting sheet metal duct and aluminum downspouts. Designed for dependable field use, they help form tighter connections, downsize material, and make installation easier in HVAC, gutter, and sheet metal applications.

Part #	Description
Y410098	Malco 5-Blade Downspout Crimper
Y430722	Malco Single Downspout Crimper



Home Cutter - Malco

Malco “Gold Standard” Sheet Metal Hole Cutters are lightweight, drill-powered tools designed to cut clean, adjustable holes in sheet metal. With long-lasting impact cutter bits, sealed bearings, and an easy-adjusting pivot pin, they provide a fast, portable solution for HVAC and sheet metal applications.

Part #	Description
YYMALHC1	Malco Hole Cutter, Metal



Snap Lock Punch - Malco

Malco snap lock punches create secure locking tabs in siding, gutter end caps, and light sheet metal. Designed for reliable field use, they help lock panels into trim, crimp gutter end caps, and form clean tabs for vinyl, aluminum, and light sheet metal applications.

Part #	Description
MALSL2R	Gutter End Cap Crimper (Adjustable Snap Lock Punch)
Y108350	Snap Lock Punch



Replacement Blades - Malco

Part #	Description
Y332982	Replacement Blades for HD Turbo Shear



Y302711



Y302721

Offset Snips - Milwaukee

MILWAUKEE Offset Aviation Snips are built for long life and clean cuts. Forged blades with laser-hardened edges are durable and deliver long life. Sharp, serrated blades provide smooth and clean cuts. The handles are designed to deliver easy, low-effort cutting. BOLT LOCK ensures the blades won’t loosen and chrome plating provides rust protection. The color-coded handles allow for easy identification on the job. The metal lock secures the tool for storage and is easily operated with one hand. The offset model features a 45-degree offset handle for clearance over the cut material.

FEATURES

- Forged alloy steel cutting heads for durability and machined steel blades for precision cuts
 - Durable Laser Hardened Edges
 - One-handed locking for ease of use
 - Serrated Blade Provides Smooth Cutting
 - Flush pivot bolt
 - Handles Deliver Low Effort Cutting
 - Rust protection increases tool life by reducing corrosion
 - Forged Steel Blades with Chrome Plated Rust Protection
- Ergonomic handles provide maximum comfort
 - BOLT LOCK - Blades Won’t Loosen
 - Cuts up to 18 Ga. cold-rolled steel and up to 22 Ga. stainless steel
 - Comfort Grip Handles
 - Blade Shape Curls Away Material
 - One-Handed Metal Swing Lock
 - Color Coded Handle Identification
 - Tether Ready Lanyard Hole

Part #	Description	Handling/Cutting	Color
Y302711	Milwaukee 10" Offset Aviation Left Snips	RH/Left Cut	Red
Y302721	Milwaukee 10" Offset Aviation Right Snips	LH/Right Cut	Green



Y303511

Y303515

Y303507

Offset Snips - Channellock

Channellock 10” aviation snips are built for clean, controlled cutting in sheet metal applications. Available in straight, left-offset, and right-offset styles, they feature forged molybdenum alloy steel, precision-formed blades, compound cutting action, durable springs, high-tensile steel handles, and comfortable grips for dependable performance with less effort.

FEATURES

- 10” aviation snips
- Cuts up to 18 ga. cold rolled steel and 22 ga. stainless steel
- Forged molybdenum alloy steel construction
- Precision-formed blades for accurate cuts
- 8:1 compound joint action for easier cutting
- Long-lasting double overwind spring
- High-tensile steel handles
- Comfortable, durable grips
- Made in the USA

Part #	Description	Handling/Cutting	Color
Y303511	Channellock 10" Offset Aviation Left Snips	RH/Left Cut	Red
Y303515	Channellock 10" Offset Aviation Right Snips	LH/Right Cut	Green
Y303507	Channellock 10" Aviation Straight Snips	Straight Cut	Yellow



YYMTP6510L

YYMTP6510R

Offset Snips - Midwest

Midwest Offset Aviation Snips are designed for clean straight cuts and tight curves in sheet metal, with offset blades that move material away from the cut and keep the user’s hand above the work surface for better control and maneuverability. Available in left-cut and right-cut styles, they feature forged GLIDETECH® blades, compound leverage handle action, comfortable grips, and durable Made-in-USA construction.

FEATURES

- Offset design for better clearance and maneuverability
- Cuts straight lines and tight curves
- GLIDETECH® forged blades
- Hot drop-forged molybdenum alloy steel blades
- Austemper® heat-treated cutting edges
- Compound leverage handle action
- Comfortable KUSH'N-POWER® grips
- Made in the USA

Part #	Description	Handling/Cutting	Color
YYMTP6510L	18Ga Offset Snips	Left Cut	Red
YYMTP6510R	18Ga Offset Snips	Right Cut	Green

Pipe Crimper - Midwest

MIDWEST® 3-Blade Gutter Crimpers feature a 1-1/4” throat depth for corrugating the end of sheet metal downspout sections or fittings for insertion into another section or fitting of sheet metal gutter assuring a tight fitting joint. Equipped with KUSH'N-POWER® compound leverage handle action which multiplies handle force while providing a soft, sturdy and comfortable grip. Use in either hand. Made in USA!



Part #	Description
MWT-3BC	3 Blade Gutter Crimper



Y302724



Y302732

Offset Snips - Wiss

Offset blades keep hands clear of metal. Non-slip serrated jaw of molybdenum steel for compound lever action. Withstands strain of cutting heavy stock and tight curves. Spring-action for fast, effortless feed. Handy hang-up hole. Non-slip, textured grips and safety latch for superior control. Cuts low carbon cold rolled steel.

FEATURES

- 30 degree offset allows for greater material flow and keep hands clear while cutting straight lines and left arcs
- Made in the USA
- Cuts up to 18 gauge low carbon, rolled steel
- Tested up to 500,000 cuts, engineered for superior cutting performance
- Superior design requires 20% less force to cut
- Ultra durable pivot bolt design provides a longer cutting life
- Precision ground, serrated blades allow for enhanced material control
- Spring loaded return for easy use
- Single-handed latch operation for left or right-handed use
- Ergonomic, single material non-slip handle grips provide easy cleaning with built-in hang hole for convenient storage

Part #	Description	Handling/Cutting	Color
Y302724	Wiss Metalmaster 9-1/4" Offset Aviation Snips	Left Cut	Red
Y302732	Wiss Metalmaster 9-1/4" Offset Aviation Snips	Right Cut	Green



Y332394

Y332401



Y332410



Y355430



Y332517

Y332492



Y344095

Aviation Snips - Wiss

Crescent Wiss snips are versatile cutting tools for sheet metal, HVAC, roofing, gutter, and general material-cutting applications. This group includes straight tin snips, duckbill snips, lightweight tinner snips, and compound-action aviation snips for straight cuts, wide curves, tight curves, and left- or right-cut applications. Built for clean cutting, control, and durability, they offer options for both light-duty trimming and heavier sheet metal work.

FEATURES

- Designed for sheet metal, HVAC, gutter, and general cutting applications
- Available in straight, left-cut, right-cut, duckbill, and tinner styles
- Cuts straight lines, curves, or combination cuts depending on the model
- Durable blade construction for long service life
- Precision-ground or serrated cutting edges for improved control
- Comfortable handles or grips for better control during use
- Options for light stock, low-carbon steel, aluminum, and other materials
- Selected models feature compound action for easier cutting with less force
- Selected models include spring-action handles and safety latches for easier use and storage

Part #	Description	Handling/Cutting	Color
Y332394	Wiss Metalmaster 9-3/4" Aviation Compound Action Snips	Left Cut	Red
Y332401	Wiss Metalmaster 9-3/4" Aviation Compound Action Snips	Right Cut	Green
Y355430	Wiss Metal-Wizz 9" Aviation Straight Snips	Straight	Yellow
Y332410	Wiss Metalmaster 9-3/4" Aviation Straight Compound Action Snips	Straight	Yellow
Y332517	Crescent Wiss 10" Duckbill Tin Combination Pattern Snips	Combination	Red/Black
Y344095	Crescent Wiss 12" Lightweight Aluminum Straight-Cut Tinner Snips	Straight	Red
Y332492	Crescent Wiss 10" Tin Straight Regular Pattern Snips	Straight	Red



Two Station Bender - Malco

Save time on the job with Malco's professional-grade 2-Station Metal Roofing Benders, which form 0°-100° bends on straight panels of any length on the jobsite, without waiting on wholesale roll formers.

Designed specifically for pros who focus on bends under the noted depth, such as profiling metal panels or installing snap lock panels that only need to be bent at the eave.

Part #	Description
YYFS2F150	Malco Two Station Metal Bender, 150 mm



Hand Seamers - Malco

Malco hand seamers are designed for bending, folding, flattening, straightening, and seaming sheet metal in roofing, siding, HVAC, and standing seam applications.

FEATURES

- Designed for bending, folding, flattening, straightening, and seaming metal
- Useful for roofing, siding, HVAC, flashing, fascia, and sheet metal work
- Helps create clean, accurate bends and seams
- Durable jaw construction for dependable jobsite use
- Depth markings for consistent bends on selected models
- Ergonomic handles for comfortable operation

Part #	Description
MALS3	3" Offset Hand Seamer S3R Redline
Y117331	6" Hand Seamer S6R Redline
YYMALS9	9" Hand Seamer S9R Redline
YYFSHS	Standing Seam Hand Seamer, 1"-1-1/2"

Metal Panel Panning Tool

Panning Tools are manufactured using high quality aluminum alloy, creating a high performance tool that is not only lightweight, but also extremely strong.

The handle is parallel to the bend for better ergonomics and more leverage.

Our standard Panning Tool has a working depth of 1.5", but features two threaded holes that can be used with your 1/4-20 screws to change the working depth to 1".

Bending capacity of up to 22ga steel.

Part #	Description	Size
YYAPT-15	15.25" Aluminum Panning Tool	16"
YYAPT-24	24" Aluminum Panning Tool	24"

Metal Panel Hemming Tool - JS Design

FEATURES

- 1/8" Gap
- 1-1/2" Depth
- Zinc-Chromate Plated
- Rubber Grip Handle

Part #	Description	Size
YYJSDHT	JS Design Metal Panel Hemming Tool 20"	20"

Ag Panel Shears with Detachable Blades - Swenson

Swenson Shear metal cutting shears are jobsite tools designed to make clean, safe cuts in exposed-fastener metal roofing panels. The M42 Straight Cut Shear handles straight 90° cuts and up to a 2/12 gable on panels up to 42", while the M48 Heavy Duty Pivot Shear handles wider panels up to 48" and gable cuts up to 8/12. Both use custom, interchangeable blade sets matched to specific panel profiles for clean cuts without burred edges or flying metal.

FEATURES

- Designed for exposed-fastener metal roof panels
- Creates clean cuts without burred edges or flying metal
- Ideal for heavy-gauge panels up to 24 gauge
- Custom blade sets match specific panel profiles
- Interchangeable blades for different panel profiles
- Designed for straight cuts and gable cuts
- Transportable jobsite design
- Made in the USA

Part #	Description	Max Gauge
YYSWENSC	Swenson Shears M48 36" Straight Cut @90* (G-Rib) GGO	24Ga
YYSWENAC	Swenson Shears M48 36" Angle Cut @4/12g (G-Rib) GG4	24Ga



YYSWENAC



YYSWENSC



Panel Shears with Detachable Blades - Swenson

Part #	Description	Max Gauge
YYSWENMP	Swenson Shears M42 36" Straight Cut @90* (M Panel) GPBO	24Ga
YYSWENCRSC	Swenson Shears M42 36" Straight Cut @90* ARO (R-Panel)	24Ga
YYSWENBBAT	Swenson Shears M20 Straight Cut @90* (Board & Batton) GPO	24Ga

Panel Shear Replacement Blades

Part #	Description
YYSWENRB	Swenson Shears Replacement Blades 36" Straight Cut @90* (G-Rib) GGO
YYSWENRBA	Swenson Shears Replacement Blades 36" Angle Cut @4/12g (G-Rib) GG4

Shear Jig Kit

Part #	Description
YYM42JIG	Swenson Shears Pre-Alignment Jig for M42 Shear

Roofing Screws & Fasteners



Color-matched colors in stock, with many more colors available for direct ship.

Woodbinder Metal to Wood Screw

Fastener designed to attach steel roofing & siding used in post-frame & residential metal roofing applications. Threads transition from fine to coarse to generate superior holding strength in various wood substrates.

Micro-Bit™ point reduces metal shavings that can embed themselves in the rubber washer. EPDM rubber is vulcanized to a steel washer to form an excellent seal even when driven at an angle.

FEATURES

- #10 diameter; available in 1", 1-1/2", 2", 2-1/2", and 3" lenghts
- 1/4" hex washer head with cupped design for a secure, angled-drive seal
- EPDM rubber washer vulcanized to steel backer prevents leaks

Part #	Description	Carton Qty	Head Size	Size
WS1cc	1" Woodbinder Metal to Wood Screw	3000	1/4"	#10×1"
WS12cc	1-1/2" Woodbinder Metal to Wood Screw	2500	1/4"	#10×1-1/2"
WS2cc	2" Woodbinder Metal to Wood Screw	2000	1/4"	#10×2"
WS22cc	2-1/2" Woodbinder Metal to Wood Screw	1500	1/4"	#10×2-1/2"
WS3cc	3" Woodbinder Metal to Wood Screw	1000	1/4"	#10×3"



Color-matched colors in stock, with many more colors available for direct ship.

ZXL Woodbinder Metal to Wood Screw

#10 ZXL metal-to-wood screw with 5/16" ZAMAC hex head, 40-year rust warranty, and EPDM washer. Bag of 250.

FEATURES

- #10 diameter; available in 1", 1-1/2", 2", 2-1/2", and 3" lenghts
- 5/16" cupped hex head molded from ZAMAC zinc-aluminum alloy
- 40-year warranty against red rust on head and washer face
- Micro-Bit point minimizes metal shavings from embedding in washer
- Fine-to-coarse thread transition for superior wood holding strength
- VOC-free polyester powder coating in 35 standard colors
- Ideal for GALVALUME and long-life metal roof and siding panels

Part #	Description	Carton Qty	Head Size	Size
ZXL1cc	1" ZXL Woodbinder Metal to Wood Screw (non stock)	3000	5/16"	#10×1"
ZXL12cc	1-1/2" ZXL Woodbinder Metal to Wood Screw	2500	5/16"	#10×1-1/2"
ZXL2cc	2" ZXL Woodbinder Metal to Wood Screw (non stock)	2000	5/16"	#10×2"
ZXL22cc	2-1/2" ZXL Woodbinder Metal to Wood Screw	1500	5/16"	#10×2-1/2"
ZXL3cc	3" ZXL Woodbinder Metal to Wood Screw (non stock)	1000	5/16"	#10×3"



OSB Woodbinder Screw

#12 Type 17 screw engineered for OSB substrates. Strip-Loc threads resist pullout. 1/4" hex head. Bag of 250.

FEATURES

- #12 diameter; available in 3/4" and 1-1/2" lengths
- Strip-Loc threading grips OSB fibers to minimize stripout
- Type 17 sharp point cleans existing holes, ideal for rescuing stripped fasteners
- 1/4" hex washer head with UV-resistant EPDM rubber washer
- G-90 galvanized steel-backed washer for pullover strength
- VOC-free powder coating available in 35 standard colors
- Sold in bags of 250; color-matched to metal roofing panels

COLORS IN STOCK

- Black (BK),
 - Burnished Slate (BS),
 - Burgundy (BU),
 - Charcoal (CH),
 - Clay (CL),
 - Evergreen (GN),
- Gray (GR), Red (RE),
 - Stone (ST),
 - White (WH)
 - more colors and sizes available for special order

Part #	Description	Carton Qty	Head Size	Size
OSB34cc	3/4" OSB Woodbinder Screw (non stock)	2500	1/4"	#12×3/4"
OSB12cc	1-1/2" OSB Woodbinder Screw	2500	1/4"	#12×1-1/2"

Steelbinder Metal to Metal Screw

#12 self-drilling metal-to-metal roofing screw with 5/16" cupped hex head and EPDM washer. Bag of 250.

FEATURES

- #12 diameter; available in 1", 1-1/2", 2", 2-1/2", and 3" lengths
- 5/16" cupped hex washer head with encapsulated UV-resistant EPDM washer
- Self-drilling point penetrates steel up to .210" without pre-drilling
- Advanced forging produces sharp drill edges — eliminates pigtails
- Ultimate tensile strength: 2,900–3,697 lbs depending on gauge
- Color-matched coating available for 1" and 1-1/2" lengths
- Sold in bags of 250; designed for pre-engineered metal building applications

COLORS IN STOCK

- Color-matched colors in stock in 1" and 1-1/2". Stocked in 2", 2-1/2" and 3" White (WH) and Galvanized (GV) with more colors and sizes available for special order

Part #	Description	Carton Qty	Head Size	Size
MS1cc	1" Steelbinder Metal to Metal Screw	2500	5/16"	#12×1"
MS12cc	1-1/2" Steelbinder Metal to Metal Screw	2000	5/16"	#12×1-1/2"
MS2cc	2" Steelbinder Metal to Metal Screw (non stock)	1500	5/16"	#12×2"
MS22cc	2-1/2" Steelbinder Metal to Metal Screw (non stock)	1500	5/16"	#12×2-1/2"
MS3cc	3" Steelbinder Metal to Metal Screw (non stock)	1000	5/16"	#12×3"



Color-matched colors in stock, with many more colors available for direct ship.



Stitch Screw

#14 × 7/8" self-drilling metal-to-metal stitch screw with 5/16" hex head and EPDM washer. Bag of 250.

FEATURES

- #14 × 7/8" — purpose-built for lapping metal roofing and siding panels together
- 5/16" cupped hex washer head; .560" EPDM rubber bonded washer
- Self-drilling point for fast penetration into steel without pre-drilling
- Carbon steel construction with electro-galvanized corrosion protection
- Powder-coated finish available in color-matched options
- Sold in bags of 250

Part #	Description	Carton Qty	Head Size	Size
SScc	7/8" Stitch Screw	2500	5/16"	#14×7/8"

Replacement Woodbinder Screw

#14 replacement screw with 5/16" hex head covers stripped or enlarged holes in metal roofing. Bag of 250.

FEATURES

- #14-10 diameter; available in 1-1/2", 2", 2-1/2", and 3" lengths
- Oversized 5/16" hex washer head covers elongated or damaged existing holes
- Type 17 sharp point cleans and re-engages stripped screw holes
- 14mm EPDM rubber washer vulcanized to steel backer; seals at any angle
- Larger diameter threads generate maximum holding strength in aged substrates
- Replaces backed-out nails and smaller fasteners in steel roofing
- Ultimate tensile strength: 4,270 lbs; sold in bags of 250

COLORS IN STOCK

- Stocked in Galvanized (GV) all sizes and:
 - 2" Black (BK),
 - Brown (BR),
 - Burnished Slate (BS)
 - Charcoal (CH),
 - Green (GN),
- Red (RE),
 - Stone (ST)
 - White (WH)
 - with more colors and sizes available for special order

Part #	Description	Carton Qty	Head Size	Size
WS12cc14	1-1/2" Replacement Woodbinder Screw	1500	5/16"	#14×1-1/2"
WS2cc14	2" Replacement Woodbinder Screw	1500	5/16"	#14×2"
WS22cc14	2-1/2" Replacement Woodbinder Screw	1000	5/16"	#14×2-1/2"
WS3cc14	3" Replacement Woodbinder Screw	1000	5/16"	#14×3"



Color-matched colors in stock, with many more colors available for direct ship.

Eclipse Woodbinder Screw

#10 low-profile truss head metal-to-wood screw with T-25W 6-lobe drive for clean sidewall appearance. Bag of 250.

FEATURES

- #10 diameter; available in 1" and 1-1/2" lengths
- Low-profile truss head designed for minimal visual footprint on sidewall applications
- T-25W 6-lobe recess drive prevents bit cam-out during installation
- Micro-Bit self-drilling point reduces metal shavings at washer
- Undercut EPDM rubber washer (0.500" diameter) seals even when driven at an angle
- Powder-coated in 35+ colors to match metal panel finishes
- Sold in bags of 250

Part #	Description	Carton Qty	Head Size	Size
ES1cc	1" Eclipse Woodbinder Screw	3000	Truss	#10×1"
ES12cc	1-1/2" Eclipse Woodbinder Screw	2500	Truss	#10×1-1/2"



Eclipse with no Washer Screw White

#10 white truss/pan head metal-to-wood screw without washer, for clean trim and siding applications. Sizes 1"–2".

FEATURES

- #10 diameter; available in 1" and 2" lengths
- Low-profile truss/pan head — no washer for a flush, clean appearance
- White finish for use with white trim coil, soffit, and fascia
- Self-drilling point; no pre-drilling required
- Ideal for aluminum trim coil and lightweight metal siding applications
- Sold in bags of 250

Part #	Description	Carton Qty	Head Size	Size
PAN1WH	1" Eclipse with no Washer Screw White (in-stock)	3000	Truss	#10×1"
PAN12WH	1-1/2" Eclipse with no Washer Screw White (in-stock)	2500	Truss	#10×1-1/2"
PAN2WH	2" Eclipse with no Washer Screw White (in-stock)	2000	Truss	#10×2"



Bare in-stock.



Color-matched colors in-stock.

Wafer Clip Woodbinder Screw Bare

#10 pancake/wafer head clip screw for standing seam roof clips. #2 Sq/Ph combo drive. Bare finish. Sizes 1"–2".

FEATURES

- #10 diameter; available in 1", 1-1/2", and 2" lengths
- Ultra-low-profile wafer/pancake head — will not dimple standing seam roof panels
- #2 Square/Phillips combo drive for versatile installation
- Available in Ruspert® corrosion-resistant coated carbon steel or 304 stainless steel
- Designed to attach standing seam roof clips to plywood, OSB, or wood purlins
- Bare (uncoated) finish; sold in bags of 250

Part #	Description	Carton Qty	Head Size	Size
PAN1	1" Wafer Clip Woodbinder Screw Bare	3000	#2 Sq/Ph	#10×1"
PAN12	1-1/2" Wafer Clip Woodbinder Screw Bare	2500	#2 Sq/Ph	#10×1-1/2"
PAN2	2" Wafer Clip Woodbinder Screw Bare	2000	#2 Sq/Ph	#10×2"

Stainless Steel Trim Nails

1-1/4" ring-shank 304 stainless trim nails with checkered head for paint adhesion. Color-matched. 1/4 lb & 1 lb bags.

FEATURES

- 1-1/4" length; .072" diameter (3d) ring shank for added holding power
- 304 stainless steel, excellent long-term corrosion resistance
- Checkered head (.177") enhances paint adhesion and color retention
- Oven-cured painted finish matches major siding and trim coil manufacturers
- Slim body drives better than aluminum trim nails
- Available in color-matched options for Alside, James Hardie, LP SmartSide, and more
- Sold in 1/4 lb and 1 lb quantities

Part #	Description	Carton Qty	Head Size	Size
SOFFcc	1-1/4" Stainless Steel Trim Nails	.25 Lb (150 ea)	3/16"	1-1/4"



Color-matched colors in-stock.

Zip Screw REZIST

#8 × 1/2" Raytec REZIST hex head roofing screw with 1,000-hr salt spray tested finish. Color-matched. Bag of 50.

FEATURES

- #8 × 1/2" size; hex washer head with magnetic drive
- REZIST coating provides 1,000-hour salt spray protection against red rust
- Available in painted (color-matched) and mill finish options
- Magnetic screws for fast, efficient installation with magnetic bit driver
- Designed for metal roofing, siding, and gutter applications
- Sold in bags of 50; color-matched to popular panel colors

Part #	Description	Size
ZIPcc	1/2" Zip Screw REZIST	#8×1/2"



Stainless Steel Pop Rivets

Color-matched 304 stainless steel blind rivets for metal roofing trim, gutters, and ridge caps. Bag of 50.

FEATURES

- 304 stainless steel body and mandrel for maximum corrosion resistance
- Available in 1/8" (Series 4) and 3/16" (Series 6) body diameters
- Grip range: .063"--.375" (Series 4); .251"--.375" (Series 6)
- Painted finishes available in 16 colors to match architectural panel colors
- Open-end blind rivet design; low-profile dome head
- Ideal for ridge caps, gutters, downspouts, and aluminum trim coil

COLORS IN STOCK

- Black,
 - Blue,
 - Brown,
 - Burnished Slate,
 - Burgundy,
 - Charcoal,
- Clay,
 - Copper,
 - Crimson Red,
 - Gallery Blue,
 - Green,
 - Gold,
- Gray,
 - Hartford Green,
 - Red,
 - Stone,
 - Tan
 - White

Part #	Description	Carton Qty	Head Size	Size
POPcc	1/8" - 3/16" Stainless Steel Pop Rivets	50-Bag	3/16"	1-1/2"



Pop Rivets

1/8" dia. x 1/8" grip aluminum blind pop rivets. Permanent tamperproof bond. 100-pack.

FEATURES

- 1/8" body diameter; 1/8" grip range
- Aluminum construction, lightweight and corrosion-resistant
- Creates a permanent, tamperproof bond that resists vibration and stripout
- Suitable for sheet metal, aluminum, gutters, heating ducts, and trim coil
- 100 rivets per pack

Part #	Description	Carton Qty	Size
Y381810	White Pop Rivets - Aluminum	100-Pack	1/8"x1/8" Grip
Y348120	Brown Pop Rivets - Aluminum	100-Pack	1/8"x1/8" Grip

Stainless Steel Pop Rivets

1/8" dia. x 1/8" grip stainless steel blind pop rivets. Corrosion-resistant permanent bond. 25-pack.

FEATURES

- 1/8" body diameter; 1/8" grip range
- Stainless steel construction for superior corrosion and rust resistance
- Creates a permanent, tamperproof bond that will not vibrate loose
- Suitable for sheet metal, aluminum, gutters, heating ducts, and trim coil
- Ideal for outdoor and high-moisture applications requiring rust-free fastening
- 25 rivets per pack

Part #	Description	Carton Qty	Size
Y302634	Stainless Steel Pop Rivets	25-Pack	1/8"x1/8" Grip



Channellock Swivel Head Rivet Tool

Channellock swivel head rivet tool with 360° pivot sets 3/32"--3/16" rivets. Spring-eject handle. 1.54 lbs.

FEATURES

- 360° swivel/pivot head for riveting at any angle, including tight spaces
- Sets 3/32", 1/8", 5/32", and 3/16" diameter rivets without changing heads
- Spring-loaded handle automatically ejects mandrel after each rivet
- Steel construction with nonslip grip for control and comfort
- Lightweight at 1.54 lbs; compact profile
- Includes 4 interchangeable nosepieces stored in handle

Part #	Description
Y304522	Channellock Swivel Head Rivet Tool



Channellock Heavy-Duty Rivet Tool

Channellock heavy-duty steel rivet tool sets 3/32"--3/16" rivets. Auto-eject, nosepieces store in handle. 1.65 lbs.

FEATURES

- Sets 3/32", 1/8", 5/32", and 3/16" diameter rivets
- Heavy-duty steel construction with nonslip grip
- Spring-loaded handle ejects rivet mandrel stem automatically
- Multiple nosepieces included and store conveniently in handle
- Extended nose design for reach into confined areas
- Weighs 1.65 lbs; suitable for frequent professional use

Part #	Description
Y381438	Channellock Heavy-Duty Rivet Tool

Caulks & Sealants



NovaFlex Metal Roofing Sealant

NovaFlex Metal Roof Sealant is a single-component, high-solid, low-odor material. It cures to a medium modulus, flexible, and durable rubber-like solid. NovaFlex Metal Roof Sealant will develop primerless adhesion to most common construction substrates, and the neutral cure is compatible with most materials.

Recommended for Sealing: Metal siding/metal roofs, gutters, wood, steel, chimney flashing, snow guards, pipe boots, and downspouts/trim.

Stocked in most of the GBP panel colors.

SKU #	Description	Carton Qty	Size
CAULKBK	NovaFlex Metal Roof Sealant - Black/Shiny Black NFX110	12 Tubes	10oz
CAULKBL	NovaFlex Metal Roof Sealant - Blue NFX3801	12 Tubes	10oz
CAULKBR	NovaFlex Metal Roof Sealant - Brown NFX137	12 Tubes	10oz
CAULKBS	NovaFlex Metal Roof Sealant - Burn Slate NFX121	12 Tubes	10oz
CAULKBU	NovaFlex Metal Roof Sealant - Burgundy NFX180	12 Tubes	10oz
CAULKBW	NovaFlex Metal Roof Sealant - Bright White NFX101	12 Tubes	10oz
CAULKCH	NovaFlex Metal Roof Sealant - Charcoal NFX126	12 Tubes	10oz
CAULKCL	NovaFlex Metal Roof Sealant - Clay NFX156	12 Tubes	10oz
CAULKCLR	NovaFlex Metal Roof Sealant - Clear NFX150	12 Tubes	10oz
CAULKCO	NovaFlex Metal Roof Sealant - Copper NFX157	12 Tubes	10oz
CAULKCR	NovaFlex Metal Roof Sealant - Crimson Red NFX196	12 Tubes	10oz
CAULKGB	NovaFlex Metal Roof Sealant - Gallery Blue NFX171	12 Tubes	10oz
CAULKGN	NovaFlex Metal Roof Sealant - Green NFX169	12 Tubes	10oz
CAULKGR	NovaFlex Metal Roof Sealant - Gray NFX115	12 Tubes	10oz
CAULKHG	NovaFlex Metal Roof Sealant - Hartford Green NFX168	12 Tubes	10oz
CAULKIV	NovaFlex Metal Roof Sealant - Ivory NFX3461	12 Tubes	10oz
CAULKRE	NovaFlex Metal Roof Sealant - Red/Dark Red NFX182	12 Tubes	10oz
CAULKST	NovaFlex Metal Roof Sealant - Stone/Ivory NFX191	12 Tubes	10oz
CAULKTA	NovaFlex Metal Roof Sealant - Tan NFX3333	12 Tubes	10oz
CAULKWH	NovaFlex Metal Roof Sealant - White NFX105	12 Tubes	10oz

FEATURES

- Great for exterior and interior sealing
- Permanently flexible
- Will not shrink or crack
- Waterproof
- Mold/mildew resistant
- Invisible to UV light
- Excellent adhesion to most building substrates
- Will not sag or slump
- Completely cured within 48 hours
- Tack-free in 10 minutes
- Excellent tooling properties
- No solvents or odor (50-state VOC compliant)
- Will not freeze

FOR USE ON

- Lap Joints
- Pipe Boots
- Trim
- Copper (exposed areas)
- Metal Siding
- Stucco
- Roof Flashing
- Downspout
- Roof Tile
- Termination Bars
- Metal Roof
- PVC/PVDF
- Snow Guards
- Single-Ply
- Gutters
- Aluminum





DAP Silicone Sealant - Window, Door & Siding
9.8oz - Clear

DAP 100% silicone rubber sealant provides excellent durability, flexibility, and adhesion for a long-lasting waterproof seal. Resists cracking, crumbling, and chalking. Cured sealant is mildew resistant. Indoor/outdoor use. Meets ASTM C920, Specification C719, Class 25.

FEATURES

- 100% silicone rubber sealant
- Resists cracking, crumbling, and chalking
- Cured sealant is mildew resistant
- Indoor/outdoor use
- 9.8oz.
- Clear

SKU #	Description	Carton Qty	Size
Y793485	DAP Silicone Sealant - Window, Door & Siding - Clear	12 Tubes	9.8oz



Sashco Lexel - Caulk Polymer Sealant
10oz - Clear

Lexel is the Tough Elastic Sealant for Every Job. Super-elastic. Superior adhesion. Paintable. It seals around anything: tubs and shower stalls, sinks and countertops, window frames and door frames, PVC, and metal drain pipes. Apply to wet or dry surfaces, indoors and outdoors. Its tough and can handle up to 747% joint movement. Its scrubbable. It sticks to just about anything. Lexel clear caulk is 19 times clearer than silicone and won't yellow or cloud up over time. Lexel won't let you down.

FEATURES

- Seals around anything: tubs and shower stalls, sinks and counter tops, window frames and door frames, PVC and metal pipes.
- Apply to wet or dry surfaces, indoors and outdoors
- Tough and can handle up to 400% joint movement
- Won't yellow or cloud up over time
- Super elastic with strong adhesion, won't tear, crack or pull away

SKU #	Description	Carton Qty	Size
Y780472	Sashco Lexel - Caulk Polymer Sealant - Clear	12 Tubes	10.5oz



Through the Roof! - Cement & Patching Sealant
10oz - Clear

Through the Roof! is a clear, ultra-elastic sealant designed to permanently stop and prevent roof leaks. It seals around roof fixtures without the messy look of asphalt and remains flexible to expand and contract with temperature changes. It adheres to wet or dry surfaces, resists UV exposure, and bonds to a wide variety of roofing and building materials. ASTM C794 compliant and backed by a limited lifetime warranty.

FEATURES

- Permanently stops and prevents roof leaks
- Effectively seals around a variety of roof fixtures
- Expands and contracts with temperature changes
- Sticks to surfaces wet or dry

SKU #	Description	Carton Qty	Size
Y117927	Through the Roof! Cement & Patching Sealant - Clear	12 Tubes	10.1oz



Through the Roof! Cement & Patching Sealant
1 Qt. Clear

Through the Roof! is a crystal-clear, ultra-elastic sealant designed to permanently stop and prevent roof leaks. It seals around roof fixtures without the messy look of asphalt and stays flexible to expand and contract with temperature changes without cracking. It adheres to wet or dry surfaces in temperatures from 0°F to 120°F and bonds to a wide variety of roofing and building materials without discoloration. UV resistant, ASTM C794 compliant, paintable after 24 hours, and backed by a limited lifetime warranty.

FEATURES

- Permanently stops and prevents roof leaks
- Effectively seals around a variety of roof fixtures
- Expands and contracts with temperature changes
- Sticks to surfaces wet or dry

SKU #	Description	Carton Qty	Size
Y117935	Through the Roof! Cement & Patching Sealant - Clear	6 Bottles	Quart



Through the Roof! Cement & Patching Sealant
1 Gal. Clear

Through the Roof! is a crystal-clear, ultra-elastic sealant designed to permanently stop and prevent roof leaks. It seals around roof fixtures without the messy look of asphalt and remains flexible, expanding and contracting with temperature changes without cracking. It adheres to wet or dry surfaces in temperatures from 0°F to 120°F and bonds to a wide variety of roofing and building materials without discoloration. UV resistant, ASTM C794 compliant, paintable after 24 hours, and backed by a limited lifetime warranty.

FEATURES

- Permanently stops and prevents roof leaks
- Effectively seals around a variety of roof fixtures
- Expands and contracts with temperature changes
- Sticks to surfaces wet or dry

SKU #	Description	Carton Qty	Size
Y117943	Through the Roof! Cement & Patching Sealant - Clear	2 Cans	Gallon



3/8" Sealant Tape

Great for Metal Roof and Metal building Applications. MB-10A is a premier elastomeric butyl rubber sealant designed to meet the critical requirements of metal buildings. It also meets or exceeds all sealing requirements for window glazing, air conditioning, and refrigeration. MB-10A is extruded on silicone coated paper for easy application. It is produced in many different sizes and lengths to fit all application requirements. The rolls are securely packaged in cartons for convenience in job site storage and export.

FEATURES

- Greater cohesive strength
- Superior adhesive strength
- Withstands extreme roof temperatures
- Cold flow resistant
- Resistant to UV light
- Seal not affected by normal movement of the building
- Wide service temperature range

SKU #	Description	Carton Qty	Size
BUTYL	3/8" Sealant Tape	48	3/32" x 3/8" x 45'



DAP 4000 - Subfloor Construction Adhesive 28oz.

DAP 4000 SubFloor is a premium grade construction adhesive specifically formulated for subfloor and deck installation. This easy-to-gun, solvent-based adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. Meets ASTM D3498 & APA AFG-01. 28 Oz. tube: ¼ In. bead yields 86 LFT., ⅜ In. bead yields 38 LFT.

FEATURES

- Premium grade construction adhesive
- Specifically formulated for subfloor & deck installation
- Prevents floor squeaks

SKU #	Description	Carton Qty	Size
Y264970	DAP 4000 Subfloor Construction Adhesive	12 Tubes	28oz



DAP - Heavy Duty Construction Adhesive 28oz.

DAP Heavy Duty construction adhesive is a premium high strength adhesive for heavy interior/exterior construction and remodeling projects. Heavy Duty delivers high strength instant grab to hold the toughest vertical projects in place instantly.

SKU #	Description	Carton Qty	Size
Y771823	DAP Heavy Duty Construction Adhesive	12 Tubes	28oz



Y770667

Flex Seal Liquid Rubber Sealant Coating

Flex Seal® is a liquid rubber sealant coating designed to seal, protect, and stop leaks on a wide variety of surfaces. It creates a flexible, watertight rubberized barrier that helps prevent moisture penetration while resisting cracking, peeling, and corrosion. Suitable for indoor and outdoor use, Flex Seal® can be applied to surfaces such as metal, wood, concrete, glass, brick, plastic, and more. Once cured, it forms a durable coating that helps reduce noise and vibration while providing long-lasting protection from water, air, and weather.

FEATURES

- Dries to a flexible, watertight rubberized coating
- Seals and protects surfaces from water and moisture penetration
- Helps prevent rust and corrosion
- Can be applied to a wide variety of surfaces
- Creates a durable barrier that remains flexible without cracking
- Paintable once fully dry

SKU #	Description	Size
Y770667	Flex Seal - Spray Rubber Sealant - Clear	14oz
Y771725	Flex Seal - Liquid Rubber Sealant - Clear	Pint
Y771729	Flex Seal - Liquid Rubber Sealant - Clear	Quart
Y771922	Flex Seal - Liquid Rubber Sealant - Clear	Gallon



Y771725



Y570479

Flex Tape

Super strong adhesive Flex Tape has a thick rubberized backing. Instantly stops leaks, even under water. Instantly creates a watertight seal to patch, bond, seal, and repair. Excellent for: home repairs and DIY projects, marine and water sports, outdoor and camping gear, automotive and mechanical, industrial and farm equipment. Repairs: roof leaks, downspouts, boats, kayaks, personal watercraft, outdoor equipment, mobile homes, vents, ducts, and more.

FEATURES

- Super strong adhesive Flex Tape has a thick rubberized backing
- Instantly stops leaks, even under water
- Instantly creates a watertight seal to patch, bond, seal, and repair
- White

SKU #	Description	Size
Y570479	Flex Tape - Repair Tape - White	4" x 5'
Y570483	Flex Tape - Repair Tape - White	8" x 5'
Y570491	Flex Tape - Repair Tape - White	12" x 10'

Roof Boots



Round Roof Boot - Spring Seal

Spring Seal Metal Roofing Pipe Flashing, the ultimate solution for ensuring watertight seals on metal roofing installations. Crafted with precision and durability in mind, our EPDM Pipe Boot Flashing is engineered to withstand the harshest weather conditions while providing reliable protection against leaks.

FEATURES

- **Flexible & Durable:** The rubber cone withstands vibrations and expansion/contraction, preventing leaks on metal roofing.
- **Temperature Range:** With a temperature rating of -58° F to a maximum of 257° F, our pipe flashing guarantees resilience and performance even in extreme environments.
- **Adaptable Base:** A flexible, foldable aluminum collar allows the boot to conform to most roof panel configurations and pitches. Sealant and screws complete the installation.
- **Easy Customization:** The rubber cone is often marked with pipe sizes, allowing it to be cut with scissors or tin snips for a tight fit.
- **UV and Weather Resistance:** Designed to withstand harsh outdoor elements, making them long-lasting.
- **Wide Application:** Ideal for plumbing, HVAC, and, in some cases, high-temperature exhaust applications (though silicone is required for high-heat).

Part #	Description	Base Size	Case Qty
BOOT3	#3 Roof Boot 1/4"-5"EPDM	7.74"	15
BOOT4	#4 Roof Boot 3"-6 1/4" EPDM	9.26"	15
BOOT5	#5 Roof Boot 4 1/4"-7 1/2" EPDM	10.5"	15
BOOT6	#6 Roof Boot 5"-9" EPDM	12.375"	10
BOOT8	#8 Roof Boot 7"-13" EPDM	16.25"	10
BOOT9	#9 Roof Boot 10"-19" EPDM	25.5"	5



Retrofit Round Roof Boot - Spring Seal

Spring Seal Retrofit Metal Roofing Pipe Flashing, the ultimate solution for ensuring watertight seals on metal roofing installations. Crafted with precision and durability in mind, our EPDM Retrofit Pipe Boot Flashing is engineered to withstand the harshest weather conditions while providing reliable protection against leaks.

FEATURES

- **Retrofit Design:** A split-collar design allows the flashing to wrap around existing pipes,, making them ideal for repairs or when the top of the pipe is obstructed.
- **Secure Sealing:** Stainless steel clamps securely close the seam and create a watertight seal around the pipe.
- **Temperature Range:** With a temperature rating of -58° F to a maximum of 257° F, our pipe flashing guarantees resilience and performance even in extreme environments.
- **Adaptable Base:** A flexible, foldable aluminum collar allows the boot to conform to most roof panel configurations and pitches. Sealant and screws complete the installation.
- **Easy Customization:** The rubber cone is often marked with pipe sizes, allowing it to be cut with scissors or tin snips for a tight fit.
- **UV and Weather Resistance:** Designed to withstand harsh outdoor elements, making them long-lasting.

Part #	Description	Base Size	Case Qty
BOOTZ	#802 Zipper Roof Boot 2" - 7 1/4"	10.75"	15
BOOTZIPPER22	#801 Zipper Roof Boot 3/4"- 2 3/4"	6.25"	15





High Temperature Round Roof Boot - Spring Seal

Spring Seal Silicone Rubber Pipe Flashing is compounded for maximum resistance to ozone, UV light and temperature extremes.

FEATURES

- **Temperature Tolerance:** With a temperature rating of -76° F to a maximum of 428° F, our pipe flashing guarantees resilience and performance even in extreme environments.
- **Adaptable Base:** A flexible, foldable aluminum collar allows the boot to conform to most roof panel configurations and pitches. Sealant and screws complete the installation.
- **Easy Customization:** The rubber cone is often marked with pipe sizes, allowing it to be cut with scissors or tin snips for a tight fit.
- **UV and Weather Resistance:** Designed to withstand harsh outdoor elements, making them long-lasting.

Part #	Description	Base Size	Case Qty
BOOTH3	#3 Hi-Temp Red Roof Boot 1/4"-5"	7.74"	15
BOOTH5	#5 Hi-Temp Red Roof Boot 4.25-7.5"	10.5"	15
BOOTH6	#6 Hi-Temp Red Roof Boot 5"-9"	12.375"	10
BOOTH8	#8 Hi-Temp Red Roof Boot 7"-13"	16.25"	10
BOOTH9	#9 Hi-Temp Red Roof Boot 10"-19"	25.5"	5
HTGBOOT3	#3 HI-TEMP DARK GRAY Roof Boot 1/4"-5"	7.74"	15
HTGBOOT5	#5 HI-TEMP DARK GRAY Roof Boot 4 1/4"-7 1/2"	10.5"	15
HTGBOOT6	#6 HI-TEMP DARK GRAY Roof Boot 5"-9"	12.375"	10
HTGBOOT8	#8 HI-TEMP DARK GRAY Roof Boot 7"-13"	16.25"	10



Extreme Angle Roof Boot - Spring Seal

Part #	Description	Base Size	Case Qty
BOOTEA	1/4 - 5 3/4 Black Extreme Angle Boot	11"	5



Y491101



Y491128



Oatey All-Flash No-Calk Thermoplastic Roof Pipe

Oatey All-Flash No-Calk Roof Flashing. Can be used in commercial and residential applications where a watertight seal for roof penetrations around the plumbing vent pipe is required. The patented collar design allows for use on multiple pipe sizes.

FEATURES

- Patented All-Flash collar with tear-away ring for many pipe sizes
- Non-fading, non-cracking plastic base
- Self-sealing collar slides over pipe and requires no caulking
- Plastic base for pitch from 0-45
- Rated to withstand 180 Deg F continuous heat and approved for Type B installations
- For commercial or residential use
- Plastic base for pitch from 0 to 45 Deg


Part #	Description	Size
Y491101	Oatey All-Flash No-Calk Thermoplastic Shingle Roof Boot	1-1/2" to 3"
Y491128	Oatey All-Flash No-Calk Thermoplastic Shingle Roof Boot	3" to 4"

Oatey Retro Master EDPM Roof Pipe Flashing Boot

Oatey Retro Master Flash Roof Flashing. Engineered for profiled roofing material and designed for installations where standard flashing can't be used because of continuous pipe or obstructions.

Part #	Description	Size
Y449303	Oatey Retro Master EDPM Shingle Roof Zipper Boot	1/4" to 4"

Ventilation & Closures



10’ Low Profile RV100 Vent

The MWI RV100 Economy Ridg-Vent is a low-profile polypropylene ridge ventilator designed for use on post-frame and agricultural buildings with metal roofing. At 10 feet long, it installs easily along the ridge of the building to provide passive airflow, exhausting heat and moisture from the attic or interior space. Its minimal profile blends cleanly with the roofline while delivering effective continuous ventilation.

FEATURES

- Low-profile design minimizes visual impact on roofline
- 5/8" ventilation space on each side for effective airflow
- Durable polypropylene construction resists UV and weather
- 10-foot sections for straightforward installation
- Compatible with standard metal roofing ridge cap systems
- Ideal for mini-storage, garages, agricultural buildings
- Passive ventilation - no moving parts or power required
- Installs under standard ridge cap

COLORS IN STOCK

- Burnished Slate,
 - Burgundy,
 - Crimson Red,
 - Red,
- Blue,
 - Clay,
 - Ivory,
 - Gray,
- Brown,
 - Charcoal,
 - Stone
 - Tan

Part #	Description	Carton Qty	Height	Width	Length
10LOWcc	10' Low Profile RV100 Vent	1	2.75"	12"	10'



36" Vented LP2 Closures - G-Rib & R-Panel

Marco Industries LP2 Vented Closures are 36-inch pre-cut foam closure strips designed to provide both a weather-tight seal and continuous ridge ventilation on metal roofs. Available in profiles matched to G-rib and R-Panel (CR) metal roofing panels, these closures feature Marco's patented Weather-Tite™ design with a durable polyester vent insert that keeps out pests, dust, and moisture while maximizing net free ventilation area. The double bead of industrial-strength M63 peel-and-stick adhesive allows fast one-person installation.

FEATURES

- Available in G-rib (36VENT) and R-Panel/CR (36VENTCR) profiles
- Integrated Python polyester vent insert for optimum airflow
- Double bead M63 adhesive for secure, fast installation
- 36" length per stick - 25 sticks per box (75 linear feet)
- Resists UV degradation, moisture, insects, and rodents
- Works with standard ridge cap fasteners
- 40-year limited warranty from Marco Industries
- Made in the USA

Part #	Description	Carton Qty	Height	Width	Length
36VENT	36" Vented LP2 G-rib Closure	25	1.25"	2"	36"
36VENTCR	36" Vented LP2 R-Panel Closure	25	1.75"	2"	36"



1" x 2" Flex-O-Vent 20' Roll

Marco Industries Flex-O-Vent is a flexible, universal polyester-based ridge ventilation material available in a convenient 20-foot roll. Designed for use on virtually any metal roof profile, Flex-O-Vent conforms to panel contours and provides a breathable, weather-resistant barrier at the ridge. It is the most economical polyester vent option in the Marco lineup and will not absorb moisture, which can freeze and block ventilation in cold climates.

FEATURES

- Universal fit — works with most metal roof profiles
- Non-woven polyester material resists moisture absorption
- 20-foot roll for easy job-site handling and cutting
- 1"H x 2"W nominal profile
- M63 proprietary adhesive pre-applied for secure bond
- Can be cut with scissors or utility knife
- 40-year limited warranty
- One-person installation

Part #	Description	Carton Qty	Height	Width	Length
FLEXVENT	1"x2" Flex-O-Vent 20' Roll	1	1"	2"	20'



Provent Vented Ridge Closures & Rolls

Ventco's PROVENT line offers a full range of single-layer vented ridge closures made from modified polyester non-woven fiber matting specifically engineered for metal roof ventilation. Unlike traditional foam closures, PROVENT strips are breathable, allowing air to pass through while keeping out insects, dust, and wind-driven precipitation. Available in continuous rolls for G-rib, M-rib, and R-Panel/CR profiles as well as universal ridgevent, PROVENT products meet building code ventilation requirements for post-frame and agricultural construction.

FEATURES

- PROV: G-rib profile, 25-foot continuous roll
- PROV36: G-rib vented closure, 1"H x 3"W x 3' stick
- PROVMR: M-rib panel profile, 10-foot roll
- PROVUNI: Universal 1"x2" ridgevent, 20-foot roll
- CRPROV: R-Panel (CR) profile, 25-foot roll
- Modified polyester matting - non-wicking, non-fabric
- Keeps out insects, birds, dust, and wind-driven moisture
- Meets code requirements for net free ventilation area

Part #	Description	Carton Qty	Height	Width	Length
PROV	PROVENT G-rib Profile 25' Roll	1	1.125"	2.5"	25'
PROV36	G-rib Vented Closure 1" H x 3" W x 3' L Stick	24	1.125"	3"	3'
PROVMR	PROVENT 10' Roll M-rib Panel (2 rolls/package)	2	1.125"	2.5"	10'
PROVUNI	PROVENT 1"x2" Universal Ridgevent 20' Roll	1	1.125"	2"	20'
CRPROV	PROVENT R-Panel Profile 25' Roll	1	1.625"	2.5"	25'



Emseal Expanded Foam Closure Rolls

Emseal self-expanding precompressed foam closures are a premium sealing solution for metal roofs and wall panels in post-frame buildings. The foam is compressed during manufacture and gradually expands after installation to fill irregular gaps, voids, and panel profiles at ridges, eaves, and wall-to-panel transitions. Available in 1" and 1-1/2" expanded sizes, Emseal seals against wind-driven rain, snow infiltration, dust, air leakage, and insects. The 13.12-foot roll length is ideal for both ridge and wall applications.

FEATURES

- EMSEAL1: Expands to 1" x 1" (pre-compressed 1/4" x 1")
- EMSEAL2: Expands to 1-1/2" x 1-1/2" (pre-compressed 3/8" x 1-1/2")
- Self-expanding foam conforms to irregular panel profiles
- Seals against air, moisture, dust, snow, and insects
- Acrylic-impregnated open-cell polyurethane foam
- 13.12-foot roll per unit
- Suitable for ridge, eave, and wall closure applications
- No adhesive required - compression holds foam in place

Part #	Description	Carton Qty	Height	Width	Length
EMSEAL1	13.12' Roll 1" Expanded Foam	24	1"	1"	13.12'
EMSEAL2	13.12' Roll (1-1/2") Expanded Foam	24	1.5"	1"	13.12'



G-Rib Outside & Inside Glued Closures 36"

Marco Industries G-rib foam closures are custom-profile, high-density polyethylene foam strips precision-cut to match the contours of standard G-rib (agricultural/AG) metal roofing panels. Sold as matched pairs, the outside closure is used at the ridge cap and upper roof edge, while the inside closure seals the eave end and underside of the panel. Each closure features Marco's M63 industrial-strength adhesive bead for fast, one-handed installation that eliminates blow-away problems during installation.

FEATURES

- Precision-cut to G-rib panel profile for a snug, custom fit
- Outside closure (OUTSIDE): seals ridge cap and upper edges
- Inside closure (INSIDE): seals eave and underside of panel
- High-density cross-linked polyethylene foam
- Pre-applied M63 adhesive bead on each strip
- 36" length per strip
- UV-resistant coating for long-term durability
- Dovetail ends reduce gaps for full-length seal

Part #	Description	Carton Qty	Rib Spacing	Size
OUTSIDE	36" Outside Glued Closures	100	9"	7/8"x3/4"x36"
INSIDE	36" Inside Glued Closures	100	9"	7/8"x3/4"x36"



CR (R-Panel) Outside & Inside Glued Closures 36"

Marco Industries CR foam closures are custom-profile high-density polyethylene foam strips precision-cut to match the R-Panel (PBR/CR) metal roofing profile. Sold as matched outside and inside pairs, they provide a weather-tight seal at the ridge cap and eave of R-Panel roofs commonly used in post-frame and commercial construction. The M63 adhesive holds the closures firmly against the panel during and after installation, preventing wind uplift and moisture infiltration at panel ends.

FEATURES

- Precision-cut to R-Panel (PBR/CR) profile
- Outside closure (CROUTSID): for ridge and upper panel ends
- Inside closure (CRINSIDE): for eave and lower panel ends
- High-density, UV-resistant cross-linked polyethylene foam
- Pre-applied M63 industrial adhesive
- 36" length per strip
- Interlocking dovetail ends minimize gaps
- Compatible with standard R-Panel ridge cap fasteners

Part #	Description	Carton Qty	Rib Spacing	Size
CROUTSID	36" Outside Glued CR Closures	100	12"	7/8"x1-1/4"x36"
CRINSIDE	36" Inside Glued CR Closures	100	12"	7/8"x1-1/4"x36"



MR Outside & Inside Glued Closures 36"

Marco Industries MR foam closures are precision-cut high-density polyethylene foam strips designed to match the M-rib metal roofing panel profile used in post-frame and agricultural applications. The matched outside and inside closure pair seals the ends of MR panel sections at the ridge and eave, preventing air infiltration, moisture, pests, and debris from entering the building envelope. The pre-applied M63 adhesive makes single-person installation fast and reliable even in windy conditions.

FEATURES

- Precision-cut to M-rib (MR) panel profile
- Outside closure (MROUTSID): seals ridge and upper panel ends
- Inside closure (MRINSID): seals eave and lower panel ends
- High-density, cross-linked polyethylene foam
- Pre-applied M63 adhesive for secure, tool-free application
- 36" length per strip
- UV-resistant foam coating for long service life
- Dovetail ends for end-to-end continuity

Part #	Description	Carton Qty	Rib Spacing	Size
MROUTSID	36" Outside Glued MR Closures	100	12"	7/8"x3/4"x36"
MRINSID	36" Inside Glued MR Closures	100	12"	7/8"x3/4"x36"



Metal Roof Vent, Black

The Archie's brand metal roof vent, distributed by Golden Rule Fasteners, is a durable exhaust vent designed for installation through metal roofing panels on post-frame and agricultural buildings. Finished in black to match common metal roof colors, this vent provides a weather-tight penetration point for exhausting attic heat and moisture. The stamped metal construction integrates directly with standard metal roofing panels, and includes a screened throat to prevent bird and insect entry.

FEATURES

- Designed for use with metal roofing on post-frame buildings
- Black powder-coat finish to match roofing panels
- Weather-tight flange seals around roof panel penetration
- Built-in screen prevents bird, insect, and debris entry
- Stamped metal construction for long-term durability
- Compatible with standard G-rib and similar metal roof panels
- Passive exhaust - no power required

Part #	Description	NFA
ARCHIEVENT	Metal Roof Vent, Black	24



Wall Vents and Shutters -
Made to Order (Painted Steel)

Steel wall vents serve a dual purpose: they allow proper airflow while helping keep out pests, and they enhance the overall appearance of the structure. Wood louvers have been a popular choice for centuries, but they require ongoing maintenance to prevent rot and deterioration. Painted steel louvers offer the classic look and performance of wood, without the upkeep.

The steel wall vents and steel shutters are made to order in all of our painted steel color options and in the sizes listed.

Part #	Description
SOVENT	Wall Vents and Shutters made to order



Y117110



Y102938

Airhawk 50" Aluminum Roof Vent

The Airhawk 50 square inch aluminum roof vent provides reliable static attic ventilation for residential and agricultural buildings. Designed for use with asphalt shingle or metal roofing, it features a durable all-aluminum construction that resists rust and corrosion for long-lasting performance. The vent design promotes efficient airflow while helping to keep out rain, debris, and pests, ensuring proper attic ventilation and protection.

FEATURES

- 50 square inches net free area
- Durable all-aluminum construction — rust and corrosion resistant
- Designed to maximize airflow while helping prevent rain and debris intrusion
- Integrated bug and rodent screen for added protection
- 8" opening size
- Suitable for residential and agricultural applications
- Miami-Dade County approved
- Easy installation

Part #	Description	NFA
Y102938	Airhawk 50" Black Aluminum Square Roof Vent	50
Y117110	Airhawk 50" Brown Aluminum Slant Back Roof Vent	50



Y100642



Y124303



Y114111



Ventamatic Attic Ventilation Solutions

Ventamatic attic ventilation products are designed to improve airflow and help regulate temperature and moisture levels in residential and light agricultural buildings. Built with durable, corrosion-resistant materials, these solutions are engineered for reliable, long-term performance in demanding environments. Designed for easy installation, they integrate seamlessly into existing ventilation systems to enhance overall attic efficiency and protection.

FEATURES

- Improves attic airflow and ventilation performance
- Durable construction designed for long-term use
- Corrosion-resistant materials for outdoor applications
- Helps manage heat and moisture buildup
- Designed to integrate with existing attic ventilation systems
- Suitable for residential and light agricultural buildings
- Reliable performance in varying weather conditions
- Easy installation

Part #	Description	NFA	Vent Size
Y100642	Ventamatic 1080 CFM Galvanized Power Roof Mount Attic Vent Weathered Gray	600	
Y124303	Ventamatic Galvanized Gable Mount Attic Vent (1650 CFM)	600	
Y114111	Ventamatic Galvanized Gable Mount Attic Vent (1300 CFM)	600	
Y114138	Ventamatic Cool Attic 22"x23"x3" Automatic Gable Shutter	484	22"x22"x3"

Ply Gem Octagon White Gable Attic Vent

The Ply Gem octagon white gable attic vent is a decorative PVC vent designed to provide passive attic ventilation while enhancing the architectural appearance of gable-end walls. Featuring a two-piece design, the base installs during siding installation and the cover snaps on afterward for a clean, finished look. Made from UV-stabilized white PVC, it resists fading, rust, and corrosion, delivering long-lasting performance in residential, agricultural, and post-frame buildings.

FEATURES

- Octagon profile for added architectural appeal
- Two-piece design for easy, staged installation
- UV-stabilized white PVC — fade, rust, and corrosion resistant
- Adjustable depth to fit various siding types
- Built-in insect screen to help keep pests out
- Designed for passive attic ventilation
- Compatible with standard siding profiles
- Suitable for residential, agricultural, and post-frame buildings


Part #	Description	NFA
Y123102	Ply Gem 22" Octagon White Gable Attic Vent	50
Y109762	Ply Gem 18" Octagon White Gable Attic Vent	50

Metal Roof Exhaust Vent for 4" Flex Pipe

The Levi's Building Components CoVent is an all-in-one metal roof exhaust vent flashing specifically designed for connecting 4" flexible duct exhaust systems through metal roofing panels. It provides a weather-tight seal at the roof penetration for bathroom exhaust fans, kitchen exhaust, or mechanical ventilation in post-frame buildings with metal roofing. The integrated long-base flange laps under the metal panels for a watertight seal, and the included flex-pipe adapter simplifies connection to standard 4" flex duct.

Part #	Description
COVENT4	Metal Roof Exhaust Vent, for 4" Flex Pipe Exhaust

PVC Ceiling & Wall Panels





Duraclad PVC Liner

EASY-INSTALL PVC PANELS FOR INTERIOR WALL AND CEILING CLADDING


Create a space that's functional, hygienic, and sleek with DURACLAD interlocking wall and ceiling panels. Moisture and chemical resistant, DURACLAD allows for frequent cleaning and sanitary maintenance, as well as long-lasting service in food service areas, commercial spaces, healthcare facilities, residential homes, agricultural structures & more.

Featuring a multiwall structure, the PVC panels' interlocking tongue-and-groove edges allow for quick installation directly onto wall studs and a smooth finish with fasteners fully hidden. Made in the USA, DURACLAD is a high-performance alternative to fiberglass reinforced panels (FRP) and painted drywall, plasterboard, plywood, and other materials that make sanitation cumbersome.

FEATURES

- Interlocking edges for easy install
- Hidden fasteners
- Attach directly to wall studs
- Non-flammable and Class-A fire-rated
- 20-year warranty
- Easy to clean
- Lightweight
- Cost-effective vs. alternatives

Part #	Description	Size
DC1610	Duraclad PVC Liner	16"x10'
DC1612	Duraclad PVC Liner	16"x12'
DC1616	Duraclad PVC Liner	16"x16'
DC1620	Duraclad PVC Liner	16"x20'



Duraclad Installation Accessories

For optimum performance and durability, use Palram Duraclad® installation accessories.



Part #	Description
DCTH10	Duraclad PVC H-Divider 10'
DCTIC10	Duraclad PVC Inside Corner/Cove 10'
DCTJ10	Duraclad PVC J-Trim 10'
DCTOC10	Duraclad PVC Outside Corner 10'
PVCB	Duraclad PVC Base Trim

Skylights & Sidelights




GPB G-Rib Skylight .032

The Sun-Tuff G-Rib Skylight is a corrugated polycarbonate panel designed to match common metal roofing profiles while allowing natural daylight into buildings. Engineered for durability and long-term performance, it provides an efficient daylighting solution for residential, agricultural, and commercial structures, helping reduce the need for artificial lighting while maintaining weather protection.

FEATURES

- Corrugated polycarbonate design compatible with metal roofing profiles
- High light transmission, allows natural daylight into interior spaces (up to ~90%)
- UV protection layer helps block harmful rays and prevent yellowing
- Durable and impact-resistant, virtually unbreakable material
- Lightweight construction for easier handling and installation
- Weather-resistant for long-term outdoor performance
- Helps reduce energy costs by increasing natural daylight
- Suitable for residential, agricultural, and commercial applications

Part #	Description	Coverage	Length
SKYCLR8	Sun-Tuff 8' Clear G-Rib 90% Light Transmission	36"	8'
SKYCLR10	Sun-Tuff 10' Clear G-Rib 90% Light Transmission	36"	10'
SKYCLR12	Sun-Tuff 12' Clear G-Rib 90% Light Transmission	36"	12'
SKYCLR14	Sun-Tuff 14' Clear G-Rib 90% Light Transmission	36"	14'
SKYCLR16	Sun-Tuff 16' Clear G-Rib 90% Light Transmission	36"	16'
SKYCLR18	Sun-Tuff 18' Clear G-Rib 90% Light Transmission	36"	18'
SKYCLR20	Sun-Tuff 20' 2" Clear G-Rib 90% Light Transmission	36"	20'2"
SKYCLR24	Sun-Tuff 24' 2" Clear G-Rib 90% Light Transmission	36"	24'2"
SKYCLRlength	Sun-Tuff Clear G-Rib (cut to length)	36"	Cut
SKYSW8	Sun-Tuff 8' Soft White G-Rib 85% Light Transmission	36"	8'
SKYSW10	Sun-Tuff 10' Soft White G-Rib 85% Light Transmission	36"	10'
SKYSW12	Sun-Tuff 12' Soft White G-Rib 85% Light Transmission	36"	12'
SKYSW14	Sun-Tuff 14' Soft White G-Rib 85% Light Transmission	36"	14'
SKYSW16	Sun-Tuff 16' Soft White G-Rib 85% Light Transmission	36"	16'
SKYSW18	Sun-Tuff 18' Soft White G-Rib 85% Light Transmission	36"	18'
SKYSW20	Sun-Tuff 20' 2" Soft White G-Rib 85% Light Transmission	36"	20'2"
SKYSW22	Sun-Tuff 22' Soft White G-Rib 85% Light Transmission	36"	22'
SKYSW24	Sun-Tuff 24' 2" Soft White G-Rib 85% Light Transmission	36"	24'2"
SKYSWlength	Sun-Tuff Soft White G-Rib (cut to length)	36"	Cut
SKYSG8	Sun-Tuff 8' Smoke Gray 35% Light Transmission	36"	8'
SKYSG12	Sun-Tuff 12' Smoke Gray 35% Light Transmission	36"	12'
SKYSG14	Sun-Tuff 14' Smoke Gray 35% Light Transmission	36"	14'
SKYSG16	Sun-Tuff 16' Smoke Gray 35% Light Transmission	36"	16'
SKYSG24	Sun-Tuff 24'2" Smoke Gray 35% Light Transmission	36"	24'2"



GPB Skylight Ridgecap

The Sun-Tuff Ridge is a polycarbonate ridge cap designed to provide natural daylighting at the peak of corrugated metal roofing systems. Engineered to match compatible roofing profiles, it allows light to enter from the highest point of the structure while maintaining a weather-tight seal. Built from durable polycarbonate, it offers long-lasting performance in agricultural, residential, and commercial applications.

FEATURES

- Designed for ridge applications on corrugated metal roofing systems
- Allows natural daylighting from the roof peak to improve interior lighting
- Durable polycarbonate construction - impact-resistant and long-lasting
- UV-resistant to help prevent yellowing and material degradation
- High light transmission for bright, evenly lit interiors
- Weather-resistant design for outdoor exposure
- Lightweight for easier handling and installation
- Compatible with matching corrugated panel profiles for a secure fit

Part #	Description	Coverage	Length
SKYRIG	Sun-Tuff 10'6" Ridge Clear 24"	24"	10'6"
SKYRIGSG	Sun-Tuff 10'6" Ridge Smoke Gray 24"	24"	10'6"
SKYRIGSW	Sun-Tuff 10'6" Ridge SoftWhite 24"	24"	10'6"



PBR Skylight .032

The Sun-Tuff CR Panel is a corrugated polycarbonate roofing panel designed to provide durable protection and natural daylighting in a wide range of applications. Engineered to match common metal roofing profiles, it offers a lightweight, impact-resistant solution that delivers long-term performance in residential, agricultural, and commercial structures. Its high light transmission and weather-resistant design make it ideal for roofing, siding, and skylight applications.

FEATURES

- Corrugated polycarbonate panel compatible with common roofing profiles
- High light transmission for natural daylighting (up to ~90%)
- UV protection blocks up to 99.9% of harmful rays
- Virtually unbreakable and highly impact-resistant
- Lightweight for easier handling and installation
- Weather-resistant for long-term outdoor use
- Suitable for roofing, siding, skylights, and agricultural applications
- Easy to cut and install with standard tools

Part #	Description	Coverage	Length
SKYCCR12	12' Suntuff CR Panel Clear	36"	12'
SKYCCR16	16' Suntuff CR Panel Clear	36"	16'
SKYCCR20	20' Suntuff CR Panel Clear	36"	20'
SKYCCRLF	SunSky CR Panel Clear (cut to length)	36"	Cut
SKYWCR12	12' Suntuff CR Panel Soft White	36"	12'
SKYWCR16	16' Suntuff CR Panel Soft White	36"	16'
SKYWCR20	20' Suntuff CR Panel Soft White	36"	20'
SKYWCRLF	SunSky CR Panel Soft White (cut to length)	36"	Cut



Multi-Wall Polycarbonate

The ThermaGlas Twinwall is a multiwall polycarbonate panel engineered to provide excellent light transmission, insulation, and durability for greenhouse and general glazing applications. Its twinwall construction creates an internal air space that improves thermal performance, while built-in UV protection and condensation control technology ensure long-lasting clarity and performance in demanding environments.

FEATURES

- Twinwall 8mm polycarbonate construction for strength and insulation
- High light transmission (up to ~80%) for optimal daylighting
- Built-in condensation control reduces dripping and maintains clarity
- UV-protected surface helps prevent yellowing and material degradation
- Excellent thermal insulation to improve energy efficiency
- Lightweight and easy to handle, cut, and install
- Impact-resistant - virtually unbreakable material
- Standard 48" width panel for common greenhouse and glazing applications

Part #	Description	Coverage	Length
TG0410	ThermaGlas Twinwall 8mm 48" x 10' Clear	48"	10'
TG0412	ThermaGlas Twinwall 8mm 48" x 12' Clear	48"	12'



Multi-Wall Trim

The ThermaGlas Twinwall H-Mold is a connector profile designed to join twinwall polycarbonate panels securely in side-by-side applications. It creates a clean, aligned connection while helping maintain panel stability and proper spacing, ensuring a neat and professional finish for greenhouse and glazing installations.

Part #	Description	Length
TGH12	ThermaGlas Twinwall 8mm 12' H-Mold	12'



Polycarbonate Screws

Part #	Description	Length
92512	Suntuff Woodscrew 1 1/2" + 19mm Washer (100/Bag)	1-1/2"
92513	Suntuff Woodscrew 3" + 19mm Washer (100/Bag - 500/Box)	3"

Asphalt Shingles



Lomanco OmniRidge® Shingle Vent

The Lomanco OmniRidge® Shingle Vent is a durable ridge ventilation system designed to help remove heat and moisture from attic spaces while maintaining a clean, low-profile roof appearance. Its weather-tested design provides reliable airflow and protection for residential roofing systems.

FEATURES

- External venturi baffle for enhanced airflow
- Weatherproof under-lapping joint
- Four drain holes per foot per side
- External water shield for added protection
- Preformed to 3/12 pitch
- Adjustable for roof pitches from 2/12 to 16/12
- Molded nail lines and alignment guides for easier installation
- Supported nail holes help prevent crushing
- Field-tested for weather performance
- Limited Lifetime Warranty

Part #	Description	Size
4SHVENT	4' Shingle Ridge Vent OR-4	14.5" x 4'



MFM Shingle Starter

MFM Shingle Starter is a self-adhering waterproof starter strip designed to provide added protection along roof eaves and rake edges. It helps prevent water infiltration caused by wind-driven rain and ice dams while creating a secure starting point for asphalt shingles.

FEATURES

- Self-adhering membrane for fast installation
- Helps protect against leaks at roof edges
- Creates a watertight seal around nails
- Designed for use with asphalt shingle roofing systems
- Provides added protection from ice dams and wind-driven rain
- Durable modified asphalt construction
- Helps improve roof edge performance and durability
- Suitable for eaves and rake applications

Part #	Description	Size
SHSTART	Self Adhesive Shingle Starter	7.2 × 33.5'



Aluminum Drip Edge

Aluminum Drip Edge is designed to help protect roof edges by directing water away from the fascia and underlying roof components. Its durable aluminum construction provides long-lasting performance while creating a clean, finished appearance along roof eaves and rake edges.

FEATURES

- Durable aluminum construction
- Helps direct water away from fascia and roof decking
- Provides a clean, finished roof edge appearance
- Helps protect against water infiltration and wood rot
- Lightweight and corrosion resistant
- Ideal for residential roofing applications
- Compatible with asphalt shingle roofing systems
- 10' length for efficient installation
- 1-3/4" roof edge profile for dependable coverage

Part #	Description	Size
WHROED	10' White 1-3/4" Alum Roof Edge	1-11/16"
GNROED	10' Green 1-3/4" Alum Roof Edge	1-11/16"



Aluminum Step Flashing

Aluminum Step Flashing is designed to help protect roof-to-wall intersections by directing water away from vulnerable areas of the roofing system. Commonly used around chimneys, dormers, and sidewalls, it provides dependable moisture protection and helps extend the life of the roof.

FEATURES

- Durable aluminum construction
- Helps prevent leaks at roof-to-wall transitions
- Lightweight and corrosion resistant
- Designed for use with asphalt shingle roofing systems
- Ideal for chimneys, dormers, and sidewall applications
- Easy to install between shingle courses
- Helps direct water away from critical roof areas
- Mill finish for a clean appearance
- Convenient pre-cut sizing for efficient installation

Part #	Description	Size
Y101389	Amerimax 5"x 7" Mill Aluminum Step Flashing (100 Count)	5"x7"
Y113832	Amerimax 4" x 8" Mill Aluminum Pre-Bent Step Flashing	4"x4"x8"

House Wrap & Underlayment





Felt Paper

Felt paper is a water-resistant asphalt-saturated underlayment used as a secondary protective barrier beneath roofing materials to prevent water infiltration, rot, and provide temporary protection during construction. Common in 15 lb and 30 lb varieties, it act as a, often breathable, second layer of protection.

Part #	Description
FELT15	15# Felt 4 Sq/Roll Coverage
FELT30	30# Felt 2 Sq. Roll Coverage



Synthetic Underlayment EPILAY

Felt paper is a water-resistant asphalt-saturated underlayment used as a secondary protective barrier beneath roofing materials to prevent water infiltration, rot, and provide temporary protection during construction. Common in 15 lb and 30 lb varieties, it act as a, often breathable, second layer of protection.

Part #	Description	Size	Coverage
EPILAYUL	Synthetic Underlayment EPILAY	4' x 250'	10 Sq/Roll



Tarco - High-Temp Underlayment for Tile & Metal Roofs

LeakBarrier NR600 Ultra Ice and Water Armor is a state-of-the-art SBS modified, non-reinforced, self-adhesive roofing underlayment for use under tile, metal, slate, and asphalt shingles. Surfaced with a highly durable polyester reinforcement that provides exceptional strength and excellent walkability, NR600 Ultra is specially formulated for use in high temperature environments and self-seals around nails. The unique self-adhesive compound on the side lap ensures an immediate bond between adjacent rolls, resulting in instant watertight laps.

FEATURES

- Clean, easy to handle, self-adhering application
 - Specially formulated SBS compound withstands temperatures to 260°F
 - Self-sealing around nails preventing moisture penetration
 - Self-adhesive coating on the side lap yields instant watertight laps
 - Ultra violet (UV) resistant polyester fabric surface
 - Approved for use with several foam adhesives for attachment of tiles
 - Can withstand 10-tile high stacking
 - High tensile and tear strengths
- Good walkability
 - Enhanced skid resistance
 - 360-day exposure allows for long-term dry in
 - Adheres to a variety of substrates
 - Membrane lays flat and resists wrinkling for ease of application
 - Meets ASTM D1970
 - Miami-Dade County NOA No. 25-0521.10
 - Florida Building Code FL 10450
 - ICC approved
 - Evaluated by TDI (Texas Dept. of Insurance)

Part #	Description	Size	Coverage
SHIELD	Tarco - High-Temp Underlayment for Tile & Metal Roofs	36" x 72"	216 SF



House Wrap - Rex Wrap

REX Wrap is a woven and coated polypropylene weather resistant barrier that provides air and moisture protection. Tiny micro perforations allow moisture vapor inside the wall cavity to escape, and prevents moisture condensation. Light weight and easy to install. Tear resistance reduces jobsite waste. Meets or exceeds all building codes.

FEATURES

- Woven, coated polypropylene weather resistant barrier
- Provides air and moisture protection
 - Tear resistance reduces jobsite waste

Part #	Description	Size
WRAP10	House Wrap - Rex Wrap	10' x 195'
WRAP	House Wrap - Rex Wrap	9' x 195'



Typar® House Wrap

TYPAR® BuildingWrap is a high-performance house wrap designed for residential and commercial projects. It is known for its superior tear strength and water-blocking capabilities while maintaining moisture vapor transmission (breathability) to prevent mold and rot.

FEATURES

- Nonwoven, nonperforated spunbonded polypropylene with a microporous coating.
 - Up to 5x stronger than competitive wraps.
 - Can be exposed for up to six months (180 days) without degradation.
- Passes ICC-ES AC38 requirements, with high water holdout and excellent drainage efficiency.
 - Permits moisture vapor to escape the wall cavity.

Part #	Description	Size
WRAPTV10	Typar® House Wrap	10' x 195'
WRAPTV9	Typar® House Wrap	9' x 100'



Huber Zip Tape

- Water-Resistive Barrier (When used with Zip System Sheathing)
 - 0° – 120°F Application Temperature
 - Works on a variety of surfaces
- Repositionable Material
 - Advanced Acrylic Adhesion Delivers Superior Bonding

Part #	Description	Size
OSBZTAPE	Huber Zip Tape Roll	3.75" x 90'



Pella Window Tape

Pella SmartFlash window and door flashing tape is a high-performance, butyl-based, self-adhesive waterproof flashing designed for superior sealing in extreme temperatures. It acts as a durable, UV-resistant barrier to prevent water intrusion around windows and doors, often replacing the need for traditional caulk.

FEATURES

- Butyl-based adhesive with a flexible backing, suitable for wood, vinyl, and fiber cement.
- Ideal for creating a weather-tight seal and can be applied in cold weather.
- Resistant to UV degradation and moisture.

Part #	Description	Size
PWINTAPE	Pella Window Tape - Roll	3" x 150'



Tyvek Sheathing Tape

2 in. x 165 ft. DuPont Tyvek tape.

FEATURES

- Allows moisture vapor to escape for better indoor air environment
- Weatherization membrane that provides a protective layer under a home's siding and over the sheathing
- Help prevent mold and mildew buildup and wood rot
- Quality, comfort, and energy savings
- Excellent tear strength, 9 months of UV protection

Part #	Description	Size
WRAPVTAPE	Tyvek Sheathing Tape	2" x 165'

Lumber, Posts, & Trusses





2x8 Southern Yellow Pine #1

Part #	Description
LP2812	2 × 8 - 12' SYP #1
LP2814	2 × 8 - 14' SYP #1
LP2816	2 × 8 - 16' SYP #1
LP2818	2 × 8 - 18' SYP #1
LP2820	2 × 8 - 20' SYP #1
LP2822	2 × 8 - 22' SYP #1
LP2824	2 × 8 - 24' SYP #1



2x10 Southern Yellow Pine #1

Part #	Description
LP21008	2 × 10 - 8' SYP #1
LP21010	2 × 10 - 10' SYP #1
LP21012	2 × 10 - 12' SYP #1
LP21014	2 × 10 - 14' SYP #1
LP21016	2 × 10 - 16' SYP #1
LP21018	2 × 10 - 18' SYP #1
LP21020	2 × 10 - 20' SYP #1
LP21022	2 × 10 - 22' SYP #1
LP21024	2 × 10 - 24' SYP #1



2x12 Southern Yellow Pine #1

Part #	Description
LP21208	2 × 12 - 8' SYP #1
LP21210	2 × 12 - 10' SYP #1
LP21212	2 × 12 - 12' SYP #1
LP21214	2 × 12 - 14' SYP #1
LP21216	2 × 12 - 16' SYP #1
LP21218	2 × 12 - 18' SYP #1
LP21220	2 × 12 - 20' SYP #1
LP21222	2 × 12 - 22' SYP #1
LP21224	2 × 12 - 24' SYP #1



2x4 Southern Yellow Pine #1

Part #	Description
LP2414	2 × 4 - 14' SYP #1
LP2416	2 × 4 - 16' SYP #1
LP2418	2 × 4 - 18' SYP #1
LP2420	2 × 4 - 20' SYP #1



2x6 Southern Yellow Pine #1

Part #	Description
LP2608	2 × 6 - 8' SYP #1
LP2610	2 × 6 - 10' SYP #1
LP2612	2 × 6 - 12' SYP #1
LP2614	2 × 6 - 14' SYP #1
LP2616	2 × 6 - 16' SYP #1
LP2618	2 × 6 - 18' SYP #1
LP2620	2 × 6 - 20' SYP #1



2x4 Southern Yellow Pine #2

Part #	Description
L2P2408	2 × 4 - 8' SYP #2
L2P2410	2 × 4 - 10' SYP #2
L2P2412	2 × 4 - 12' SYP #2
L2P2414	2 × 4 - 14' SYP #2
L2P2416	2 × 4 - 16' SYP #2



2x6 Southern Yellow Pine #2

Part #	Description
L2P2608	2 × 6 - 8' SYP #2
L2P2614	2 × 6 - 14' SYP #2



2×4 MSR 2400

Part #	Description
LM2408	2 × 4 - 8' SYP MSR(2400)
LM2410	2 × 4 - 10' SYP MSR(2400)
LM2412	2 × 4 - 12' SYP MSR(2400)
LM2414	2 × 4 - 14' SYP MSR(2400)
LM2416	2 × 4 - 16' SYP MSR(2400)
LM2418	2 × 4 - 18' SYP MSR(2400)
LM2420	2 × 4 - 20' SYP MSR(2400)



2×6 MSR 2400

Part #	Description
LM2608	2 × 6 - 8' SYP MSR(2400)
LM2610	2 × 6 - 10' SYP MSR(2400)
LM2612	2 × 6 - 12' SYP MSR(2400)
LM2614	2 × 6 - 14' SYP MSR(2400)
LM2616	2 × 6 - 16' SYP MSR(2400)
LM2618	2 × 6 - 18' SYP MSR(2400)
LM2620	2 × 6 - 20' SYP MSR(2400)



2×8 MSR 2400

Part #	Description
LM2810	2 × 8 - 10' SYP MSR(2400)
LM2812	2 × 8 - 12' SYP MSR(2400)
LM2814	2 × 8 - 14' SYP MSR(2400)
LM2816	2 × 8 - 16' SYP MSR(2400)
LM2818	2 × 8 - 18 SYP MSR(2400)
LM2820	2 × 8 - 20' SYP MSR(2400)



2×10 MSR 2400

Part #	Description
LM21010	2 × 10 - 10' SYP MSR(2400)
LM21012	2 × 10 - 12' SYP MSR(2400)
LM21014	2 × 10 - 14' SYP MSR(2400)
LM21016	2 × 10 - 16' SYP MSR(2400)
LM21018	2 × 10 - 18' SYP MSR(2400)
LM21020	2 × 10 - 20' SYP MSR(2400)



2×12 MSR 2400

Part #	Description
LM21210	2 × 12 - 10' SYP MSR(2400)
LM21212	2 × 12 - 12' SYP MSR(2400)
LM21214	2 × 12 - 14' SYP MSR(2400)
LM21216	2 × 12 - 16' SYP MSR(2400)
LM21218	2 × 12 - 18' SYP MSR(2400)
LM21220	2 × 12 - 20' SYP MSR(2400)



5/4 Premium Deck Board Ground Contact

Part #	Description
DECK12	12' - 5/4 × 6 Deck Board
DECK16	16' - 5/4 × 6 Deck Board



1×6 #2 Treated

Part #	Description
LT1616	1 × 6- 16' Treated MCA GC



1×4 #2 Treated MCA .14 GC

Part #	Description
LT1416	1 × 4 - 16' #2 Treated MCA .14 GC
LT1616	1 × 6 - 16' #2 Treated MCA .14 GC



2×4 Treated MCA .14 GC

Part #	Description
LT2408	2 × 4 - 8' Treated MCA .14 GC
LT2410	2 × 4 - 10' Treated MCA .14 GC
LT2412	2 × 4 - 12' Treated MCA .14 GC
LT2414	2 × 4 - 14' Treated MCA .14 GC
LT2416	2 × 4 - 16' Treated MCA .14 GC
LT2420	2 × 4 - 20' Treated MCA .14 GC

2×6 Treated MCA .14 GC

Part #	Description
LT2608	2 × 6 - 8' Treated MCA .14 GC
LT2610	2 × 6 - 10' Treated MCA .14 GC
LT2612	2 × 6 - 12' Treated MCA .14 GC
LT2614	2 × 6 - 14' Treated MCA .14 GC
LT2616	2 × 6 - 16' Treated MCA .14 GC
LT2618	2 × 6 - 18' Treated MCA .14 GC
LT2620	2 × 6 - 20' Treated MCA .14 GC

2×8 Treated MCA .14 GC

Part #	Description
LT2808	2 × 8 - 8' Treated MCA .14 GC
LT2810	2 × 8 - 10' Treated MCA .14 GC
LT2812	2 × 8 - 12' Treated MCA .14 GC
LT2814	2 × 8 - 14' Treated MCA .14 GC
LT2816	2 × 8 - 16' Treated MCA .14 GC
LT2818	2 × 8 - 18' Treated MCA .14 GC
LT2820	2 × 8 - 20' Treated MCA .14 GC

2×10 Treated MCA .14 GC

Part #	Description
LT21012	2 × 10 - 12' Treated MCA .14 GC
LT21016	2 × 10 - 16' Treated MCA .14 GC
LT21020	2 × 10 - 20' Treated MCA .14 GC

2×12 Treated MCA .14 GC

Part #	Description
LT21212	2 × 12 - 12' Treated MCA .14 GC
LT21216	2 × 12 - 16' Treated MCA .14 GC
LT21220	2 × 12 - 20' Treated MCA .14 GC



4×4 Ground Contact Poles

Part #	Description
LT4408	4 × 4 - 8' Treated .14 MCA
LT4410	4 × 4 - 10' Treated .14 MCA
LT4412	4 × 4 - 12' Treated .14 MCA



4×6 Severe Treated Poles

Part #	Description
LT4610	4 × 6 - 10' Treated MCA .23
LT4612	4 X 6 - 12' Treated MCA .23
LT4614	4 × 6 - 14' Treated MCA .23
LT4616	4 × 6 - 16' Treated MCA .23
LT4618	4 × 6 - 18' Treated MCA .23
LT4620	4 × 6 - 20' Treated MCA .23
LT4624	4 × 6 - 24' Treated MCA .23



6×6 Severe Treated Poles

Part #	Description
LT6612	6 × 6 - 12' Treated MCA .23
LT6614	6 × 6 - 14' Treated MCA .23
LT6616	6 × 6 - 16' Treated MCA .23
LT6618	6 × 6 - 18' Treated MCA .23
LT6620	6 × 6 - 20' Treated MCA .23
LT6624	6 × 6 - 24' Treated MCA .23



2×2 SPF #2 Premium

Part #	Description
22SP8	2 × 2 - 8' Spruce



2x6 Ground Contact Treated Tongue & Groove

Part #	Description
LG2608	2 × 6 - 8' Treated TG MCA .14 GC
LG2610	2 × 6 - 10' Treated TG MCA .14 GC
LG2612	2 × 6 - 12' Treated TG MCA .14 GC
LG2614	2 × 6 - 14' Treated TG MCA .14 GC
LG2616	2 × 6 - 16' Treated TG MCA .14 GC
LG2618	2 × 6 - 18' Treated TG MCA .14 GC
LG2620	2 × 6 - 20' Treated TG MCA .14 GC

2x8 Ground Contact Treated Tongue & Groove

Part #	Description
LG2812	2 × 8 - 12' Treated TG MCA .14 GC
LG2816	2 × 8 - 16' Treated TG MCA .14 GC
LG2820	2 × 8 - 20' Treated TG MCA .14 GC



2x4 SPF #2 Premium

Part #	Description
LS2408	2 × 4 - 8' Spruce
LS2410	2 × 4 - 10' Spruce
LS2412	2 × 4 - 12' Spruce
LS2414	2 × 4 - 14' Spruce
LS2416	2 × 4 - 16' Spruce
LS2418	2 × 4 - 18' Spruce
LS2420	2 × 4 - 20' Spruce

2x6 SPF #2 Premium

Part #	Description
LS2608	2 × 6 - 8' Spruce
LS2610	2 × 6 - 10' Spruce
LS2612	2 × 6 - 12' Spruce
LS2614	2 × 6 - 14' Spruce
LS2616	2 × 6 - 16' Spruce
LS2618	2 × 6 - 18' Spruce
LS2620	2 × 6 - 20' Spruce



2x4 Precut Stud

Part #	Description
LSP24104	104-5/8" 2x4 Precut Stud
LSP2492	92-5/8" 2x4 Precut Stud

2x6 Precut Stud

Part #	Description
LSP26104	104-5/8" 2x6 Precut Stud
LSP2692	92-5/8" 2x6 Precut Stud



Southern Yellow Pine Gorman Elite Premium

Part #	Description
LS1410	1 × 4 - 10' SYP Gorman Elite Premium
LS1610	1 × 6 - 10' SYP Gorman Elite Premium
LS1810	1 × 8 - 10' SYP Gorman Elite Premium
LS11010	1 × 10 - 10' SYP Gorman Elite Premium
LS11210	1 × 12 - 10' SYP Gorman Elite Premium



9 1/2" LVL

Part #	Description
LVL912	1 1/2" x 9 1/2" x 12' LVL 2.0E 2900fb
LVL914	1 1/2" x 9 1/2" x 14' LVL 2.0E 2900fb
LVL916	1 1/2" x 9 1/2" x 16' LVL 2.0E 2900fb
LVL918	1 1/2" x 9 1/2" x 18' LVL 2.0E 2900fb
LVL920	1 1/2" x 9 1/2" x 20' LVL 2.0E 2900fb
LVL922	1 1/2" x 9 1/2" x 22' LVL 2.0E 2900fb
LVL924	1 1/2" x 9 1/2" x 24' LVL 2.0E 2900fb
LVL926	1 1/2" x 9 1/2" x 26' LVL 2.0E 2900fb
LVL928	1 1/2" x 9 1/2" x 28' LVL 2.0E 2900fb
LVL932	1 1/2" x 9 1/2" x 32' LVL 2.0E 2900fb
LVL936	1 1/2" x 9 1/2" x 36' LVL 2.0E 2900fb
LVL940	1 1/2" x 9 1/2" x 40' LVL 2.0E 2900fb
LVL948	1 1/2" x 9 1/2" x 48' LVL 2.0E 2900fb
LVL952	1 1/2" x 9 1/2" x 52' LVL 2.0E 2900fb

11 7/8" LVL

Part #	Description
LVL1112	1 1/2" x 11 7/8" x 12' LVL 2.0E 2900fb
LVL1114	1 1/2" x 11 7/8" x 14' LVL 2.0E 2900fb
LVL1116	1 1/2" x 11 7/8" x 16' LVL 2.0E 2900fb
LVL1118	1 1/2" x 11 7/8" x 18' LVL 2.0E 2900fb
LVL1120	1 1/2" x 11 7/8" x 20' LVL 2.0E 2900fb
LVL1122	1 1/2" x 11 7/8" x 22' LVL 2.0E 2900fb
LVL1124	1 1/2" x 11 7/8" x 24' LVL 2.0E 2900fb
LVL1126	1 1/2" x 11 7/8" x 26' LVL 2.0E 2900fb
LVL1128	1 1/2" x 11 7/8" x 28' LVL 2.0E 2900fb
LVL1130	1 1/2" x 11 7/8" x 30' LVL 2.0E 2900fb
LVL1132	1 1/2" x 11 7/8" x 32' LVL 2.0E 2900fb
LVL1136	1 1/2" x 11 7/8" x 36' LVL 2.0E 2900fb
LVL1140	1 1/2" x 11 7/8" x 40' LVL 2.0E 2900fb
LVL1148	1 1/2" x 11 7/8" x 48' LVL 2.0E 2900fb
LVL1152	1 1/2" x 11 7/8" x 52' LVL 2.0E 2900fb



14” LVL

Part #	Description
LVL1414	1 1/2" x 14" x 14' LVL 2.0E 2900fb
LVL1416	1 1/2" x 14" x 16' LVL 2.0E 2900fb
LVL1418	1 1/2" x 14" x 18' LVL 2.0E 2900fb
LVL1420	1 1/2" x 14" x 20' LVL 2.0E 2900fb
LVL1422	1 1/2" x 14" x 22' LVL 2.0E 2900fb
LVL1424	1 1/2" x 14" x 24' LVL 2.0E 2900fb
LVL1426	1 1/2" x 14" x 26' LVL 2.0E 2900fb
LVL1428	1 1/2" x 14" x 28' LVL 2.0E 2900fb
LVL1432	1 1/2" x 14" x 32' LVL 2.0E 2900fb
LVL1436	1 1/2" x 14" x 36' LVL 2.0E 2900fb
LVL1440	1 1/2" x 14" x 40' LVL 2.0E 2900fb
LVL1448	1 1/2" x 14" x 48' LVL 2.0E 2900fb

18” LVL

Part #	Description
LVL1816	1 1/2" x 18" x 16' LVL 2.0E 2900fb
LVL1818	1 1/2" x 18" x 18' LVL 2.0E 2900fb
LVL1820	1 1/2" x 18" x 20' LVL 2.0E 2900fb
LVL1822	1 1/2" x 18" x 22' LVL 2.0E 2900fb
LVL1824	1 1/2" x 18" x 24' LVL 2.0E 2900fb
LVL1826	1 1/2" x 18" x 26' LVL 2.0E 2900fb
LVL1828	1 1/2" x 18" x 28' LVL 2.0E 2900fb
LVL1832	1 1/2" x 18" x 32' LVL 2.0E 2900fb
LVL1836	1 1/2" x 18" x 36' LVL 2.0E 2900fb
LVL1840	1 1/2"x 18" x 40' LVL 2.0E 2900fb
LVL1848	1 1/2" x 18" x 48' LVL 2.0E 2900fb

Stock Trusses

Part #	Description
24T44OH	24ft Common Truss 4'OC 4/12 14.5"OH
24T44GOH	24ft Gable Truss 4'OC 4/12 14.5"OH
30T44OH	30ft Common Truss 4'OC 4/12 14-1/2" OH
30T44GOH	30ft Gable Truss 4'OC 4/12 14-1/2" OH
40T44OH	40' Truss 4'OC 4/12 14-1/2" OH
40T44GOH	40' Gable Truss 4'OC 4/12 14-1/2" OH



16” LVL

Part #	Description
LVL1616	1 1/2" x 16" x 16' LVL 2.0E 2900fb
LVL1618	1 1/2" x 16" x 18' LVL 2.0E 2900fb
LVL1620	1 1/2" x 16" x 20' LVL 2.0E 2900fb
LVL1622	1 1/2" x 16" x 22' LVL 2.0E 2900fb
LVL1624	1 1/2" x 16" x 24' LVL 2.0E 2900fb
LVL1626	1 1/2" x 16" x 26' LVL 2.0E 2900fb
LVL1628	1 1/2" x 16" x 28' LVL 2.0E 2900fb
LVL1632	1 1/2" x 16" x 32' LVL 2.0E 2900fb
LVL1636	1 1/2" x 16" x 36' LVL 2.0E 2900fb
LVL1640	1 1/2" x 16" x 40' LVL 2.0E 2900fb
LVL1648	1 1/2" x 16" x 48' LVL 2.0E 2900fb

24” LVL

Part #	Description
LVL2416	1 1/2" x 24" x 16' LVL 2.0E 2900fb
LVL2418	1 1/2"x 24" x 18' LVL 2.0E 2900fb
LVL2420	1 1/2" x 24" x 20' LVL 2.0E 2900fb
LVL2422	1 1/2" x 24" x 22' LVL 2.0E 2900fb
LVL2424	1 1/2" x 24" x 24' LVL 2.0E 2900fb
LVL2426	1 1/2" x 24" x 26' LVL 2.0E 2900fb
LVL2428	1 1/2" x 24" x 28' LVL 2.0E 2900fb
LVL2432	1 1/2" x 24" x 32' LVL 2.0E 2900fb
LVL2436	1 1/2" x 24" x 36' LVL 2.0E 2900fb
LVL2440	1 1/2" x 24" x 40' LVL 2.0E 2900fb
LVL2448	1 1/2" x 24" x 48' LVL 2.0E 2900fb



ZIP System OSB - 4×8 - 7/16”

Part #	Description
OSBZ12	4 × 8 - 7/16" ZIP OSB

OSB

Part #	Description
OSB12	4 × 8 - 7/16" OSB
OSB129	4 × 9 - 7/16" OSB

ZIP System OSB - 4×8 - 5/8”

Part #	Description
OSBZ58	4 × 8 - 5/8" Zip OSB

OSB

Part #	Description
OSB34	4 × 8 - 5/8" OSB

Tongue & Groove OSB

Part #	Description
OSB58	4 × 8 - 3/4" OSB T&G
OSBF	4 × 8 - 3/4" OSB Advantech T&G

Treated Plywood

Part #	Description
1/2PLYT	4 × 8 - 1/2" Treated Plywood .14 MCA
3/4PLYT	4 × 8 - 3/4" Treated Plywood .14 MCA



Plywood

Part #	Description
PLY12	4 × 8 - 1/2" 4-Ply CDX Plywood
PLY58	4 × 8 - 5/8" 4-Ply CDX Plywood
PLY34	4 × 8 - 3/4" 4-Ply CDX Plywood



Sturdi-Floor Plywood

Part #	Description
PLYTG	4 × 8 - 3/4" Sturdi-Floor T&G



Lauan

Part #	Description
14LUAN	4 × 8 - 1/4" Lauan Plywood



2×6 2-Ply Door Post

Part #	Description
NL22612	2-Ply 2 × 6 × 12' Door Post
NL22812	2-Ply 2 × 8 × 12' Door Post




2×6 3Ply Treated Bottom

Part #	Description
NL32612	Nail-Lam 3Ply 2×6 12' CCA
NL32614	Nail-Lam 3Ply 2×6 14' CCA
NL32616	Nail-Lam 3Ply 2×6 16' CCA
NL32618	Nail-Lam 3Ply 2×6 18' CCA
NL32620	Nail-Lam 3Ply 2×6 20' CCA
NL32622	Nail-Lam 3Ply 2×6 22' CCA
NL32624	Nail-Lam 3Ply 2×6 24' CCA
NL32626	Nail-Lam 3Ply 2×6 26' CCA
NL32628	Nail-Lam 3Ply 2×6 28' CCA
NL32630	Nail-Lam 3Ply 2×6 30' CCA
NL32632	Nail-Lam 3Ply 2×6 32' CCA
NL32634	Nail-Lam 3Ply 2×6 34' CCA
NL32636	Nail-Lam 3Ply 2×6 36' CCA

2×8 3Ply Treated Bottom

Part #	Description
NL32818	Nail-Lam 3Ply 2×8 18' CCA
NL32820	Nail-Lam 3Ply 2×8 20' CCA
NL32822	Nail-Lam 3Ply 2×8 22' CCA
NL32824	Nail-Lam 3Ply 2×8 24' CCA
NL32826	Nail-Lam 3Ply 2×8 26' CCA
NL32828	Nail-Lam 3Ply 2×8 28' CCA
NL32830	Nail-Lam 3Ply 2×8 30' CCA
NL32832	Nail-Lam 3Ply 2×8 32' CCA
NL32834	Nail-Lam 3Ply 2×8 34' CCA
NL32836	Nail-Lam 3Ply 2×8 36' CCA



Post Protector™ is a slide-on barrier sleeve designed to help protect wood posts from premature decay in ground-contact applications. It works by isolating the post from surrounding soil, moisture, and decay-causing organisms, helping extend the life of post foundations in projects like post-frame buildings, fences, decks, pergolas, and similar structures.

FEATURES

- Helps reduce post rot and decay by creating a physical barrier between the wood and the soil.
- Protects against moisture exposure at the critical below-grade area where wood posts commonly fail.
- Limits contact with decay-causing microorganisms and insects found in soil.
- Supports longer post life by complementing pressure-treated lumber with an added layer of protection.
- Simple slide-on installation before setting the post in the ground.
- Suitable for multiple applications including pole barns, fences, decks, pergolas, and pavilions.
- Can help reduce preservative leaching by keeping treated wood separated from direct soil contact.
- Includes drainage/venting design features to help manage water in outdoor applications.
- Maintains the strength of direct-burial post construction while adding protection at the most vulnerable area.
- Offers a cost-conscious alternative to more complex post foundation methods.

Post Protector

Part #	Vendor #	Description	Size	Pk Size	Skid Qty
4X6PROTECT	4×6×60PP	4"x6" x 60" Post Protector	4×6×60	Ea	66
6X6PROTECT	6×6×60PP	6"x6" x 60" Post Protector	6×6×60	Ea	42
3PLYPROTECT	3Ply2×6×60PPNL	3 Ply 2×6 × 60" Post Protector	3plyx6×60	Ea	54
32X8PROTECT	3Ply2×8×60PPNL	3 Ply 2×8 × 60" Post Protector	3plyx8×60	Ea	45
4PLYPROTECT	4Ply2×6×60PP	4 Ply 2×6 × 60" Post Protector	4plyx6×60	Ea	42
42X8PROTECT	4Ply2×8×60PP	4 Ply 2×8 × 60" Post Protector	4plyx8×60	Ea	34

Grade Guard

Part #	Vendor #	Description	Size	Pk Size	Skid Qty
4X6GRADE	4×6×30GG	4"x6" x 30" Grade Guard	4×6×30	Ea	240
6X6GRADE	6×6×30GG	6"x6" x 30" Grade Guard	6×6×30	Ea	144
3PLYGRADE	3Ply2×6×60GGNL	3 Ply 2×6 × 30" Grade Guard	3plyx6×30	Ea	192
32×8GRADE	3Ply2×8×60GG	3-Ply 2×8×30" Grade Guard	3plyx8×30	Ea	144



Skirt Board Protector

Part #	Description	Size	Pk Size	Skid Qty
PROTECTSK	Skirt-Board Protector 1-5/8" x 5" x 7'8"	1-5/8"x5"x7'8"	Ea	540

Post Proservative

Post Proservative Sticks are for treatment of pole structures, dimensional lumber (round stock, square stock) or any non-food contact wood. Post Proservative sticks are recommended for protection against fungal decay and insects. Post Proservative sticks can be used for all wood species.

Part #	Vendor #	Description	Pk Size
POSPRO	PPS24Kit	Post Preservative for In-Service Posts Kit	24



Perma-Column

Perma-Column® sets the standard for permanent post-frame foundations, delivering proven performance that consistently outlasts treated wood. Designed for long-term durability, Perma-Column® precast concrete columns offer an environmentally responsible foundation solution engineered to perform for generations.

Each Perma-Column® pier is manufactured from precast concrete and reinforced with 60,000 PSI rebar welded to a ¼" steel uplift bracket. This robust construction creates a foundation system that is significantly stronger and more durable than traditional treated wood alternatives, while helping resist rot, decay, and long-term structural deterioration.

Well suited for residential, agricultural, commercial, and municipal post-frame applications, Perma-Column® delivers exceptional strength, stability, and reliability. By providing a true permanent foundation, it helps protect the structural integrity and long-term value of your building.

Part #	Description	Post Size	Inside Dimension
PC46	Perma-Column (Includes Hardware)	4X6	3.625"
PC66	Perma-Column (Includes Hardware)	6×6	5.625"
PC63	Perma-Column (Includes Hardware)	3 Ply 2×6	4.325"
PC64	Perma-Column (Includes Hardware)	4 Ply 2×6	5.8125"
PC83	Perma-Column (Includes Hardware)	3 Ply 2×8	4.325"
PC84	Perma-Column (Includes Hardware)	4 Ply 2×8	5.8125"
PC85	Perma-Column (Includes Hardware)	5 Ply 2×8	7.3125"

Sturdi-Wall Drill Set Bracket

Sturdi-Wall® drill-set brackets are designed and engineered for installation with wedge anchors, providing a high-strength connection to existing concrete that has already been poured and fully cured.

Part #	Description	Post Size	Inside Dimension
SW46	Sturdi-Wall Drill Set Bracket	4×6	3.625"
SW66	Sturdi-Wall Drill Set Bracket	6×6	5.625"
SW80	Sturdi-Wall Drill Set Bracket	8" Universal	8"
SW63	Sturdi-Wall Drill Set Bracket	3 Ply 2×6	4.325"
SW64	Sturdi-Wall Drill Set Bracket	4 Ply 2×6	5.8125"
SW83	Sturdi-Wall Drill Set Bracket	3 Ply 2×8	4.325"
SW84	Sturdi-Wall Drill Set Bracket	4 Ply 2×8	5.8125"
SW85	Sturdi-Wall Drill Set Bracket	5 Ply 2×8	7.3125"



Sturdi-Wall Wet Set

Sturdi-Wall® Plus Wet-Set Brackets deliver the highest ultimate strength connection to your concrete foundation. Designed for installation while the concrete is still wet, each bracket features an attached 18" rebar anchor that eliminates the need for time-consuming drilling and costly concrete anchors. Because Sturdi-Wall® Plus brackets require less concrete coverage than standard Sturdi-Wall brackets, they are ideal for pier foundations and other applications where concrete depth is limited. Engineered for maximum strength, efficiency, and long-term performance.


Part #	Description	Post Size	Inside Dimension
SWP46	Sturdi-Wall Plus	4×6	3.625"
SWP66	Sturdi-Wall Plus	6×6	5.625"
SWP63	Sturdi-Wall Plus	3 Ply 2×6	4.325"
SWP64	Sturdi-Wall Plus	4 Ply 2×6	5.8125"
SWP83	Sturdi-Wall Plus	3 Ply 2×8	4.325"
SWP84	Sturdi-Wall Plus	4 Ply 2×8	5.8125"
SWP85	Sturdi-Wall Plus	5 Ply 2×8	7.3125"



Perma Column Hardware

Part #	Description	Size
PC20UA	UPLIFT Anchor (set/2)	8-1/2" x 2"
PC25UA	Uplift Anchor (set/2)	12" x 2"
PCUBK6	Bolt Kit for Uplift Anchor on PC46, PC63, PC66 and PC64	
PCUBK8	Bolt Kit for Uplift Anchor on PC83 and PC84	
HW46	Wood Column to Bracket Attachment Hardware	4 × 6
HW66	Wood Column to Bracket Attachment Hardware	6 × 6
HW63	3 Ply Wood Column to Bracket Attachment Hardware	2 × 6
HW64	4 Ply Wood Column to Bracket Attachment Hardware	2 × 6
HW83	3 Ply Wood Column to Bracket Attachment Hardware	2 × 8
HW84	4 Ply Wood Column to Bracket Attachment Hardware	2 × 8
HW85	5 Ply Wood Column to Bracket Attachment Hardware	2 × 8
HW64DS	SW Hardware Packs Post Wood & Concrete Connect	4 × 6
HW66DS	SW Hardware Packs Post Wood & Concrete Connect	6 × 6
HW63DS	SW Hardware Packs 3 Ply Lam Col Wood & Concrete Connect	6"
HW83DS	SW Hardware Packs 3 Ply Lam Col Wood & Concrete Connect	8"
HW84DS	SW Hardware Packs 4 Ply Lam Col Wood & Concrete Connect	8"
HW85DS	SW Hardware Packs 5 Ply Lam Col Wood & Concrete Connect	8"

Joist Hangers & Ties





Laredo Sunset Post Base Kit

OZCO Ornamental Wood Ties (OWT) enhances any project with Style & Strength. Laredo Sunset Post Base Kit is the sturdy foundation for an endless number of projects from an arbor to a small pergola. OWT saves you time as they do not require extra labor and material to conceal them, and can be used with all types of lumber from pressure treated to cedar and more, giving your project a timeless look.

Part #	Vendor #	Description	Size	Pk Size
H56607	56607	OZCO Laredo Sunset 4"x 4" Post Base Kit	4×4	Ea
H56608	56608	OZCO Laredo Sunset 6"x 6" Post Base Kit	6×6	Ea
H56609	56609	OZCO Laredo Sunset 8"x 8" Post Base Kit	8×8	Ea



Laredo Sunset Outside L Connector

OZCO's Ornamental Wood Ties (OWT) 4 in. Flush Outside 90 degree Laredo Sunset Connectors are manufactured with hot dipped galvanized heavy gauge steel and finished with a black powder coating providing superior corrosion resistance and ultimate strength. The OWT 4" 90° Flush Outside Connectors offer pre-tapped holes for use with OWT Timber Bolts or OWT Timber Screws increasing versatility with optional added support for maximum holding strength.

Part #	Vendor #	Description	Size	Pk Size
H56684	56684	OZCO Laredo Sunset 4" 90-Degree Flush Outside L Connector w/Hex Cap Nuts	4"	Ea



Laredo Sunset Rafter Clips

Rafter Clips are manufactured with pre-galvanized steel and finished with a black powder coating offering superior corrosion resistance and ultimate strength. OWT Rafter Clips are ready to be seen and used on a variety of different projects from arbor elements to fencing, rafters to railing. While all of our OWT Building Products are designed for exterior projects they are #OWTstanding for interior design, from architecture to furnishings. Unlike conventional wood post bases, brackets and connectors OZCO's OWT line of products does not require additional labor and materials to conceal them, saving time and money.

Part #	Vendor #	Description	Size	Pk Size
H46617	46617	OZCO Laredo Sunset 2" Rafter Clips (2-Pk)	2"	2 Ea
H56617	56617	OZCO Laredo Sunset 2" Rafter Clips (10-Pk)	2"	10 Ea



H56695

H46621

Laredo Sunset Bolts and Nuts

Part #	Vendor #	Description	Size	Pk Size
H56695	56695	OZCO 1/2" x 4"-6" OWT Timber Bolts (2-Pk)	1/2" x 4"-6"	2 Ea
H56696	56696	OZCO 1/2" x 6"-8" OWT Timber Bolts (2-Pk)	1/2" x 6"-8"	2 Ea
H56697	56697	OZCO 1/2" x 8"-10" OWT Timber Bolts (2-Pk)	1/2" x 8"-10"	2 Ea
H46621	46621	OZCO 1-1/2" Hex Cap Nut (4-Pk)	1-1/2"	4 Ea



Laredo Sunset Post to Beam Connector

The revolutionary OWT Post to Beam Connectors offers a top cover plate that interlocks with the ledge and adjusts to the thickness of the beam and can be used on smooth or rough cut wood. Designed for use in pergolas and pavilions OWT Post to Beam Connectors add rugged charm to any project. While all of our OWT Building Products are designed for exterior projects they are #OWT standing for interior design, from architecture to furnishings.

Part #	Vendor #	Description	Size	Pk Size
H56675	56675	OZCO Laredo Sunset 4" Post to Beam Connector (2-Pk)	4"	2 Ea
H56635	56635	OZCO Laredo Sunset 6" Post to Beam Connector (2-Pk)	6"	2 Ea



Y122076



Y123153



Y123293



Y123307

Angles

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y123293	A23Z	Simpson Galvanized 18 ga Reinforcing Angle Zmax A23Z	2" x 1-1/2" x 2-3/4"	200	Ea
Y123307	A21Z	Simpson Strong-Tie ZMAX Galvanized Angle A21Z	2" x 1-1/2" x 1-3/8"	200	Ea
Y122076	A35Z	Simpson Strong-Tie ZMax 18 ga Framing Angle (A35Z)	1-7/16" x 4-1/2"	100	Ea
Y123153	L50Z	Simpson Strong-Tie ZMax Galvanized Steel 16 ga Reinforcing L-Angle L50Z	5"	100	Ea



Laredo Sunset T-Tie Plate Connector


OZCO's Ornamental Wood Ties (OWT) 4 in. "T" Tie Plate Laredo Sunset Connectors are manufactured with hot-dipped galvanized heavy gauge steel and finished with a black powder coating providing superior corrosion resistance and ultimate strength. The OWT "T" Tie 4" Plate Connectors offer pre-tapped holes for use with OWT Timber Bolts or OWT Timber Screws increasing versatility with optional added support for maximum holding strength.

Part #	Vendor #	Description	Size	Pk Size
H56666	56666	OZCO Laredo Sunset 4" T-Tie Plate Connector w/Hex Cap Nuts	4"	Ea



Fence Bracket

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y105923	FB24Z	Simpson Z-Max 20 Ga. Fence Bracket FB24Z	2" x 4"	100	Ea



Truss Hanger

Part #	Vendor #	Description	Size	Case Qty	Pk Size
HTU26	HTU26	Simpson 2 × 6 Face Mount Truss Hanger	2×6	50	Ea
HTU28	HTU28	Simpson 2 × 8 Face Mount Truss Hanger	2×8	25	Ea
HTU210	HTU210	Simpson 2 × 10 Face Mount Truss Hanger	2×10	25	Ea
YYTHA29	THA29	Simpson Adjustable Truss Hanger 1-5/8" x 9-11/16"	2xtruss	50	Ea
YYTHA213	THA213	Simpson Adjustable Height Truss Hanger 1-5/8" x 13-5/16"	2xtruss	50	Ea
THJU26	THJU26	Simpson Truss Hip/Jack Hanger (THJU26)	2xhip	20	Ea

Truss Spacer

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y105166	TSBR2-24	Simpson Strong-Tie Truss Spacer Bracer 24"	24"	50	Ea

Hurricane Ties

Part #	Vendor #	Description	Case Qty	Pk Size
HTIE	H2.5AZ	Simpson Strong-Tie H2.5AZ Z-Max Hurricane Tie	100	Ea
Y100276	H10AZ	Simpson Strong-Tie H10AZ Z-Max Hurricane Tie	50	Ea
YYH14	H14	Simpson Strong-Tie H14 Hurricane Tie	25	Ea
Y123323	H1Z	Simpson Z-Max Hurricane Tie	100	Ea

Face Mount Hanger

Part #	Vendor #	Description	Size	Case Qty	Pk Size
YYHUS26	HUS26	Simpson Strong-Tie Zmax 2×6 Double Shear Joist Hanger	2×6	50	Ea
YYHUS28Z	HUS28Z	Simpson Strong-Tie Zmax 2×8 Double Shear Joist Hanger	2×8	25	Ea
6SCLIP2	PFDS26B	Simpson 2×6 Double Saddle Hanger (25/box)	2×6	25	Ea
26DBL	LUS26-2Z	Simpson 2×6/2×8 Double Joist Hanger	2×6	25	Ea
4JHANG	LUS24Z	2 × 4 Joist Hanger Zink	2×4	100	Ea
6JHANG	LUS26Z	2 × 6 Joist Hanger Zink	2×6	100	Ea
8JHANG	LUS28Z	2 × 8 Joist Hanger Zink	2×8	50	Ea
10HANG	LUS210Z	2 × 10 Joist Hanger Zink	2×10	50	Ea



Wood Rod Hanger

Part #	Vendor #	Description	Case Qty	Pk Size
YYRWV37212	RWV37212	Simpson Strong-Tie 5/16" x 2-1/2" Vertical Wood 3/8" Threaded Rod Hanger	250	Ea

Adjustable Post Base

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y100112	ABW44Z	Simpson Strong-Tie 16 ga Z-Max ABW Post Base	4" x 4"	10	Ea
Y100113	ABW46Z	Simpson Strong-Tie 16 ga Z-Max ABW Post Base	4" x 6"	10	Ea
Y100114	ABW66Z	Simpson Strong-Tie 16 ga Z-Max ABW Post Base	6" x 6"	10	Ea



Base/Caps

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y123285	BC4Z-R	Simpson Strong-Tie 18 ga Z-Max BC Post Cap & Base	4" x 4"	20	Ea
Y122041	BC40Z	Simpson Strong-Tie 18 ga Z-Max Post Cap & Half Base	4" x 4"	50	Ea
Y100330	CPS4-R	Simpson Strong-Tie Black Composite Standoff Post Base	4" x 4"	10	Ea
Y100358	CPS6	Simpson Strong-Tie Black Composite Standoff Post Base	6" x 6"	25	Ea
Y101847	PB44Z	Simpson Strong-Tie ZMAX 12 ga Post Base	4" x 4"	4	Ea
Y100576	EPB44A	EPB Galvanized Elevated Post Base	4" x 4"	10	Ea



Tension Bridging

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y108278	TB27	Simpson 20ga 27" 2×12 Galvanized Steel Bridging	2×12	50	Ea
MBRIDG	LTB20	Simpson 22ga 2×8/2×10 Galvanized Steel Bridging	2×10	200	Ea
Y105576	NCA2X10-16	Simpson Strong-Tie 2×10-16 Nailless Tension Bridging	2×10	100	Ea





Deck Ties

DTT tension ties are safe, cost-effective connectors designed to meet or exceed code requirements for deck construction. These versatile DTT connectors are also load rated as a holdown for light-duty shearwalls and braced wall panel applications. The DTT1Z deck tension tie provides a less invasive approach for attaching a new deck to a home or retrofitting an existing deck to current code standards. Eliminates the need to access the floor joists inside the house. Made from 14 ga (gauge) steel. ZMAX galvanization offers extra corrosion resistance for exterior and treated-wood applications. This kit includes the following: 4 - DTT1Z's, 4 - SDWH 8 In. Timber Hex Screws and 26 - SD Connector Screws #9 x 1-1/2 In. 3/4 In. center line.

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y100424	DTT1Z-KT	Simpson Strong-Tie 1-1/2" x 7-1/8" x 3/4" Deck Tension Tie Kit	1 Kit	4	Ea



Y107832

Protection Plate

Part #	Vendor #	Description	Case Qty	Pk Size
Y101346	NS1	Simpson Strong-Tie 1-1/2"x 3" Galv Steel Protection Plate	100	Ea
Y107832	NS2	Simpson Strong-Tie 1-1/2"x 6" Protection Plate	100	Ea




Y102347




Y113417

Mending / Tie Plate

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y113417	MP36	Simpson Strong-Tie Galvanized Steel 20 Gauge Mending Plate	3" x 6"	100	Ea
Y102347	TP37	Simpson Strong-Tie Galvanized Steel 20 Gauge Tie Plate	3-1/8" x 7"	100	Ea
Y106933	TP35	Simpson Strong-Tie Galvanized Steel 20 Gauge Tie Plate	3-1/8" x 5"	100	Ea



Y103837



Y103861

Straps & Ties

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y103837	66T	Simpson Strong-Tie T Strap	6" x 6" x 1-1/2"	10	Ea
Y103861	66L	Simpson Strong-Tie 14 ga Steel L Strap Tie	6" x 6" x 1-1/2"	10	Ea
Y103624	LSTA12	Simpson Strong-Tie 20 ga Steel Strap Tie	1-1/4" x 12"	50	Ea



Coiled Straps

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y101589	CS16Z	Simpson Strong-Tie Galvanized Steel 16 Gauge Coiled Strapping	1-1/4" x 150'	1	1



I-Joist Hanger

The innovative ITS is designed to support 90° connections of I-joists to headers. This top-flange hanger features the Strong-Grip™ seat and Funnel Flange™ design allowing standard joist installation without the use of joist nails, resulting in the lowest installed cost.

FEATURES

- Cost-effective hanger that installs quickly with a small number of nails
- Features additional triangle holes for additional uplift
- Features optional fastening with PAT for steel applications/header

Part #	Vendor #	Description	Size	Case Qty	Pk Size
ITS2.56/11.88	ITS2.56/11.88	Single Ply I-Joist Hanger (Top Mount)	2.5"x11.8"	25	Ea



H Clips for Plywood

The PSCL is designed to brace unsupported sheathing edges when sheathing meets edge to edge without a rafter for support.

FEATURES

- Provides a secure environment for sheathing
- Support for shrinkage and expansion over time
- Galvanized for corrosion resistance

Part #	Vendor #	Description	Size	Case Qty	Pk Size
Y100684	PSCL 7/16	7/16" Plywood Clip	7/16"	250	Ea
Y100706	PSCL 1/2	1/2" Plywood Clip	1/2"	250	Ea
Y100714	PSCL 5/8	5/8" Plywood Clip	5/8"	250	Ea



Anchor

Part #	Vendor #	Description	Case Qty	Pk Size
Y122092	MAB15Z	Simpson Strong-Tie ZMAX 18 ga Steel Mudsill Foundation Anchor	50	Ea



Y702011



HANGNAIL

Fasteners

Part #	Vendor #	Description	Size	Case Qty	Pk Size
HANGNAIL	0096092	Joist Hanger Nail	1.5"		120 Ea
Y702011	SD9112	Simpson Strong-Tie Hex Structure Screw	9 x 1.5"	10	100 Ea
Y701989	SD10112	Simpson Strong-Tie Hex Structure Screw	10 x 1.5"	10	100 Ea
Y241508	SD9112	Simpson Strong-Drive Hex Structure Screw	9 x 1.5"	3	500 Ea

Siding & Accessories



G-Rib AG Panel GAA & GAB

FEATURES

- 36" Coverage
- 9" Rib Spacing
- 3/4" Rib Height
- Anti-Siphon Leg ensures a weather tight seal


UNDERSTANDING GALVALUME® STEEL FOR METAL ROOFING AND SIDING

Galvalume® is a cost-effective steel option made from high-quality bare steel coated with a proven blend of zinc and aluminum, plus trace amounts of silicon. This advanced coating system is designed to deliver excellent long-term weather resistance—making it a popular choice for most metal roofing and siding applications.

Painted Galvalume® panels may show minor cosmetic characteristics such as edge rust or tension-bend markings earlier than heavier galvanized options like G-100. However, Galvalume® has earned a strong reputation for superior long-term weathering performance when compared to G-90 and other lower-grade galvanized panels.

Important Note: Galvalume® steel is not recommended for animal confinement applications. Our experts are always happy to guide you toward the proper material for those environments.

This panel is manufactured from 26-gauge Galvalume® steel and is available in 21 smooth colors and 8 Frost CERAM-A-STAR® 1050 colors, as well as AZ-55 Galvalume® Acrylic. Additional options include four woodgrain prints, two stacked stone prints, and Realtree® Edge digital print patterns, offering both classic and decorative design flexibility.



Available in 21 smooth color options and 8 frost/textured finishes, all engineered for energy efficiency and backed by a 40-year chalk and fade warranty. We also stock AZ-55 Galvalume® Acrylic and G-90 Galvanized Acrylic.

See colors in page 14

R-Rib Panel

RAB



FEATURES

- 36" Coverage
- 12" Rib Spacing
- 1-1/4" Rib Height
- Purlin Bearing Leg

R-Rib, also known as our Commercial Panel, is our go-to profile for projects that require added strength and stability. Designed for both roofing and siding applications, it is commonly used on agricultural and commercial buildings. Its versatility and affordability make it a reliable choice for a wide range of project types.

This panel is manufactured from 26-gauge Galvalume® steel and is available in 21 smooth CERAM-A-STAR® 1050 colors and AZ-55 Galvalume® Acrylic and G-90 Galvanized Acrylic.

See colors in page 14



Available in 21 smooth color options and 8 frost/textured finishes, all engineered for energy efficiency and backed by a 40-year chalk and fade warranty. We also stock AZ-55 Galvalume® Acrylic and G-90 Galvanized Acrylic.

Board & Batten Panel

BB1026

FEATURES


- 10" Coverage
- 8" Rib Spacing
- 7/16" Rib Height
- Smooth or Embossed Woodgrain Texture

Our Board & Batten metal siding delivers the timeless look of traditional board and batten without the ongoing maintenance of wood. This profile eliminates the need for painting or sealing and requires minimal upkeep year after year.

Unlike wood siding, our metal Board & Batten panel is backed by a 40-year chalk and fade paint warranty. The system features concealed seams and fasteners, creating a clean, finished appearance while helping protect against moisture and leaks.

This panel is manufactured from 26-gauge Galvalume® steel and is available in 21 smooth colors and 8 Frost CERAM-A-STAR® 1050 colors, as well as AZ-55 Galvalume® Acrylic. Additional options include four woodgrain prints, two stacked stone prints, and Realtree® Edge digital print patterns, offering both classic and decorative design flexibility.

See colors in page 14





Willowbrook Vinyl Siding

The long-lasting durability of .042" Willowbrook™ Super Polymer Vinyl Siding means your home will keep its charm and value for years to come, with very little exterior maintenance required.

Willowbrook features a brushed cedar woodgrain finish and utilizes our Super Polymer Formulation, which offers excellent weather resistance, impact resistance, and color retention. Plus, it's backed by a Lifetime Limited Warranty.

Part #	Description	Size	Box Qty
WHC4SI	White Double 4.5 Dutch Lap .042 Willowbrook Vinyl Siding	0.042	22
WH1VFCE	12' White 3/4" Vinyl F-Channel	3/4" x 12'6"	40
WH4JVE	12' White 5/8" Vinyl J-Mold	5/8" x 12'6"	40
WHJBL	J-Block Vinyl White	7" x 8"	1
WHJBLMINI	Split Mini J-Block Vinyl White	5" x 6-3/4"	1
WHUST	12' White Vinyl Undersill Trim	12'6"	40
WHVICE	White Vinyl Inside Corner Heartland	3/4" x 10'	40
WHVOCE	White Vinyl Outside Corner 10' Heartland	3-3/4" x 10'	10
WHSIST	10' White Alum Siding Starter	10'	50
BR24CR	Brown/White 24"x50' Alum Coil Stock	24" x 50'	1
GN24CR	Green/White 24"x50' Alum Coil Stock	24" x 50'	1
12ASB	1 1/2" Aluminum Siding Nails 1LB	1.5"	417
2ASB	2" Aluminum Siding Nails	2"	336

Vinyl Louvers

The long-lasting durability of .042" Willowbrook™ Super Polymer Vinyl Siding means your home will keep its charm and value for years to come, with very little exterior maintenance required.

Willowbrook features a brushed cedar woodgrain finish and utilizes our Super Polymer Formulation, which offers excellent weather resistance, impact resistance, and color retention. Plus, it's backed by a Lifetime Limited Warranty.

Part #	Description	Size	Shape
Y109762	Ply Gem 18" Octagon White Gable Attic Vent	18"	Octagon
Y123102	Ply Gem 22" Octagon White Gable Attic Vent	22"	Octagon



Special Order Vinyl Siding

Please allow 3-4 week lead time

Harbor Mill™ Shingle & Shake Siding

The authentic look of Harbor Mill polypropylene Shingle and Shake Siding is reminiscent of traditional sawn and split cedar shakes and shingles that have been featured in American homebuilding since the 1600's. There are few other cladding options as distinctive as cedar shake and shingles, and we set out to create a product which reflects that distinct appearance.

To preserve this authentic look, both shake and shingle profiles were modeled after hand-picked cedar pieces using highly accurate laser scanning to ensure even the finest details were carried over into each Harbor Mill Shake and Shingle. The clean grain lines of Harbor Mill with its varying peaks and valleys create the authentic look of traditional cedar but with the versatility and ease of ownership that ProVia siding products are known for.

Part #	Description	Box Qty	Coverage
SHAKELIF8STAG	Harbor Mill Single 8"x72" Staggered Shake Colors [Color] Lifestyle	28	1 SQ
SHAKES7	Harbor Mill Single 7" Roughsawn Shingle Solid Colors [Color] Signature	28	1 SQ
SHAKESIG8STAG	Harbor Mill Single 8"x72" Staggered Shake Colors [Color] Signature	28	1 SQ
SHAKESL7	Harbor Mill Single 7" Roughsawn Shingle Solid Colors [Color] Lifestyle	28	1 SQ

Lifestyle Collection Colors

White

Linen

Antique White

Cream

Alabaster

Chateau

Sandalwood

Gray

Pewter

Clay

Everest

Prairie

Premium Blue

Sage

Signature Collection Colors

Canyon

Granite

Aspen

Pueblo

Nautica

Mountain Berry

Timberline

Sea Slate

Nightfall

Neptune

Myst Gray

Harvest Red

Pine

Coal Black



Special Order Vinyl Siding

Please allow 3-4 week lead time




Willowbrook™ Vinyl Siding

The authentic look of Harbor Mill polypropylene Shingle and Shake Siding is reminiscent of traditional sawn and split cedar shakes and shingles that have been featured in American homebuilding since the 1600's. There are few other cladding options as distinctive as cedar shake and shingles, and we set out to create a product which reflects that distinct appearance.


To preserve this authentic look, both shake and shingle profiles were modeled after hand-picked cedar pieces using highly accurate laser scanning to ensure even the finest details were carried over into each Harbor Mill Shake and Shingle. The clean grain lines of Harbor Mill with its varying peaks and valleys create the authentic look of traditional cedar but with the versatility and ease of ownership that ProVia siding products are known for.

Part #	Description	Coverage	Thickness
VINYLO42	.042 Vinyl Siding Willowbrook Lifestyle Collection	2 SQ	0.042
VINYLO42SIG	.042 Vinyl Siding Willowbrook Signature Collection	2 SQ	0.042


Lifestyle Collection Colors



White



Linen




Antique White




Cream




Alabaster




Chateau




Sandalwood




Gray




Pewter



Clay



Everest




Prairie



Sage


Signature Collection Colors



Canyon




Granite




Aspen



Pueblo



Nautica



Myst Gray



Special Order Vinyl Siding

Please allow 3-4 week lead time



Hearttech™ Vinyl Siding

HeartTech Super Polymer vinyl siding has been our No. 1 selling siding for nearly 30 years, and with so many key attributes, it's easy to see why.

We've engineered each beautiful .044" thick HeartTech panel with a sophisticated oak woodgrain to perform at its best. HeartTech vinyl siding utilizes our Super Polymer Formulation, which offers excellent weather resistance, impact resistance and color retention. Plus, it's backed by a Lifetime Limited Warranty, making it an excellent choice for home siding.


There are so many options when it comes to creating a unique exterior cladding look with vinyl siding. HeartTech traditional lap and dutch lap vinyl siding profiles (Double 4", Double 4" Dutch Lap, Double 5", and Double 5" Dutch Lap) can be featured all on their own to clad an entire house. Or, they can be combined with ProVia's Board and Batten vertical siding for a coordinating or contrasting look. Any of the HeartTech profiles pair well with ProVia's manufactured stone or Harbor Mill™ Shake and Shingle.

Part #	Description	Coverage	Thickness
VINYLO44	.044 Vinyl Siding Hearttech Lifestyle Collection	2 SQ	0.044
VINYLO44SIG	.044 Vinyl Siding Hearttech Signature Collection	2 SQ	0.044


Lifestyle Collection Colors



White



Linen



Antique White



Cream



Alabaster




Chateau



Sandalwood



Gray



Pewter



Clay



Everest



Prairie



Sage

Signature Collection Colors



Canyon



Granite




Aspen



Pueblo




Nautica




Mountain Berry




Timberline




Sea Slate




Nightfall



Neptune



Myst Gray



Harvest Red



Pine



Special Order Vinyl Siding

Please allow 3-4 week lead time

Cedar Peaks® Vinyl Siding

Cedar Peaks vinyl siding features a natural patina finish that is artfully crafted to represent the look of natural cedar wood, but this wood grain vinyl siding is engineered from the inside out for optimal weather resistance, impact resistance, and color retention.

With a diverse selection of profiles, colors and accessories, Cedar Peaks vinyl siding offers style options for a variety of architectural styles and design tastes.

Part #	Description	Coverage	Thickness
VINYLO46	.046 Vinyl Siding Cedar Peaks Lifestyle Collection	2 SQ	0.046
VINYLO46SIG	.046 Vinyl Siding Cedar Peaks Signature Collection	2 SQ	0.046



Special Order Vinyl Siding

Please allow 3-4 week lead time

Vinyl Board and Batten Siding

The use of board and batten vertical siding originated hundreds of years ago as a practical solution for covering the spaces between the boards on the exterior of a home or barn. Today, it portrays rustic, handmade quality, but its strong vertical lines have modern appeal that can enhance many architectural styles, from popular Craftsman to timeless Victorian.

Blending the look of classic wood vertical siding with the modern engineering of high-performance super polymer vinyl siding, ProVia® board and batten siding offers the best of both worlds.

Part #	Description	Coverage	Thickness
VINYLBBCP8	Vinyl Board And Batten 8" Cedar Peaks Siding Lifestyle Collection	1 SQ	0.046
VINYLBBCP8SIG	Vinyl Board And Batten 8" Cedar Peaks Siding Signature Col-lection	1 SQ	0.046

Lifestyle Collection Colors



White



Linen



Antique White



Cream




Alabaster



Chateau



Sandalwood



Gray



Pewter




Clay



Everest



Prairie




Sage


Signature Collection Colors



Canyon



Granite




Aspen




Pueblo




Nautica




Mountain Berry




Timberline



Sea Slate




Nightfall




Neptune



Myst Gray



Harvest Red



Pine

Lifestyle Collection Colors



White



Linen



Antique White



Cream




Alabaster



Chateau



Sandalwood



Gray



Pewter



Clay



Everest



Prairie




Sage


Signature Collection Colors



Canyon



Granite



Aspen



Pueblo



Raised Panel Shutter Special Order Only

Mid-America is obsessed with all of the little details that go into making our lineup one of the most comprehensive selections of exterior shutters. Whether you choose our readily available standard shutters in popular colors, prefer to receive them unpainted for a custom finish, or need specialized custom order shutters, Mid-America is dedicated to delivering the right solution.

Part #	Description	Width	Length
SHUTLV25	15"x25" Louvered Shutter	14.75"	25
SHUTLV31	15"x31" Louvered Shutter	14.75"	31
SHUTLV35	15"x36" Louvered Shutter	14.75"	36
SHUTLV39	15"x39" Louvered Shutter	14.75"	39
SHUTLV43	15"x43" Louvered Shutter	14.75"	43
SHUTLV48	15"x48" Louvered Shutter	14.75"	48
SHUTLV52	15"x52" Louvered Shutter	14.75"	52
SHUTLV55	15"x55" Louvered Shutter	14.75"	55
SHUTLV60	15"x60" Louvered Shutter	14.75"	60
SHUTLV64	15"x64" Louvered Shutter	14.75"	64
SHUTLV67	15"x67" Louvered Shutter	14.75"	67
SHUTLV72	15"x72" Louvered Shutter	14.75"	72
SHUTLV75	15"x75" Louvered Shutter	14.75"	75
SHUTLV80	15"x80" Louvered Shutter	14.75"	80
SHUTRP31	15"x31" Raised Panel Shutter	14.75"	31
SHUTRP35	15"x35" Raised Panel Shutter	14.75"	35
SHUTRP39	15"x39" Raised Panel Shutter	14.75"	39
SHUTRP43	15"x43" Raised Panel Shutter	14.75"	43
SHUTRP47	15"x47" Raised Panel Shutter	14.75"	47
SHUTRP51	15"x51" Raised Panel Shutter	14.75"	51
SHUTRP55	15"x55" Raised Panel Shutter	14.75"	55
SHUTRP59	15"x59" Raised Panel Shutter	14.75"	59
SHUTRP63	15"x63" Raised Panel Shutter	14.75"	63
SHUTRP67	15"x67" Raised Panel Shutter	14.75"	67
SHUTRP71	15"x71" Raised Panel Shutter	14.75"	71
SHUTRP75	15"x75" Raised Panel Shutter	14.75"	75
SHUTRP80	15"x80" RaisedPanel Shutter	14.75"	80

Available colors: Black 002, Bordeaux 167, Bright White 117, Burgundy Red 027, Classic Blue 036, Clay 008, Federal Brown 009, Forest Green 028, Midnight Blue 166, Midnight Green 122, Musket Brown 010, Paintable 030, Tuxedo Gray 018, Wedgewood Blue 004, White 001, Wicker 023, Wineberry 078.

Mid American color names do not always match out metal panel color names. Request free color samples.



Malco Siding Removal Tool

1-piece spring steel construction. 6-1/4" long. Nonslip textured handle grip. Wedge tip of blade under overlapping panel and hook into the back lip of buttlock. Pulling lip downward, slide the tool along length of panel to unlock and expose nail row of panel to be removed. Lock and nail replacement panel into place. Use tool to re-lock overlapping panel.

Part #	Description
Y115959	Malco Siding Removal Tool



Vinyl Soffit

Part #	Description	Coverage	Length
WHVSE4	12' Solid Wht Vinyl Soffit T4	12"	12'
WHVVE4	12' Vented Wht Vinyl Soffit T4	12"	12'
WHVCE4	12' Center Vent Wht Vinyl Soffit T4	12"	12'
WHVHE3	12' White Vinyl Hidden Vent Charter Oak Soffit T3 1/3"	10"	12'
WHSHE3	12' White Vinyl Solid Charter Oak Soffit T3 1/3"	10"	12'

Aluminum Soffit

Part #	Description	Coverage	Length
WHASE	12' Solid White Alum Soffit T4	12"	12'
WHAVE	12' Vented Wht Alum Soffit T4	12"	
WH1FCE	12' White 1/2" Alum F-Channel		
WH2JAE	12' White 3/8" Aluminum J-Mold		
WH4FAE	12' White 4" Aluminum Facia		12'
WH6FAE	12' White 6" Aluminum Fascia		12'
WH8FAE	12' White 8" Aluminum Facia (Holmes)		12'





Affinity Stone Aspen

Aspen offers a clean, natural stone look that works well for exterior wainscoting, accent walls, siding, columns, and other interior or exterior applications. Available in both Cliff Ledge and Ridge Cut profiles, Aspen gives projects the authentic beauty of stone with Affinity Stone's easy-to-install, mortarless panel system.

Part #	Description	Stock/Non-Stock
ASCLCOAS	Affinity Stone Aspen Cliff Ledge Corner (10 SF Box)	Stock
ASCLPAAS	Affinity Stone Aspen Cliff Ledge Flat (10 SF Box)	Stock
ASRCCOAS	Affinity Stone Aspen Ridge Cut Corner (10 SF Box)	Stock
ASRCPAAS	Affinity Stone Aspen Ridge Cut Flat (10 SF Box)	Stock



Affinity Stone Glacier

Glacier brings a bright, refined stone appearance to both indoor and outdoor spaces, making it a strong option for siding, accent walls, wainscoting, foundations, fireplaces, and column applications. It is available in Cliff Ledge and Ridge Cut profiles and installs with Affinity Stone's screw-fastened, mortarless system.

Part #	Description	Stock/Non-Stock
ASCLCOGL	Affinity Stone Glacier Cliff Ledge Corner (10 SF Box)	Non-stock
ASCLPAGL	Affinity Stone Glacier Cliff Ledge Flat (10 SF Box)	Non-stock
ASRCCOGL	Affinity Stone Glacier Ridge Cut Corner (10 SF Box)	Non-stock
ASRCPAGL	Affinity Stone Glacier Ridge Cut Flat (10 SF Box)	Non-stock



Affinity Stone Highland

Highland features a rich, earthy stone look designed to add warmth and depth to residential, commercial, and post-frame projects. Available in both Cliff Ledge and Ridge Cut profiles, Highland combines natural stone character with the speed and simplicity of Affinity Stone's mechanically fastened panel system.

Part #	Description	Stock/Non-Stock
ASCLCOHI	Affinity Stone Highland Cliff Ledge Corner (10 SF Box)	Stock
ASCLPAHI	Affinity Stone Highland Cliff Ledge Flat (10 SF Box)	Stock
ASRCCOHI	Affinity Stone Highland Ridge Cut Corner (10 SF Box)	Stock
ASRCPAHI	Affinity Stone Highland Ridge Cut Flat (10 SF Box)	Stock



Affinity Stone Redwood

Redwood offers warm, rustic stone tones that pair well with traditional, lodge-inspired, and country-style exteriors. Available in Cliff Ledge and Ridge Cut panels, Redwood is a durable, easy-to-install option for wainscoting, siding, accent walls, chimneys, foundations, and other decorative stone applications.

Part #	Description	Stock/Non-Stock
ASCLCORW	Affinity Stone Redwood Cliff Ledge Corner (10 SF Box)	Stock
ASCLPARW	Affinity Stone Redwood Cliff Ledge Flat (10 SF Box)	Stock
ASRCCORW	Affinity Stone Redwood Ridge Cut Corner (10 SF Box)	Stock
ASRCPARW	Affinity Stone Redwood Ridge Cut Flat (10 SF Box)	Stock



Affinity Stone Yukon

Yukon provides a bold, natural stone appearance that works especially well as a strong visual base for exterior siding, wainscoting, columns, and accent areas. Offered in both Cliff Ledge and Ridge Cut profiles, Yukon delivers the look of masonry with a faster mortarless installation process.

Part #	Description	Stock/Non-Stock
ASCLCOYU	Affinity Stone Yukon Cliff Ledge Corner (10 SF Box)	Stock
ASCLPAYU	Affinity Stone Yukon Cliff Ledge Flat (10 SF Box)	Stock
ASRCCOYU	Affinity Stone Yukon Ridge Cut Corner (10 SF Box)	Stock
ASRCPAYU	Affinity Stone Yukon Ridge Cut Flat (10 SF Box)	Stock



Affinity Stone Column Kits

Affinity Stone Column Kits are designed to make wrapping posts with stone faster and easier. Each kit includes framing, starter strips, screws, stone panels, and a pre-cut cap, creating a coordinated column system with no cutting required for the column wrap.

Part #	Description	Stock/Non-Stock
ASCOL44	Affinity Stone [Stone Color] 4×4 Column Kit - includes 2 pcs wood framing, 4 pcs starter strip, 12 - 7" screws, 12 stone panels, 1 precut cap. [Cap Color]	Non-stock
ASCOL56	Affinity Stone [Stone Color] 5×6 Column Kit (for 3Ply 2×6) kit includes 2 pcs wood framing, 4 pcs starter strip, 12 - 7" screws, 12 stone panels, 1 precut cap. [Cap Color]	Non-stock
ASCOL66	Affinity Stone [Stone Color] 6×6 Column Kit (for 6×6 post) kit includes 2 pcs wood framing, 4 pcs starter strip, 12 - 7" screws, 12 stone panels, 1 precut cap. [Cap Color]	Non-stock
ASCOL88	Affinity Stone [Stone Color] 8×8 Column Kit (for 8×8 post) kit includes 2 pcs wood framing, 4 pcs starter strip, 12 - 7" screws, 12 stone panels, 1 precut cap. [Cap Color]	Non-stock



Affinity Stone Wainscot Caps

Affinity Stone Wainscot Caps provide a finished transition between stone panels and siding, helping create a clean, professional edge. Available with a nailing strip on top, a nailing strip on bottom, or without a nailing strip, these caps are designed to complement both Cliff Ledge and Ridge Cut veneer panels.

Part #	Description	Stock/Non-Stock
ASWC	Affinity Stone Charcoal Wainscoat Cap Top Fastened	Stock
ASWCBN	Affinity Stone Charcoal Wainscoat Cap Bottom Fastened	Stock
ASWGTN	Affinity Stone Gray Wainscoat Cap Top Fastened	Stock
ASWGBN	Affinity Stone Gray Wainscoat Cap Bottom Fastened	Stock



Double Receptable Block



Light Block



Single Receptable Block

Affinity Stone Accessories

Part #	Description	Stock/Non-Stock
ASHBCH	Affinity Stone Charcoal Hose Bib	Stock
ASHBGR	Affinity Stone Gray Hose Bib	Stock
ASLBCH	Affinity Stone Charcoal Light Box	Stock
ASLBGR	Affinity Stone Gray Light Box	Stock
ASRBCH	Affinity Stone Charcoal Single Receptacle Block	Stock
ASRBGR	Affinity Stone Gray Single Receptacle Block	Stock
ASDRB	Affinity Stone [Color] Double Receptacle Block	Non-Stock
ASNC	Affinity Stone [Color] Natural Cap 24"x24"x3"	Non-Stock
ASCC24	Affinity Stone [Color] Chisled Cap 24"x24"x3" No Cutout	Non-Stock
ASH	Affinity Stone [Color] Hearthstone	Non-Stock

Drywall



FibaTape



Y262343

Part #	Description	Size	Length
Y260657	FibaTape Corner Drywall Tape	2"	25'
Y260665	FibaTape Steel Reinforced Corner Drywall Tape	2"	100'
Y262343	FibaTape White Self-Adhesive Joint Drywall Tape	1-7/8"	50'
Y267252	FibaTape White Self-Adhesive Joint Drywall Tape	1-7/8"	300'
Y273242	FibaTape Perfect Finish Ultra Thin Joint Drywall Tape	1-7/8"	75'

Sheetrock Paper Joint Drywall Tape

Paper reinforcing tape for strengthening and finishing joints of interior drywall panels.



Part #	Description	Size	Length
Y264564	Sheetrock Paper Joint Drywall Tape	2-1/16"	75'
Y264573	Sheetrock Paper Joint Drywall Tape	2-1/16"	250'
Y266811	Sheetrock Paper Joint Drywall Tape	2-1/16"	500'

Drywall Corner Bead

Dur-A-Bead hot-dipped galvanized coated steel offers superior corrosion protection for external corners. Has deeply knurled and perforated flanges for joint compound adhesion. Corner bead is ordered by the case.




FEATURES

- Hot dipped galvanized coated steel
- Deeply knurled
- Perforated flanges
- Order by case

Part #	Description	Length
Y260584	ClarkDietrich Quicksilver Drywall Metal Corner Bead	9'
Y260800	ClarkDietrich Quicksilver Drywall Metal Corner Bead	8'

Vinyl Corner Bead



Part #	Description	Length
Y264571	ClarkDietrich Vinyl Bullnose Corner Bead	10'
Y264652	ClarkDietrich Vinyl Bullnose Archway Corner Bead	10'
Y273554	Clarkdietrich 90 Deg Vinyl Cornerbead Transition Cap	

Drywall Mud

Sheetrock All-Purpose

All-purpose, ready-mixed joint compound provides overall high performance and superior working qualities. Ideal for embedding paper tape and for filling, leveling, and finishing over gypsum panel joints, fasteners, and trim. Excellent for skim coating and hand applying simple textures.



Part #	Description
Y264458	Sheetrock 4.5 Gal All-Purpose Drywall Joint Compound (Green Lid)

Sheetrock Topping

Crater-free, ready-to-use topping is a low-shrinkage, easily applied, and sanded product recommended for second and third coats over USG ready-to-use taping and all-purpose compounds. Also used as first coat over metal corners, trim, and fasteners. Can be used for applying simple textures or embedding tape.



Part #	Description
Y264467	Sheetrock 4.5 Gal. Topping Drywall Joint Compound (Light Blue Lid)

Sheetrock Plus 3

Plus 3. Eliminates the need for separate taping and topping compounds. Bonds like taping compound and sands like a topping compound. Weighs 35% less than conventional compounds and requires only 2 coats over metal fasteners, corner bead, and trim. Plus 3 offers lower shrinkage, faster drying, easier sanding, and mixes quicker than conventional compounds. Protect from freezing. Coverage: Approximately 9.4 Gal. per 1000 Sq. Ft. of gypsum panels.



Part #	Description
Y266744	Sheetrock 4.5 Gal Plus 3 Drywall Joint Compound (Dark Blue Lid)

Sheetrock Easy Sand

For 1 day joint finishing. Also, an ideal patching compound. Easy Sand offers these advantages over traditional fast setting compounds: Weighs 25% less, but equals comparable coverage to 25 lb. bags, instant lump-free mixing, better workability, less shrinkage, and easier sanding. Natural color.



Part #	Description
Y269069	Sheetrock Easy Sand 5 Lightweight 3 Lb. Drywall Joint Compound
Y269131	Sheetrock Easy Sand 90 Lightweight 3 Lb. Drywall Joint Compound



DAP Alex Plus®

Professional strength Alex Plus Spackling provides unsurpassed performance for filling holes and cracks in surfaces such as drywall, plaster, wood, brick, metal, and stone. Ready-to-use smooth white latex polymer formula spreads easily for fast, professional repairs that will not sink, shrink, or crack. Superior paintability, will not flash paint. Exceptional durability. Sandable. Interior/exterior use. Easy water clean-up.

Part #	Description
Y772174	DAP ALEX PLUS 7 Oz. Professional Latex Spackling



DAP Fast ‘N Final®

Patch, prime, and paint with ease using Dap Fast ‘N Final Lightweight Spackling. This one-step solution saves time and money by eliminating the need for sanding or priming. Quick-drying and resistant to shrinking or cracking, it's perfect for various surfaces like drywall, plaster, wood, and stucco. With easy application and low odor, it's suitable for both interior and exterior repairs, ensuring a flawless finish in minutes.

Part #	Description
Y773568	DAP Fast 'N Final 1 Gal. Lightweight Latex Patch & Prime Spackling
Y778362	DAP Fast 'N Final 32 Oz. Lightweight Latex Patch & Prime Spackling



DAP DryDex® Drywall Repair Kit

A convenient kit that includes all the tools necessary: 8 Oz. tub of Drydex spackling, 4 In. self-adhesive patch, 2 In. plastic putty knife, and a sheet of fine sandpaper. This unique spackling goes on pink and dries white to eliminate guess work of when to start sanding.

FEATURES

- Drywall patch kit repairs holes & cracks up to 3 in. in diameter
- Patch is sandable, paintable, and will not shrink or crack
- DryDex spackling uses dry time indicator to show when ready
- Easy water clean-up

Part #	Description
Y794372	Dap DryDex 8 Oz. Drywall Repair Kit (4-Piece)



Y283010

Drywall Patch

Part #	Description
Y272234	FibaTape Wall Bandage 7"x 7" Self-Adhesive Drywall Patch (2-Pack)
Y283010	FibaTape 4" x 4" Wall & Ceiling Self-Adhesive Drywall Patch
Y283029	FibaTape 6" x 6" Wall & Ceiling Self-Adhesive Drywall Patch
Y283037	FibaTape 8" x 8" Wall & Ceiling Self-Adhesive Drywall Patch



Drywall Tools

Drywall Hand Sander

The WAL-BOARD TOOLS Plastic Hand Sanders are made of durable injection-molded plastic which provides enhanced strength. 200PW features quick-change locking clamps for convenience when changing sandpaper. Compatible with most precut sandpaper 11-1/4" (286 mm) long.

FEATURES

- Compatible with most precut sandpaper 11-1/4" (286 mm) long
- Made from lightweight injection molded plastic
- Quick-change locking clamps

Part #	Description
Y302872	QLT 9-1/2" x 3-1/4" Drywall Hand Sander

Drywall Trowel

Model No. 912. 11" x 4-1/2" curved blade for finishing drywall joints. Cast-aluminum mounting; tempered, polished steel blade and natural finish wood handle. The concave shape helps build up the joint for final finish.

Part #	Description
Y302937	QLT 11" x 4-1/2" Drywall Trowel

Drywall Hand Sander

Model No. 20D. Dura soft handle, bonded foam rubber pad, positive lock clamps. For precut or half sheet sandpaper.

Part #	Description
Y303046	Marshalltown 9-3/8" x 3-1/4" Drywall Hand Sander

Mud Mixer (Wood Handle)

Quickly mix small batches of mud with the MARSHALLTOWN Mashers. Each Mud Masher features a heavy gauge steel mixing head that has been plated to resist rust. The metal ferrule secures the head to a hardwood handle.

FEATURES

- For mixing small batches of drywall mud
- Durable heavy gauge steel mixing head
- Plated to resist rust

Part #	Description	Length
Y307122	Marshalltown Drywall & Paint Steel 14" Mud Mixer, Wood Handle	14"





Mud Mixer

Model No. 819. Ideal for mixing paint and drywall mud. 3/8" hex shaft fits any 1/2" or larger slow speed drill. 28" long. Blade size: 8-1/2" x 4-1/2".

Part #	Description	Length
Y313769	Marshalltown Drywall & Paint Steel 28" Mud Mixer	28"




Drywall Jab Saw

The Milwaukee rasping jab saw is the only jab saw on the market to integrate rasping holes along the side of the blade to rapidly expand holes or smooth rough edges of sheetrock after a cut has been made. Complete with rubber over-mold to increase comfort and reduce hand slippage, the new saw also features a thick 6" plaster/drywall blade for increased durability and life.

FEATURES

- Thick 6 in. plaster/drywall blade for increased durability and life
- Rubber over-mold for increased comfort and reducing hand slippage

Part #	Description	Length
Y360825	Milwaukee 6" 8 TPI Rasping Drywall Jab Saw	6"



Aluminum English Drywall Square

Take errors and guesswork out of your next drywall job with this T-square from Johnson. The T-square features a unique rivet assembly that permanently bonds the extruded aluminum head and blade, so that it stays square for life, while its clear protective anodized finish will keep your tool safe from rust and corrosion. This T-square was also designed to be easy to use. It features thermal-bonded black 1/8" graduations that are large and bold for easy reading.

Part #	Description	Length
Y365535	Johnson 48" Aluminum English Drywall Square	48"
Y365544	Johnson Level 54" Aluminum English Heavy-Duty Drywall Square	54"

Paint & Stain





Interior Semi-Gloss

An excellent interior finish for kitchen, bathroom trim, walls or anywhere a tough, durable, washable finish is needed. Resistant to stains, grease and spotting. Over 1000 custom colors available. Easy-to-apply, it covers most colors in 1 coat when applied at the recommended spreading rate of 400 Sq. Ft. per gallon. Dries to touch in 1 to 2 Hrs. Allow to dry overnight before recoating. Apply with brush or roller when the temperature is above 55 Deg. F. Do not thin.

Available in tint bases and 4 packaged colors. Backed by lifetime warranty.

FEATURES

- Tough, durable, washable finish
- Resistant to stains, grease and spotting
- Excellent hide and adhesion
- Apply with brush or roller

Part #	Description	Available in
Y770304	Best Look Latex Semi-Gloss Interior Wall Paint, Ultra White	Quart, Gallon, 5 Gallon
Y780836	Best Look Latex Semi-Gloss Interior Wall Paint, Bright White	Quart, Gallon, 5 Gallon
Y796620	Best Look Latex Semi-Gloss Interior Wall Paint, Extra Deep Base	Quart, Gallon, 5 Gallon
Y796727	Best Look Latex Semi-Gloss Interior Wall Paint, Neutral Base	Quart, Gallon, 5 Gallon



Interior Eggshell

A low sheen paint ideal for surfaces that require greater spot and stain-resistant and scrubbability than flat paints, but without the sheen of a semi-gloss. Over 1000 custom mix colors available. Can be used on properly prepared surfaces of drywall, plaster, wood, masonry, and metal. Dries to touch in approximately 1 hr and can be recoated after overnight drying. Has low odor and applies easily with brush, roller, pad, or sprayer. Covers approximately 400 Sq. Ft. per gallon. Clean up with soap and water.

Available in tint bases and 4 packaged colors. Backed by lifetime warranty.

FEATURES

- Ideal for surfaces that require greater spot and stain-resistant and scrubbability
- Use on drywall, plaster, wood, masonry, and metal
- Excellent hide, adhesion and durability
- Stain resistant
- Apply with brush, roller, pad, or sprayer

Part #	Description	Available in
Y770296	Best Look Latex Eggshell Interior Wall Paint, Ultra White	Quart, Gallon, 5 Gallon
Y780818	Best Look Latex Eggshell Interior Wall Paint, Bright White	Quart, Gallon, 5 Gallon
Y790222	Best Look Latex Eggshell Interior Wall Paint, Neutral Base	Quart, Gallon, 5 Gallon
Y796590	Best Look Latex Eggshell Interior Wall Paint, Extra Deep Base	Quart, Gallon, 5 Gallon



Interior Satin

Our new formula offers finest quality interior wall and trim satin finish enamel. The soft decorative sheen complements any decor while providing 1 coat coverage on interior primed plaster, metal, wallboard, wood, and masonry. Over 1000 custom colors available. Provides a scrubbable finish that is spot and stain-resistant. Apply with brush or roller at package consistency. Apply at temperatures above 50 Deg. and at a rate of 400 Sq. Ft. per gallon. Allow 4 Hrs. drying time before applying a second coat. Clean up spills and equipment immediately with soap and warm water.

Backed by lifetime warranty. Tint bases and 4 package colors available.

FEATURES

- Use on interior primed plaster, metal, wallboard, wood, and masonry
- Provides a scrubbable finish that is spot and stain-resistant
- Excellent hide, adhesion and durability

Part #	Description	Available in
Y770300	Best Look Latex Satin Interior Wall Paint, Ultra Whit	Quart, Gallon, 5 Gallon
Y795302	Best Look Latex Satin Interior Wall Paint, Bright White	Quart, Gallon, 5 Gallon
Y795333	Best Look Latex Satin Interior Wall Paint, Extra Deep Base	Quart, Gallon, 5 Gallon
Y795371	Best Look Latex Satin Interior Wall Paint, Neutral Base	Quart, Gallon, 5 Gallon



Exterior Semi-Gloss

Our new exterior paint is formulated with 100% acrylic resins for durability and colorfast performance. Use on most exterior building surfaces including wood, masonry, stucco, and metal. Tint bases can be mixed to over 1000 custom colors. It is resistant to fading, peeling, and blistering, and covers with 1 coat when applied over properly prepared surfaces. Covers approximately 400 Sq. Ft. per gallon. Recommend priming new wood with Do it Best latex or alkyd exterior wood primer. Dries to the touch in 2 Hrs., and to recoat in 4 to 6 Hrs. Apply with brush, paint pad, or sprayer. May be thinned slightly for spray application. Easy to clean up with soap and water.

Available in tint bases and packaged colors. Low temperature application down to 35 Deg. F. Backed by lifetime warranty.

FEATURES

- Semi-gloss Paint & Primer In One
- 100% acrylic resins for durability and colorfast performance
- Use on wood, masonry, stucco, and metal
- Resistant to fading, peeling, and blistering
- Low temperature application down to 35F
- Mold and mildew resistant

Part #	Description	Available in
Y771966	Best Look Acrylic Latex Semi-Gloss Exterior Paint, Bright White	Quart, Gallon
Y779431	Best Look Acrylic Latex Semi-Gloss Exterior Paint, High Hiding White	Quart, Gallon
Y784743	Best Look Acrylic Latex Semi-Gloss Exterior Paint, Pastel Base	Quart, Gallon
Y796778	Best Look Acrylic Latex Semi-Gloss Exterior Paint, Neutral Base	Quart, Gallon
Y796897	Best Look Acrylic Latex Semi-Gloss Exterior Paint, Extra Deep Base	Quart, Gallon
Y778055	Best Look Acrylic Latex Semi-Gloss Exterior Paint, Coach Black	Gallon



Y780168



Y780731



Y770205

Primer

Excellent sealer for all paints. Recommended as a first coat for priming and sealing new dry wall or wallboard surfaces. May also be used on previously painted surfaces. Will not cause raising of surface paper fibers. Can be recoated with either solvent or latex type paints. Improves the appearance of the finished coat. Covers 400 sq. ft. per gallon.

FEATURES

- Excellent sealer for all paints
- Recommended as a first coat for priming and sealing new dry wall or wallboard surfaces
- Can be recoated with either solvent or latex type paints

Part #	Description	Available in
Y780168	Do it Best Interior Latex Wall Primer, White	Quart, Gallon, 5 Gallon
Y770205	Zinsser Bulls Eye 1-2-3 Int/Ext Stain Blocking Primer, White	Quart, Gallon, 5 Gallon
Y776887	Kilz Original Low Odor Oil-Based Interior Primer Sealer Stainblocker, White	Quart, Gallon
Y780731	KILZ 2 Latex Interior/Exterior Primer, White	Quart, Gallon, 5 Gallon

Stain

Excellent sealer for all paints. Recommended as a first coat for priming and sealing new dry wall or wallboard surfaces. May also be used on previously painted surfaces. Will not cause raising of surface paper fibers. Can be recoated with either solvent or latex type paints. Improves the appearance of the finished coat. Covers 400 sq. ft. per gallon.

FEATURES

- Excellent sealer for all paints
- Recommended as a first coat for priming and sealing new dry wall or wallboard surfaces
- Can be recoated with either solvent or latex type paints



Y797387


Part #	Description	Available in
Y797387	Ready Seal Ext. Wood Stain Pecan	Gallon, 5 Gallon
YY367-942	Ready Seal Ext. Wood Stain Natural/Light Oak	Gallon, 5 Gallon
Y775270	Ready Seal Ext. Wood Stain Natural Cedar	Gallon, 5 Gallon
Y776089	Ready Seal Ext. Wood Stain Redwood	Gallon, 5 Gallon
Y776135	Ready Seal Ext. Wood Stain Dark Walnut	Gallon, 5 Gallon
Y776260	Ready Seal Ext. Wood Stain Mahogany	Gallon, 5 Gallon
Y776308	Ready Seal Ext. Wood Stain Mission Brown	Gallon, 5 Gallon
Y776419	Ready Seal Ext. Wood Stain Burnt Hickory	Gallon, 5 Gallon



Ready Seal - 7" Staining Brush

Part #	Description	Available in
YY367930	Ready Seal Staining Brush	7"

Fasteners





YY114069

GRK Structural Screws

GRK Fasteners RSS Screw is Climatek coated hardened steel for use in treated wood. Its sharp threads and point bite instantly into material (including hardwood), reducing the splitting effect caused by smaller shanks. Its washer type head has no sharp edges like conventional lag screws, and the added shoulder underneath the washer has the ability to center the RSS screw in pre-drilled hardware.

FEATURES

- Ideal for ledger boards and more
- Self-tapping
- W-cut thread design
- May be used as a lag screw alternative
- 1 step install, no pre-drilling
- Superior clamping force on the first drive
- 20% faster drive time
- 3-1/8" - 6" screws have 5/16" diameter shank, and the 8" and 12" screws have a 3/8" diameter shank.

GRK #8 STAR DRIVE

Part #	Description	Carton Qty	Length
YY114069	GRK #8 Star Drive Low Profile Washer Head Cabinet Wood Screw	100	1-1/4"
YY119724	GRK #8 Star Drive Trim-Head Finish Screw	100	1-1/2"
YY114073	GRK #8 Star Drive Low Profile Washer Head Cabinet Wood Screw	100	1-1/2"
YY113077	GRK #8 Star Drive Low Profile Washer Head Cabinet Wood Screw)	100	2"
YY113079	GRK #8 Star Drive Low Profile Washer Head Cabinet Wood Screw	100	2-1/2"
229868	GRK #8 Star Drive Low Profile Washer Head Cabinet Wood Screw White	80	1-1/2"
YY116728	GRK #8 Star Drive Trim-Head Finish Screw	510	2"
YY119077	GRK #8 Star Drive Composite Trim Head Deck Screw	100	2"
YY119728	GRK #8 Star Drive Trim-Head Finish Screw	100	2"
YY119730	GRK #8 Star Drive Trim-Head Finish Screw	100	2-1/2"
YY120660	GRK #8 Star Drive Low Profile Washer Head Cabinet Wood Screw White	80	2-1/2"
YY67730	GRK #8 Star Drive 305 SS Trim Finish Screw	100	2-1/2"
YY16630	GRK #8 Star Drive Composite Trim Head Deck Screw	505	2-1/2"
YY16730	GRK #8 Star Drive Trim-Head Finish Screw	605	2-1/2"
YY96075	GRK #8 Star Drive Composite Trim Head Deck Screw	100	2-1/2"
YY119734	GRK #8 Star Drive Trim-Head Finish Screw	100	3-1/8"
YY114083	GRK #8 Star Drive Low Profile Washer Head Cabinet Wood Screw	50	3-1/8"

GRK #9 STAR DRIVE

Part #	Description	Carton Qty	Length
YY00101	GRK #9 Star Drive R4 Multi-Purpose Wood Screw	2900	2-1/2"
YY103099	GRK #9 Star Drive R4 Multi-Purpose Wood Screw	110	2"
YY01099	GRK #9 Star Drive R4 Multi-Purpose Wood Screw	690	2"
YY19212	GRK #9 Star Drive Deck Elite Wood Deck Screw	400	2-1/2"
YY01101	GRK #9 Star Drive R4 Multi-Purpose Wood Screw	575	2-1/2"
YY103101	GRK #9 Star Drive R4 Multi-Purpose Wood Screw	100	2-1/2"
YY10903	GRK #9 Star Drive Deck Elite Wood Deck Screw	350	3"
YY103105	GRK #9 Star Drive R4 Multi-Purpose Wood Screw	80	3-1/8"
YY01105	GRK #9 Star Drive R4 Multi-Purpose Wood Screw	425	3-1/8"
YY00105	GRK #9 Star Drive R4 Multi-Purpose Wood Screw	1900	3-1/8"
YY117760	GRK #9 Star Drive Trim-Head Finish Screw	50	4"
YY117766	GRK #9 Star Drive Trim-Head Finish Screw	50	5"



YY00101



YY61733



GRK Structural Screws

GRK #10

Part #	Description	Carton Qty	Length
YY61733	GRK #10 Climatek-coated Polymer Exterior Multi-Material Screws	80	2-1/2"
YY103133	GRK #10 Star Drive R4 Multi-Purpose Wood Screw	80	2-1/2"
YY103137	GRK #10 Star Drive R4 Multi-Purpose Wood Screw	70	3-1/8"
YY61737	GRK #10 Climatek-coated Polymer Exterior Multi-Material Screws	70	3-1/8"
YY01137	GRK #10 Star Drive R4 Multi-Purpose Wood Screw	350	3-1/8"
YY103141	GRK #10 Star Drive R4 Multi-Purpose Wood Screw	50	4"
YY01141	GRK #10 Star Drive R4 Multi-Purpose Wood Screw	270	4"

GRK #12

Part #	Description	Carton Qty	Length
YY96089	GRK #12/14 Star Drive R4 Multi-Purpose Wood Screw	50	5-5/8"

GRK RSS Screw

EASY TO INSTALL LAG ALTERNATIVE

GRK's RSS™ Rugged Structural Screw is a structural fastener designed for ease of installation and the strongest of connections. RSS fasteners drive into most woods without the need for pre-drilling. The specially engineered design results in a low-effort installation, especially compared to conventional lag screws.

FEATURES

- **Fast Bite Tip:** Provides a fast start
- **Zip-Tip™:** Eliminates pre-drilling
- **W-Cut™:** Low torque, faster drive
- **Precision Fit:** Reduces wobble between RSS screws and GRK bits for improved productivity
- **Climatek™ Coating Code:** Approved for use in treated lumber
- **Star Drive Recess:** Zero stripping, with 6 points of contact

Part #	Description	Carton Qty	Length
YY12287	GRK RSS Screw Handy-Pak 3/8"	50	8"
YY10287	GRK RSS Screw 3/8"	300	8"
YY12293	GRK RSS Screw Handy-Pak 3/8"	50	10"
YY10293	GRK RSS Screw 3/8"	300	10"
YY12299	GRK RSS Screw Handy-Pak 3/8"	50	12"
YY12133	GRK RSS Screw Handy-Pak	50	2-1/2"
YY12137	GRK RSS Screw Handy-Pak	50	3-1/8"
YY12221	GRK RSS Screw Handy-Pak 5/16"	100	3-1/8"
YYGRK10221	GRK RSS Screw 5/16"	500	3-1/8"
YY14225	GRK RSS Screw Handy-Pak 5/16"	25	4"
YYGRK12225	GRK RSS Screw Handy-Pak 5/16"	100	4"
YYGRK10225	GRK RSS Screw 5/16"	400	4"
YY12231	GRK RSS Screw Handy-Pak 5/16"	50	5-1/8"
YYGRK10231	GRK RSS Screw 5/16"	300	5-1/8"
YY14235	GRK RSS Screw Handy-Pak 5/16"	20	6"
YYGRK10235	GRK RSS Screw 5/16"	300	6"
YYGRK12235	GRK RSS Screw Handy-Pak 5/16"	50	6"



GRK Star Drive Bits

ELIMINATES STRIPPING WITH SIX POINTS OF CONTACT

GRK Star Drive Bits provide six points of contact with our star drive head screws. The star drive helps to eliminate stripping for improved productivity. Most bits are available in 2” and 3” lengths.

Part #	Description	Carton Qty	Length
YY187419	GRK Star Drive T-10 Bits	2	2"
YY187427	GRK Star Drive T-15 Bits	2	2"
YY187443	GRK Star Drive T-25 Bits	2	2"
YY187451	GRK Star Drive T-30 Bits	2	2"
YY187459	GRK Star Drive T-40 Bits	2	2"



Concrete Screws

HILLMAN POWER PRO BLUE HEX WASHER-HEAD

Power Pro Concrete Screw Anchors are the best performing code approved anchors for fastening into concrete and masonry.

FEATURES

- **Blue Color:** Matches or complements various projects including railing
 - **Superior Corrosion Protection:** 50 percent greater corrosion protection vs. competition
 - **High Strength:** Manufactured from heat-treated carbon steel for strength and durability
 - **Superior Strength Design:** Wide, serrated threads cut fast, easy, and clean into concrete
 - **Threaded to Tip:** Designed to quickly
- penetrate and sink into wood without a chisel point
 - **Hex Washer Head:** Great for metal and flat material-to-concrete applications
 - **Length Identification:** Letter code on head for easy post-installation inspection
 - **Building Code Approved:** California Building Code Approved, Florida Building Code Approved, and Miami-Dade County Product Control in process
 - **Safe for Use with Treated Lumber:** Parts are AC257 Treated Lumber approved



Camo Screws

CAMO GREEN PREMIUM DECK SCREW TORX DRIVE

CAMO exterior bugle head decking screws are the perfect wood fastener for face fastening wood deck boards, or securing other exterior construction projects.

Part #	Description	Carton Qty	Length
YY0341100	Camo Green Premium Deck Screw Torx Drive	100	1-5/8"
YY0341104	Camo Green Premium Deck Screw Torx Drive	350	1-5/8"
YY0341150	Camo Green Premium Deck Screw Torx Drive	100	2-1/2"
YY0341154	Camo Green Premium Deck Screw Torx Drive	350	2-1/2"
YY0341159	Camo Green Premium Deck Screw Torx Drive	1750	2-1/2"
YY0341170	Camo Green Premium Deck Screw Torx Drive	100	3"
YY0341174	Camo Green Premium Deck Screw Torx Drive	350	3"
YY0341190	Camo Green Premium Deck Screw Torx Drive	50	3-1/2"
YY0341194	Camo Green Premium Deck Screw Torx Drive	250	3-1/2"
YY341179	Camo Green Premium Deck Screw Torx Drive	1750	3"
YY341199	Camo Green Premium Deck Screw Torx Drive	1750	3-1/2"
YY0395040	CAMO DRIVE Collated Wood Face Bugle Head Screw	1,000	3"



CAMO FLAT HEAD MULTI-PURPOSE

These screws are designed and load-rated for interior and exterior framing applications, commonly replacing 8d, 10d and 16d nails. They feature our industry-leading propriety PROTECH Ultra 4 four-layer coating system, offering superior corrosion resistance for long-lasting connections. Our screws are engineered to start fast, drive easy and finish flush so you can get the job done and get on your way. Use our CAMO Framing Screws for wood-to-wood framing connections, deck blocking and other general construction projects.

Part #	Description	Carton Qty	Length
YY355150	Camo Flat Head Multi-Purpose Structural Screw	50	2-1/2"
YY355170	Camo Flat Head Multi-Purpose Structural Screw	50	3"
YY360200	Camo Flat Head Tan Multi Purpose Structural Screw	10	4"
YY360204	Camo Flat Head Tan Multi-Purpose Structural Screw	50	4"
YY360240	Camo Flat Head Tan Multi Purpose Structural Screw	10	6"
YY360244	Camo Flat Head Tan Multi-Purpose Structural Screw	50	6"
YY360249	Camo Flat Head Tan Structural Multi Purpose Screw	250	6"
YY360260	Camo Flat Head Tan Multi Purpose Structural Screw	10	8"
YY360264	Camo Flat Head Tan Multi-Purpose Structural Screw	50	8"
YY360269	Camo Flat Head Tan Structural Multi Purpose Screw	250	8"

Part #	Description	Carton Qty	Length
H376500	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 3/16"	100	1-1/4"
H376501	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 3/16"	100	1-3/4"
H376502	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 3/16"	100	2-1/4"
H376503	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 3/16"	100	2-3/4"
H376504	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 3/16"	100	3-1/4"
H376505	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 3/16"	100	3-3/4"
H376506	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 3/16"	100	4"
H376508	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 1/4"	100	1-1/4"
H376509	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 1/4"	100	1-3/4"
H376510	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 1/4"	100	2-1/4"
H376511	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 1/4"	100	2-3/4"
H376512	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 1/4"	100	3-1/4"
H376513	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 1/4"	100	3-3/4"
H376514	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 1/4"	100	4"
H376515	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 1/4"	100	5"
H376517	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 5/16"	50	2-3/4"
H376518	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 5/16"	50	3-1/4"
H376519	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 5/16"	50	3-3/4"
H376520	Hillman Power Pro Blue Hex Washer-Head Concrete Screw Anchors 5/16"	50	4"

Concrete Screws

HILLMAN POWER PRO BLUE FLAT-HEAD STAR DRIVE

Power Pro Concrete Screw Anchors are the best performing code approved anchors for fastening into concrete and masonry.

FEATURES



- **Blue Color:** Matches or complements various projects including railing
- **Superior Corrosion Protection:** 50 percent greater corrosion protection vs. competition
- **High Strength:** Manufactured from heat-treated carbon steel for strength and durability
- **Superior Strength Design:** Wide, serrated threads cut fast, easy, and clean into concrete
- **Threaded to Tip:** Designed to quickly penetrate and sink into wood without a chisel point
- **Flat Head:** Great for wood-to-concrete and countersunk hole applications
- **Under Head Micro-Nibs:** Help flat-head screws cut a clean countersink in wood
- **Star Drive:** Six contact points spread out torque for no-strip installs
- **Building Code Approved:** California Building Code Approved, Florida Building Code Approved, and Miami-Dade County Product Control in process
- **Safe for Use with Treated Lumber:** Parts are AC257 Treated Lumber approved

Part #	Description	Carton Qty	Length
H376522	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 3/16"	100	1-1/4"
H376523	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 3/16"	100	1-3/4"
H376524	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 3/16"	100	2-1/4"
H376525	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 3/16"	100	2-3/4"
H376526	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 3/16"	100	3-1/4"
H376527	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 3/16"	100	3-3/4"
H376528	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 3/16"	100	4"
H376530	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 1/4"	100	1-1/4"
H376531	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 1/4"	100	1-3/4"
H376532	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 1/4"	100	2-1/4"
H376533	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 1/4"	100	2-3/4"
H376534	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 1/4"	100	3-1/4"
H376535	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 1/4"	100	3-3/4"
H376536	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 1/4"	100	4"
H376537	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 1/4"	100	5"
H376540	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 5/16"	50	2-3/4"
H376541	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 5/16"	50	3-1/4"
H376542	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 5/16"	50	3-3/4"
H376543	Hillman Power Pro Blue Flat-Head Star Drive Concrete Screw Anchors 5/16"	50	4"

Decking & Railing





TimberTech®

TimberTech® Legacy Collection®

Capture the essence of nature with unique board-to-board variation (no two are exactly alike), without the rigorous maintenance of wood. Featuring a character-rich hand-scraped texture and dynamic blend of hues, our premium polymer capped composite boards deliver real wood aesthetics you'll never have to sand, stain, or seal.

Part #	Description	Size	L.
DECKCOMLEG12AW	Timbertech Legacy Composite Deck Boards - Ashwood Grooved	.94 × 5.36	12'
DECKCOMLEG12ES	Timbertech Legacy Composite Deck Boards - Espresso Grooved	.94 × 5.36	12'
DECKCOMLEG12MO	Timbertech Legacy Composite Deck Boards - Mocha Grooved	.94 × 5.36	12'
DECKCOMLEG12PE	Timbertech Legacy Composite Deck Boards - Pecan Grooved	.94 × 5.36	12'
DECKCOMLEG12TW	Timbertech Legacy Composite Deck Boards - Tigerwood Grooved	.94 × 5.36	12'
DECKCOMLEG12WC	Timbertech Legacy Composite Deck Boards - Whitewash Cedar Grooved	.94 × 5.36	12'
DECKCOMLR12	Timbertech Legacy Rim Board - 9/16" x 12" x 12" [Color]		12'
DECKCOMLR7	Timbertech Legacy Riser Board - 9/16" x 7 1/4" x 12" [Color]		12'



TimberTech® Reserve Collection®

Bring the charm of reclaimed wood to your space without the rigorous maintenance of wood. Featuring the rustic character and natural beauty of aged wood, our premium polymer capped composite boards deliver real wood aesthetics you'll never have to sand, stain, or seal.

Part #	Description	Size	L.
DECKCOMR12	Timbertech Reserve Composite Deck Boards [Color] Grooved	.94 × 5.36	12'
DECKCOMR16	Timbertech Reserve Composite Deck Boards [Color] [Style]	.94 × 5.36	16'
DECKCOMR20	Timbertech Reserve Composite Deck Boards [Color] [Style]	.94 × 5.36	20'
DECKCOMRR12	Timbertech Reserve Rim Board [Color]	9/16" x 12" x 12"	12'
DECKCOMRR7	Timbertech Reserve Riser Board [Color]	9/16" x 7-1/4" x 12"	12'



1-week lead type



TimberTech®

TimberTech® Terrain Collection®

Get a timeless, traditional wood look without the rigorous maintenance of wood. Featuring a character-rich hand-scraped texture, our premium polymer capped composite boards deliver real wood aesthetics you'll never have to sand, stain, or seal.

Part #	Description	Size	L.
DECKCOM12BO	TimberTech Terrain Composite Deck Boards - Brown Oak Grooved	.94 × 5.36	12'
DECKCOM12RE	TimberTech Terrain Composite Deck Boards - Rustic Elm Grooved	.94 × 5.36	12'
DECKCOM12SA	TimberTech Terrain Composite Deck Boards - Stone Ash Grooved	.94 × 5.36	12'
DECKCOM12SB	TimberTech Terrain Composite Deck Boards - Sandy Birch Grooved	.94 × 5.36	12'
DECKCOM12SM	TimberTech Terrain Composite Deck Boards - Silver Maple Grooved	.94 × 5.36	12'
DECKCOM16BO	TimberTech Terrain Composite Deck Boards - Brown Oak Grooved	.94 × 5.36	16'
DECKCOM16RE	TimberTech Terrain Composite Deck Boards - Rustic Elm	.94 × 5.36	16'
DECKCOM16SA	TimberTech Terrain Composite Deck Boards - Stone Ash	.94 × 5.36	16'
DECKCOM16SB	TimberTech Terrain Composite Deck Boards - Sandy Birch	.94 × 5.36	16'
DECKCOM16SBO	TimberTech Terrain Composite Deck Boards - Brown Oak Solid	.94 × 5.36	16'
DECKCOM16SM	TimberTech Terrain Composite Deck Boards - Silver Maple Grooved	.94 × 5.36	16'
DECKCOM16SSM	TimberTech Terrain Composite Deck Boards - Silver Maple Solid	.94 × 5.36	16'
DECKCOM20BO	TimberTech Terrain Composite Deck Boards - Brown Oak Grooved	.94 × 5.36	20'
DECKCOM20RE	TimberTech Terrain Composite Deck Boards - Rustic Elm	.94 × 5.36	20'
DECKCOM20SA	TimberTech Terrain Composite Deck Boards - Stone Ash	.94 × 5.36	20'
DECKCOM20SB	TimberTech Terrain Composite Deck Boards - Sandy Birch	.94 × 5.36	20'
DECKCOM20SBO	TimberTech Terrain Composite Deck Boards - Brown Oak Solid	.94 × 5.36	20'
DECKCOM20SM	TimberTech Terrain Composite Deck Boards - Silver Maple Grooved	.94 × 5.36	20'
DECKCOM20SSM	TimberTech Terrain Composite Deck Boards - Silver Maple Solid	.94 × 5.36	20'
DECKCOMRIMBO	TimberTech Terrain Rim Board - Brown Oak	9/16" x 12"	12'
DECKCOMRIMRE	TimberTech Terrain Rim Board - Rustic Elm	9/16" x 12"	12'
DECKCOMRIMSA	TimberTech Terrain Rim Board - Stone Ash	9/16" x 12"	12'
DECKCOMRIMSB	TimberTech Terrain Rim Board - Sandy Birch	9/16" x 12"	12'
DECKCOMRIMSM	TimberTech Terrain Rim Board - Silver Maple	9/16" x 12"	12'
DECKCOMRISBO	TimberTech Terrain Riser Board - Brown Oak	9/16"x7-1/4"x12"	12'
DECKCOMRISRE	TimberTech Terrain Riser Board - Rustic Elm	9/16"x7-1/4"x12"	12'
DECKCOMRISSA	TimberTech Terrain Riser Board - Stone Ash	9/16"x7-1/4"x12"	12'
DECKCOMRISSB	TimberTech Terrain Riser Board - Sandy Birch	9/16"x7-1/4"x12"	12'
DECKCOMRISSM	TimberTech Terrain Riser Board - Silver Maple	9/16"x7-1/4"x12"	12'



1-week lead type



TimberTech®

TimberTech® Terrain+

With new and improved color blending technology, these boards deliver sophisticated colors with a subtle grain pattern like sanded white oak and walnut for a versatile, natural wood look.

Part #	Description	Size	L.
DECKCOMT12	TimberTech Terrain+ Composite Deck Boards - [Color] Grooved	.94 × 5.36	12'
DECKCOMT16	TimberTech Terrain+ Composite Deck Boards - [Color][Style]	.94 × 5.36	16'
DECKCOMT20	TimberTech Terrain+ Composite Deck Boards - [Color][Style]	.94 × 5.36	20'
DECKCOMTR12	TimberTech Terrain+ Rim Board - [Color]	9/16" x 12"	12'
DECKCOMTR7	TimberTech Terrain+ Riser Board - Color	9/16" x 7-1/4"	12'



Dark Oak

Natural White Oak

Weathered Oak



1-week lead type



Washington Vinyl Railing

Part #	Description	Height	Length
SOW4VRK	Washington Vinyl Railing - Straight - Khaki	36"	4'
SOW4VRW	Washington Vinyl Railing - Straight - White	36"	4'
SOW6VRK	Washington Vinyl Railing - Straight - Khaki	36"	6'
SOW6VRW	Washington Vinyl Railing - Straight - White	36"	6'
SOW6VSK	Washington Vinyl Railing - Stair - Khaki	36"	6'
SOW6VSW	Washington Vinyl Railing - Stair - White	36"	6'
SOW8VRK	Washington Vinyl Railing - Straight - Khaki	36"	8'
SOW8VRW	Washington Vinyl Railing - Straight - White	36"	8'
SOW8VSK	Washington Vinyl Railing - Stair - Khaki	36"	8'
SOW8VSW	Washington Vinyl Railing - Stair - White	36"	8'
SOW10VRK	Washington Vinyl Railing - Straight - Khaki	36"	10'
SOW10VRW	Washington Vinyl Railing - Straight - White	36"	10'

Stockport Vinyl Railing

Part #	Description	Height	Length
SO4VRK	Stockport Vinyl Railing - Straight - Khaki	36"	4'
SO4VRW	Stockport Vinyl Railing - Straight - White	36"	4'
SO6VRK	Stockport Vinyl Railing - Straight - Khaki	36"	6'
SO6VRW	Stockport Vinyl Railing - Straight - White	36"	6'
SO6VSK	Stockport Vinyl Railing - Stair - Khaki	36"	6'
SO6VSW	Stockport Vinyl Railing - Stair - White	36"	6'
SO8VRK	Stockport Vinyl Railing - Straight - Khaki	36"	8'
SO8VRW	Stockport Vinyl Railing - Straight - White	36"	8'
SO8VSK	Stockport Vinyl Railing - Stair - Khaki	36"	8'
SO8VSW	Stockport Vinyl Railing - Stair - White	36"	8'

Vinyl Post Kit

Includes: Sleeve, Cap, Skirt.

Part #	Description	Size
SO4VPKK	Vinyl Post Kit - Khaki (Includes: Sleeve, Cap, Skirt)	4" x 4" x 38"
SO4VPKW	Vinyl Post Kit - White (Includes: Sleeve, Cap, Skirt)	



TimberTech® CONCEALoc®

Designed exclusively for TimberTech grooved boards, CONCEALoc provides a fastener-free surface and can be installed pneumatically with the FastenMaster TigerClaw Gun or using a drill.

Part #	Description	Coverage
DECKCOMLOC100	TimberTech CONCEALoc® Hidden Fastener	100 sq ft
DECKCOMLOC1000	TimberTech CONCEALoc® Hidden Fastener	1000 sq ft



Vinyl Post Sleeve

Part #	Description	Size
SO4VPSK	Vinyl Post Sleeve - Khaki	4" x 4" x 96"
SO4VPSK108	Vinyl Post Sleeve - Khaki	4" x 4" x 108"
SO4VPSW	Vinyl Post Sleeve - White	4" x 4" x 96"
SO4VPSW108	Vinyl Post Sleeve - White	4" x 4" x 108"
SO4VPSW120	Vinyl Post Sleeve - White	4" x 4" x 120"
SO5VPSK	Vinyl Post Sleeve - Khaki	5" x 5" x 96"
SO5VPSK108	Vinyl Post Sleeve - Khaki	5" x 5" x 108"
SO5VPSK120	Vinyl Post Sleeve - Khaki	5" x 5" x 120"
SO5VPSW	Vinyl Post Sleeve - White	5" x 5" x 96"
SO5VPSW108	Vinyl Post Sleeve - White	5" x 5" x 108"
SO5VPSW120	Vinyl Post Sleeve - White	5" x 5" x 120"
SO6VPSK	Vinyl Post Sleeve - Khaki	6" x 6" x 120"
SO6VPSW	Vinyl Post Sleeve - White	6" x 6" x 120"



Vinyl Post Skirt


Part #	Description	Size
SO4VSKIRTK	Vinyl Post Skirt - Khaki	4" x 4"
SO4VSKIRTW	Vinyl Post Skirt - White	4" x 4"
SO5VSKIRTK	Vinyl Post Skirt - Khaki	5" x 5"
SO5VSKIRTW	Vinyl Post Skirt - White	5" x 5"
SO6VSKIRTK	Vinyl Post Skirt - Khaki	6" x 6"
SO6VSKIRTW	Vinyl Post Skirt - White	6" x 6"



External Post Cap

Part #	Description	Size
SO4EPCK	External Post Cap - Khaki	4" x 4"
SO4EPCW	External Post Cap - White	4" x 4"
SO5EPCK	External Post Cap - Khaki	5" x 5"
SO5EPCW	External Post Cap - White	5" x 5"
SO6EPCK	External Post Cap - Khaki	6" x 6"
SO6EPCW	External Post Cap - White	6" x 6"

Horse Stall Components





Front Wall System

Door dimensions are 48" wide, 86" high. Overhead clearance must be at least 94-1/2" to accommodate the door, trolley, and track.

SYSTEM COMES COMPLETE WITH:

- (2) Grille Sections
- 10' front includes (1) 24" (80240) and (1) 48" (80480)
- 12' front includes (2) 48" (80480)
- (2) End channels (80045)
- (4) Header Channels (80006)
- (1) Wall Brace (84545)



ADDITIONAL WOOD MATERIALS REQUIRED FOR A 10' FRONT WALL:

- (8) 2" x 6" x 6'
- (1) 2" x 12" x 10' track board

ADDITIONAL WOOD MATERIALS REQUIRED FOR A 12' FRONT WALL:

- (9) 2" x 6" x 8'
- (1) 2" x 12" x 12' track board

Part #	Vendor	Description
HSKITFW10	80010	Front Wall Kit 10' #80010
HSKITFW12	80012	Front Wall Kit 12' #80012



Side Wall System

10' Partition (#81048) | 12' Partition (#81248)

SYSTEM COMES COMPLETE WITH:

- (3) Grille sections
- 10' front wall includes (2) 48" (80480), and (1) 24" (80240)
- 12' front includes (3) 48" (80480)
- (2) End channels (80045)
- (2) Header Channels (80006)
- (1) Wall Brace (84545)


ADDITIONAL WOOD MATERIALS REQUIRED FOR A 10' WALL:

- (11) 2" x 6" x 10' for 10'

ADDITIONAL WOOD MATERIALS REQUIRED FOR A 12' WALL:

- (11) 2" x 6" x 12' for 12'

Part #	Vendor	Description
HSKITSW10	81048	Side Wall Kit 10' #81048
HSKITSW12	81248	Side Wall Kit 12' #81248



Partition or Rear Wall System

10' or 12' Section

SYSTEM COMES COMPLETE WITH:

- (4) End channels (80045)
- (2) Wall Braces (84545)

ADDITIONAL WOOD MATERIALS REQUIRED:


- (17) 2" x 6" equal to desired wall length

Part #	Vendor	Description
HSKITRW	80445	Rear Wall Kit #80445


Horse Stall Parts



Front Wall Grill



Swing Out Utility Door



Lazy Susan Feeder



Water Bucket Holder

Part #	Vendor	Description	Dimensions
80240	80240	Front Wall Grill Sctn	24" W x 38" T
80480	80480	Front Wall Grill Sctn	48" W x 38" T
GRILL45FD	80350	45"x36" Grill with 23"x35" Fold Down	
82022	82022	Swing Out Utility Door	
82032	82032	Water Bucket Holder	12-1/2" W x 11" T x 12-1/2" D
LAZY	82448	Lazy Susan Feeder	24" W x 47" Tall

Cupolas & Weathervanes



Cupola Kit 24" Louvered Sides In-Stock Assembled in Field

Weathervanes Available in: Buck, Horse & Buggy, Black Lab, Cow, Draft Horse, Duck, Eagle, Rooster, Tractor

Part #	Description	Size
CUPKIT2	Cupola Kit 24" Louvered Sides	24"
FLASH2**	Cupola Flashing Kit	24"
SIDE2**	Cupola Sides	24"
CORNER2**	Cupola Corners	24"
ROOF2**	Cupola Roof	24"
VANE****	Weathervane	

Cupola Kit 36" Louvered Sides Non-Stock Assembled in Field

Weathervanes Available in: Buck, Horse & Buggy, Black Lab, Cow, Draft Horse, Duck, Eagle, Rooster, Tractor

Part #	Description	Size
CUPKIT3	Cupola Kit 36" Louvered Sides	36"
FLASH3	Cupola Flashing [Color]	36"
SIDE3	Cupola Sides [Color]	36"
CORNER3	Cupola Corners [Color]	36"
ROOF3	Cupola Roof [Color]	36"
VANE****	Weathervane	

Cupola Kit 48" Louvered Sides Non-Stock Assembled in Field

Weathervanes Available in: Buck, Horse & Buggy, Black Lab, Cow, Draft Horse, Duck, Eagle, Rooster, Tractor

Part #	Description	Size
CUPKIT4	Cupola Kit 48" Louvered Sides	48"
FLASH4	Cupola Flashing [Color]	48"
SIDE4	Cupola Sides [Color]	48"
CORNER4	Cupola Corners [Color]	48"
ROOF4	Cupola Roof [Color]	48"
VANE****	Weathervane	

Cupola Kit 24" Window Sides Non-Stock Assembled in Field

Weathervanes Available in: Buck, Horse & Buggy, Black Lab, Cow, Draft Horse, Duck, Eagle, Rooster, Tractor

Part #	Description	Size
CUPKITW2	Cupola Kit 24" Window Sides	24"
FLASH2BK	Cupola Flashing Kit	24"
SIDE4W	Cupola Sides w/Windows [Color]	24"
CORNER2BK	Cupola Corners	24"
ROOF2BK	Cupola Roof	24"
VANE****	Weathervane	





Cupola Kit 36" Window Sides Non-Stock Assembled in Field

Weathervanes Available in: Buck, Horse & Buggy, Black Lab, Cow, Draft Horse, Duck, Eagle, Rooster, Tractor

Part #	Description	Size
CUPKITW3	Cupola Kit 36" Window Sides	36"
FLASH3	Cupola Flashing [Color]	36"
SIDE3W	Cupola Sides w/Windows [Color]	36"
CORNER3	Cupola Corners [Color]	36"
ROOF3	Cupola Roof [Color]	36"
VANE****	Weathervane	

Cupola Kit 48" Window Sides Non-Stock Assembled in Field

Weathervanes Available in: Buck, Horse & Buggy, Black Lab, Cow, Draft Horse, Duck, Eagle, Rooster, Tractor

Part #	Description	Size
CUPKITW4	Cupola Kit 48" Window Sides	48"
FLASH4	Cupola Flashing [Color]	48"
SIDE4	Cupola Sides [Color]	48"
CORNER4	Cupola Corners [Color]	48"
ROOF4	Cupola Roof [Color]	48"
VANE****	Weathervane	

30" Weathervanes

Flat Base / Black Cupola Mount

Part #	Description	Size
VANEBUCK	Buck Weathervane (Flat Base / Black Cupola Mount)	30"
VANEBUGGY	Horse & Buggy (Country Doctor)(Flat Base / Black Cupola Mount)	30"
VANECOLLIE	Black Lab Weathervane (Flat Base / Black Cupola Mount)	30"
VANECOW	Cow Weathervane (Flat Base / Black Cupola Mount)	30"
VANEDHORSE	Draft Horse Weathervane (Flat Base / Black Cupola Mount)	30"
VANEDUCK	Duck Weathervane (Flat Base / Black Cupola Mount)	30"
VANEEAGLE	Eagle Weathervane (Flat Base / Black Cupola Mount)	30"
VANEHORSE	Horse Weathervane (Flat Base / Black Cupola Mount)	30"
VANEROOSTER	Rooster Weathervane (Flat Base / Black Cupola Mount)	30"
VANETRACTOR	Tractor Weathervane (Flat Base / Black Cupola Mount)	30"

Weathervane Accessories

Part #	Description
VANENO	Flat Mount - No Ornament - 30" Weathervane
VANEROOFMOUNT	Roof Mount Bracket for 30" Weathervane



VANEBUCK



VANEBUGGY



VANECOLLIE



VANECOW



VANEDHORSE



VANEDUCK



VANEEAGLE



VANEHORSE



VANEROOSTER



VANETRACTOR



24" Complete Cupola

Non-Stock

Pre-Assembled

Available in: Frost Color, Standard Color, and Wood Grain

Part #	Description	Size
CUP2FROST	Complete Cupola - Frost Color, Louvered Sides [Cap]	24"
CUP2PAINT	Complete Cupola - Standard Color, Louvered Sides	24"
CUP2WG	Complete Cupola - Wood Grain, Louvered Sides	24"
CUP2PAINTW	Complete Cupola - Standard Color, Window Sides	24"




36" Complete Cupola

Non-Stock

Pre-Assembled

Available in: Frost Color, Standard Color, and Wood Grain

Part #	Description	Size
CUP3FROST	Complete Cupola - Frost Color, Louvered Sides	36"
CUP3FROSTW	Complete Cupola - Frost Color, Window Sides	36"
CUP3PAINT	Complete Cupola - Standard Color, Louvered Sides	36"
CUP3WG	Complete Cupola - Wood Grain, Louvered Sides	36"
CUP3PAINTW	Complete Cupola - Standard Color, Window Sides	36"



48" Complete Cupola

Non-Stock

Pre-Assembled

Available in: Frost Color, Standard Color, and Wood Grain

Part #	Description	Size
CUP4FROST	Complete Cupola - Frost Color, Louvered Sides	48"
CUP4FROSTW	Complete Cupola - Frost Color, Window Sides	48"
CUP4PAINT	Complete Cupola - Standard Color, Louvered Sides	48"
CUP4WG	Complete Cupola - Wood Grain, Louvered Sides	48"
CUP4PAINTW	Complete Cupola - Standard Color, Window Sides	48"

Windows





Pella 250 Series - Double Hung Windows

Premium vinyl double hung windows with Low-E glass and foam-filled frames for improved energy efficiency. Available with or without decorative grids.

FEATURES

- Both sashes operable for flexible top-down or bottom-up ventilation
- Low-E glass reduces heat transfer and UV fading
- Foam-filled frames for superior thermal insulation
- Available with or without decorative grid patterns
- Includes J-channel and half-screens
- White vinyl finish - low maintenance, no painting required
- Size range: 32"×36" up to 38"×62"
- Replacement screens sold separately



Part #	Description	Glass Type	Insulation	Size
VDH2502830	Vinyl 250 Series Dbl Hung Window w/J & screens White	Low-E Glass	Foam Filled	32"x36"
VDH2502836	Pella 250 Series Vinyl Dbl Hung Window w/J & screens White	Low-E Glass	Foam Filled	32"x42"
VDH2503040	Pella 250 Series Vinyl Dbl Hung Window w/J & screens White	Low-E Glass	Foam Filled	36"x 48"
VDH2503252	Pella 250 Series Vinyl Dbl Hung Window w/J & screens White	Low-E Glass	Foam Filled	38"x 62"
VDH2502836G	Pella 250 Series (W/Grids) Vinyl Dbl Hung Window w/J & screens White	Low-E Glass	Foam Filled	32"x42"
VDH2503040G	Pella 250 Series W/GRIDS Vinyl Dbl Hung Window w/J & screens White	Low-E Glass	Foam Filled	36"x 48"



Pella Encompass Series - Single Hung & Fixed Windows

Vinyl single hung windows with nail fin installation. Available in White or Fossil, with or without grids. Clear glass with screen included.

FEATURES

- Single hung design — lower sash slides up for ventilation
- Nail fin with J-channel for fast, weathertight installation
- Available in White and Fossil (warm beige) finishes
- Optional decorative grid patterns
- Clear glass; includes half-screen
- 84"×24" direct fixed (picture) window option available
- Cost-effective solution for post-frame and agricultural buildings
- Replacement screens sold separately



Part #	Description	Glass Type	Insulation	Size
VDF8424	Vinyl Direct Fixed Window White (RO 84×24)	Low-E Glass	No Foam	84"x24"
VSH2836	Encompass, Single Hung, White, Nail Fin w/J	Clear Glass	No Foam	31.5"x41.5"
VSH3040	Encompass, Single Hung, White, Nail Fin w/J	Clear Glass	No Foam	35.5"x47.5"
VSH3040C	Encompass, Single Hung, Fossil, Nail Fin w/J	Clear Glass	No Foam	35.5"x47.5"
VSH3040G	Encompass, Single Hung, White, w/Grids, Nail Fin w/J	Clear Glass	No Foam	35.5"x47.5"
VSH3040GC	Encompass, Single Hung, , Fossil w/Grids, Nail Fin w/J	Clear Glass	No Foam	35.5"x47.5"



Duo-Corp - Vinyl Slider Windows

White vinyl horizontal slider windows available in standard and insulated versions. Sizes range from 2×2 to 4×3, each including a screen.

FEATURES

- Horizontal sliding operation for easy one-handed use
- White vinyl construction — durable and weather resistant
- Available in standard and insulated (energy-efficient) versions
- Screen included with every unit
- Four size options: 2×2, 3×2, 3×3, and 4×3
- Lightweight design ideal for post-frame and agricultural buildings
- Low-profile frame fits standard rough openings

Part #	Description	Size
V2X2	White Vinyl Slider & Screen	2 × 2
V3X2	White Vinyl Slider & Screen	3 × 2
V3X3	White Vinyl Slider & Screen	3 × 3
V4X3	White Vinyl Slider & Screen UTP	4 × 3
V2X2I	White Insulated Vinyl Slider & Screen	2 × 2
V3X2I	White Insulated Vinyl Slider & Screen	3 × 2
V3X3I	White Insulated Vinyl Slider & Screen	3 × 3
V4X3I	White Insulated Vinyl Slider & Screen	4 × 3



Replacement Screens

Part #	Description	Size
VDH2502836SC	Window **SCREEN ONLY 250 Series** White	32"x42"
VDH2503040SC	Window **SCREEN ONLY 250 Series** White	36"x48"
VDH2503252SC	Window **Screen only 250 Series** White	38"x 62"
VSH2836SC	1/2 SCREEN ONLY for Encompass, White	31.5"x41.5"
VSH3040SC	1/2 SCREEN ONLY for Encompass, White	35.5"x47.5"
VSH3040SCC	1/2 SCREEN ONLY for Encompass, Fossil	35.5"x47.5"



Entry Doors



Series 20 Walk Doors

Plyco's Series 20 walk doors are designed to be energy efficient, easy to install, and dependable enough to withstand the test of time. Unlike other metal walk doors, the Series 20 makes installation easier, and includes a universal swing feature that allows for up to 8 different configuration options. Contractors can customize their walk doors for a right or left hand in-swing/outswing, choose the key side placement, set the swing-radius, and more!

APPLICATION

- Postframe
 - Agricultural
 - Confinement
 - Utility
- Commercial
 - Light Commercial
 - Residential
 - Out Buildings

Part #	Description	Jamb	Size
ED2010	Series 20 Walk Door - Polar White - RHIS	3-1/2"	36"
ED2011	Series 20 Walk Door - Polar White - LHS	3-1/2"	36"
ED2012	Series 20 Walk Door - Polar White - RH - w/22×36 9-Lite	3-1/2"	36"
ED2013	Series 20 Walk Door - Polar White - LH - w/22×36 9-Lite	3-1/2"	36"
ED2014	Series 20 Walk Door - Black - LHS - w/Insulated Jamb	3-1/2"	36"
ED2015	Series 20 Walk Door - Black - RHIS - w/Insulated Jamb	3-1/2"	36"
ED2016	Series 20 Walk Door - Polar White - LHS - Bored for Deadbolt	3-1/2"	36"
ED2017	Series 20 Walk Door - Polar White - RHIS - Bored for Deadbolt	3-1/2"	36"
ED2018	Series 20 Walk Door - Polar White - LH - Bored for Deadbolt - w/22×36 9-Lite	3-1/2"	36"
ED2019	Series 20 Walk Door - Polar White - RH - Bored for Deadbolt - w/22×36 9-Lite	3-1/2"	36"
ED2020	Series 20 Walk Door - Black - LHS - w/Insulated Jamb	3-1/2"	36"
ED2021	Series 20 Walk Door - Black - RHIS - w/Insulated Jamb	3-1/2"	36"
ED2022	Series 20 Walk Door - Hickory Moss - RHIS	3-1/2"	36"
ED2023	Series 20 Walk Door - Hickory Moss - LHS	3-1/2"	36"
ED2024	Series 20 Walk Door - Hickory Moss - RHIS - 9-Lite	3-1/2"	36"
ED2025	Series 20 Walk Door - Hickory Moss - LHS - 9-Lite	3-1/2"	36"
ED2026	Series 20 Walk Door - Polar White - LH - w/20×24 Glass	3-1/2"	36"
ED2027	Series 20 Walk Door - Polar White - RH - w/20×24 Glass	3-1/2"	36"
ED2028	Series 20 Walk Door - Polar White - RH - w/Insulated Jamb - w/22×36 9-Lite	3-1/2"	36"
ED2029	Series 20 Walk Door - Polar White - LH - w/Insulated Jamb - w/22×36 9-Lite	3-1/2"	36"
ED2030	Series 20 Walk Door - Polar White - RHIS - w/Insulated Jamb	3-1/2"	36"
ED2031	Series 20 Walk Door - Polar White - LHS - w/Insulated Jamb	3-1/2"	36"
ED2032	Series 20 Walk Door - Polar White - LHS	3-1/2"	48"
ED2033	Series 20 Walk Door - Polar White - RHIS	3-1/2"	48"
ED2034	Series 20 Walk Door - Polar White - LHS	3-1/2"	72"
ED2035	Series 20 Walk Door - Polar White - RHIS	3-1/2"	72"
ED2036	Series 20 Walk Door - Polar White - LH - w/22×36 Glass	3-1/2"	36"
ED2037	Series 20 Walk Door - Polar White - RH - w/22×36 Glass	3-1/2"	36"
ED2038	Series 20 Walk Door - Polar White - LH - w/22×36 Glass - Insulated	3-1/2"	36"
ED2039	Series 20 Walk Door - Polar White - RH - w/22×36 Glass - Insulated	3-1/2"	36"



Ag Door Series 99E

The PLYCO Series pre-hung door has become a popular choice over the years due to its quality, value orientation and customer satisfaction. Flush doors are typically supplied as 4-way universal swings, reducing stocking needs. Available in the Standard Jamb and the Slide-In Nailing Flange, this heavy duty 4 × 4 steel door with zinc plated hinges prevents warping and assures smooth positive operations.

APPLICATION

- Postframe
- General Multi-Purpose
- Agricultural
- Confinement
- Utility
- Out Buildings



Part #	Description	Size
ED9910	Ag. Door Series 99E - Universal Swing	36"
ED9911	Ag. Door Series 99E - RHIS - w/22×36 - 9-Lite glass	36"
ED9912	Ag. Door Series 99E - LHIS - w/22×36 - 9-Lite glass	36"
ED9913	Ag. Door Series 99E - Black - Universal Swing	36"
ED9916	Ag. Door Series 99E - Universal Swing	48"
ED9917	Ag. Door Series 99E - Universal Swing	32"
ED9918	Ag. Door Series 99E	72" x 6'8"
ED9919	Ag. Door Series 99E - Universal Swing	30"
ED9920	Ag. Door Series 99E - Universal Swing	24"
ED9922	Ag. Door Series 99E - Universal Swing	28"
ED9924	Ag. Door Series 99E - LHIS - w/22 × 36 glass	36"
ED9925	Ag. Door Series 99E - RHIS - w/22 × 36 glass	36"
ED9926	Ag. Door Series 99E - White Stucco Finish - Universal Swing	36" x 72"

Fiberglass Doors



Part #	Description	Size
36F6LI6PWC	Fiberglass 6-Panel - LH IS - 6-9/16 White Cap Composite Frame	36"
36F6LI9LWC	Fiberglass 9-Lite - LH IS - 6-9/16 White Cap Composite Frame	36"
36F6RI6PWC	Fiberglass 6-Panel - RH IS - 6-9/16 White Cap Composite Frame	36"
36F6RI9LWC	Fiberglass 9-Lite - RH IS - 6-9/16 White Cap Composite Frame	36"
36FLI6PWC	Fiberglass 6-Panel - LH IS - 4-9/16 White Cap Composite Frame	36"
36FLI9LWC	Fiberglass 9-Lite - LH IS - 4-9/16 White Cap Composite Frame	36"
36FRI6PWC	Fiberglass 6-Panel - RH IS - 4-9/16 White Cap Composite Frame	36"
36FRI9LWC	Fiberglass 9-Lite - RH IS - 4-9/16 White Cap Composite Frame	36"

Overhead Garage Doors





Series 2250

FEATURES

- **Section construction:** 2" Thick – 1-Sided Steel
- **Section material:** Standard / 25 Ga. Steel
- **Insulation type:** No insulation
- **Window Style:** Short
- **Glass:** Non-Insulated
- **Windload:** Non-impact and Impact Rated

Part #	Description	Size
2250-10X10	Series 2250 O.H. Door White - No Struts Included	10'x10'
2250-10X8	Series 2250 O.H. Door White - No Struts Included	10'x8'
2250-10X9	Series 2250 O.H. Door White - No Struts Included	10'x9'
2250-12X10	Series 2250 O.H. Door White - Includes 1 Strut	12'x10'
2250-12X12	Series 2250 O.H. Door White - Includes 1 Strut	12'x12'
2250-16X10	Series 2250 O.H. Door White - Includes 6 Struts	16'x10'
2250-16X7	Series 2250 O.H. Door White - Includes 1 Strut	16'x7'
2250-16X8	Series 2250 O.H. Door White - Includes 3 Struts	16'x8'
2250-16X9	Series 2250 O.H. Door White - Includes 6 Struts	16'x9'
2250-8X7	Series 2250 O.H. Door White - No Struts Included	8'x7'
2250-9X7	Series 2250 O.H. Door White - No Struts Included	9'x7'
2250-9X8	Series 2250 O.H. Door White - No Struts Included	9'x8'

3250 White Frame w/Glass

Part #	Description	Size
3250GL2412	3250 White frame w/Glass	24 × 12

3285 Insulated Glass

Part #	Description	Size
3285GL2412	3285 Insulated Glass With Frame White	24 × 12
3285GLASS	3285 Insulated Glass (Glass Only, No Frame)	24 × 12



Series 2283

FEATURES

- **Section construction:** 2" Thick – 2-Sided Steel
- **Section material:** Medium Duty / 27 Ga. Steel
- **Insulation type:** Polystyrene
- **R-value:** 9.65
- **Window Style:** Short
- **Windload:** Non-impact and Impact Rated

Part #	Description	Size
2283-10X10	Series 2283 O.H. Door White - No Struts Included	10'x10'
2283-10X12	Series 2283 O.H. Door White - No Struts Included	10'x12'
2283-10X7	Series 2283 O.H. Door White - No Struts Included	10'x7'
2283-10X8	Series 2283 O.H. Door White - No Struts Included	10'x8'
2283-10X9	Series 2283 O.H. Door White - No Struts Included	10'x9'
2283-12X10	Series 2283 O.H. Door White - Includes 1 Strut	12'x10'
2283-12X12	Series 2283 O.H. Door White - Includes 1 Strut	12'x12'
2283-12X14	Series 2283 O.H. Door White - Includes 1 Strut	12'x14'
2283-12X7	Series 2283 O.H. Door White - Includes 1 Strut	12'x7'
2283-12X8	Series 2283 O.H. Door White - Includes 1 Strut	12'x8'
2283-12X9	Series 2283 O.H. Door White - Includes 1 Strut	12'x9'
2283-14X12	Series 2283 O.H. Door White - Includes 1 Strut	14'x12'
2283-14X14	Series 2283 O.H. Door White - Includes 1 Strut	14'x14'
2283-16X10	Series 2283 O.H. Door White - Includes 1 Strut	16'x10'
2283-16X7	Series 2283 O.H. Door White - Includes 1 Strut	16'x7'
2283-16X8	Series 2283 O.H. Door White - Includes 1 Strut	16'x8'
2283-16X9	Series 2283 O.H. Door White - Includes 1 Strut	16'x9'
2283-8X7	Series 2283 O.H. Door White - No Struts Included	8'x7'
2283-8X8	Series 2283 O.H. Door White - No Struts Included	8'x8'
2283-9X7	Series 2283 O.H. Door White - No Struts Included	9'x7'
2283-9X8	Series 2283 O.H. Door White - No Struts Included	9'x8'
2283-9X9	Series 2283 O.H. Door White - No Struts Included	9'x9'

2283 Insulated Glass

Part #	Description
2283GLASS	2283 Insulated Glass With Frame White

2283 Stockton Insert

Part #	Description
2283INSERT	2283 Stockton Insert



Vinyl Weather Strip

A durable, flexible, sealing material, designed to seal gaps around doors and windows. It keeps out cold air, moisture, dust, pests, and noise while improving energy efficiency.

FEATURES

- **Durability:** Vinyl is particularly suited for harsh weather, making it a robust alternative to foam.

Part #	Description	Size
AL10VS	Almond Vinyl Weather Strip	10'
AL16VS	Almond Vinyl Weather Strip	16'
BK10VS	Black Vinyl Weather Strip	10'
BK16VS	Black Vinyl Weather Strip	16'
BK18VS	Black Vinyl Weather Strip	18'
BK9VS	Black Vinyl Weather Strip	9'
BR14VS	Brown Vinyl Weather Strip	14'
BR16VS	Brown Vinyl Weather Strip	16'
BR9VS	Brown Vinyl Weather Strip	9'
BZ16VS	Bronze Vinyl Weather Strip	16'
BZ9VS	Bronze Vinyl Weather Strip	9'
CE16VS	Cedar Accents Woodtones Vinyl Weather Strip	16'
DO16VS	Dark Oak Accents Woodtones Vinyl Weather Strip	16'
DR16VS	Driftwood Accents Woodtones Vinyl Weather Strip	16'
DT10VS	Desert Tan Vinyl Weather Strip	10'
DT16VS	Desert Tan Vinyl WeatherStrip	16'
G18VS	Graphite Vinyl Weather Strip	18'
GN16VS	Green Vinyl Weather Strip	16'
GN9VS	Green Vinyl Weather Strip	9'
GR16VS	Gray Vinyl Weather Strip	16'
GR9VS	Gray Vinyl Weather Strip	9'
MA16VS	Mahogany Accents Woodtones Vinyl Weather Strip	16'
SS10VS	Sandstone Vinyl Weather Strip	10'
SS14VS	Sandstone Vinyl Weather Strip	14'
SS16VS	Sandstone Vinyl Weather Strip	16'
SS9VS	Sandstone Vinyl Weather Strip	9'
WA16VS	Walnut Accents Woodtones Vinyl Weather Strip	16'
WH10VS	White Vinyl Weather Strip	10'
WH12VS	White Vinyl WeatherStrip	12'
WH14VS	White Vinyl Weather Strip	14'
WH16VS	White Vinyl Weather Strip	16'
WH7VS	White Vinyl Weather Strip	7'
WH8VS	White Vinyl Weather Strip	8'
WH9VS	White Vinyl Weather Strip	9'



BlackBrownWalnut



Dark OakMahoganyGraphite



DriftwoodGreyBronze



CedarGreenSandstone



Desert TanAlmondWhite



3FSEALCHI



Overhead Door Floor Seal CHI

CHI Overhead door bottom seals create a durable barrier against pests, weather, and energy loss. They are designed to fit into aluminum retainers on the bottom of the door. Replacing them involves cleaning the track, lubricating with grease, and sliding the new rubber in.

Part #	Description	Size
3FSEALCHI	Overhead Door Floor Seal CHI	3"
3FSEALCHI5	Overhead Door Floor Seal CHI	5"

Struts

Garage door struts are heavy-duty, Lshaped galvanized steel reinforcement trusses designed to rigidify and strengthen door panels. These struts are typically used to repair bending doors or to reinforce top sections against opener force. Available in various lengths.

Part #	Description	Size
STRUT10	Strut - 22Ga	10'x2"
STRUT12	Strut - 22Ga	12'x2"
STRUT14	Strut - 22Ga	14'x2"
STRUT16	Strut - 22Ga	16'x2"
STRUT20	Strut - 17Ga	20'x3"
STRUT9	Strut - 22Ga	9'x2"

Operators



Heavy Duty DC LED Battery Backup Chain Drive Wi-Fi with Integrated Camera

- **Worry-Free Warranty:** Built to last and backed by a lifetime motor for total peace of mind.
- **Battery Backup:** With built-in Battery Backup, your garage door continues working - so you're never locked out when it matters most.
- **Ultra-Sturdy Chain Drive:** The DC motor and ultra-sturdy chain drive system combine for smooth, lower-noise performance that delivers reliability and strength.
- **All-Day Visibility:** The 360° camera with adjustable wide-angle and full night vision lets you see every corner of your garage - day or night.
- **Heavy-Duty Performance:** LiftMaster's Heavy-Duty motor is designed for high-use garages and harsh conditions.
- **360° LED Lighting:** Brightens your garage from every angle.
- **myQ Connectivity:** With the myQ app, control and monitor your garage from anywhere, anytime.

Part #	Description
DO4690	Operator Head 4690 DC Chain Drive
DORAIL7-4690	Rail, Chain 7' (4690L operator)
DORAIL8-4690	Rail, Chain 8' (4690L operator)
DORAIL10-4690	Rail, Chain 10' (4690L operator)
DORAIL12-4690	Rail, Chain 12' (4690L operator)
DORAIL14-4690	Rail, Chain 14' (4690L operator)

LiftMaster 1 HPs Belt Drive Opener with Battery Backup and myQ Connectivity

- **Worry-Free Warranty:** Built to last and backed by a 6 year motor and belt warranty for peace of mind.
- **Battery Backup:** Keeps your garage working—even when the power goes out.
- **Ultra-Quiet Belt Drive:** Engineered for quiet, these openers are powered by DC motors and reinforced belts that glide the door with minimal noise—perfect for homes with living spaces near the garage.
- **All-Day Visibility:** The 360° camera with adjustable wide-angle and full night vision lets you see every corner of your garage - day or night.
- **Frequent Use Power:** Engineered for higher-cycle homes, LiftMaster's DC motor delivers lift capacity similar to a 1 HP AC motor*—with smooth, consistent strength designed to last. *For comparison only. DC motor lift capacity is not measured in HP.
- **Dual LED Lighting:** Brighter, wider coverage—no dark corners.
- **myQ Connectivity:** With the myQ app, control and monitor your garage from anywhere, anytime.

Part #	Description
DO6580L	Operator Head 6580 DC Belt Drive
DORAILB7	Belt Drive Rail Assembly 7' (6580 Operator)
RORAILB8	Belt Drive Rail Assembly 8' (6580 Operator)
RORAILB10	Belt Drive Rail Assembly 10' (6580 Operator)



MAXUM DC Trolley Commercial Door Operator

- Motor and Gearbox purpose built to meet the high demands of commercial applications.
- 3-button control with 4-line LCD display for setup and programming from the floor level.
- Up to 33% faster than standard commercial door operators, allowing you to get shipments in and out quickly. Average speed is 12" per second.
- Optional Battery Backup accessory helps keep your door running even when the power goes out—ensuring safe and continuous operation.
- Diagnostics at floor level through myQ® Facility on your mobile device allows you to see when there is a problem and anticipate maintenance cycles.
- Built-in Wi-Fi® lets you easily connect to myQ Facility software, allowing you to get valuable data and insights to improve operations.
- Security+ 2.0® virtually eliminates radio wave interference and offers extended range.

Part #	Description
DOTDC7	TDC7S1BMC: TDC Trolley 700lb STD Cycle 120/240 BBU
DOTDC12	TDC12S1BMC: TDC Trolley 1200lb STD Cycle 120/240 BBU

Trolley Operator

- For use on standard-lift sectional overhead doors.
- Rated duty cycle: 25 per hour; Up to 90 cycles per day.
- Suspends from the ceiling. Directly attaches to drive and controls the door.

Part #	Description
DOT501L516	T501L5-MC: Trolley Operator, L5, 1/2HP, 115V/230V,1PH,60Hz with #48 Chain

MAXUM DC Jackshaft Commercial Door Operator

- Motor and Gearbox purpose built to meet the high demands of commercial applications.
- 3-button control with 4-line LCD display for setup and programming from the floor level.
- Up to 33% faster than standard commercial door operators, allowing you to get shipments in and out quickly. Average speed is 12" per second.
- Battery Backup helps keep your door running even when the power goes out—ensuring safe and continuous operation.
- Diagnostics at floor level through myQ® Facility on your mobile device allows you to see when there is a problem and anticipate maintenance cycles.
- Built-in Wi-Fi® lets you easily connect to myQ Facility software, allowing you to get valuable data and insights to improve operations.
- Security+ 2.0® virtually eliminates radio wave interference and offers extended range.

Part #	Description
DOMAXUMJDC	Jackshaft DC Commercial Operator Maxum JDC



MAXUM DC Hoist Commercial Door Operator

- Motor and Gearbox purpose built to meet the high demands of commercial applications.
- 3-button control with 4-line LCD display for setup and programming from the floor level.
- Up to 33% faster than standard commercial door operators, allowing you to get shipments in and out quickly. Average speed is 12" per second.
- Optional Battery Backup accessory helps keep your door running even when the power goes out—ensuring safe and continuous operation.
- Diagnostics at floor level through myQ® Facility on your mobile device allows you to see when there is a problem and anticipate maintenance cycles.
- Built-in Wi-Fi® lets you easily connect to myQ Facility software, allowing you to get valuable data and insights to improve operations.
- Security+ 2.0® virtually eliminates radio wave interference and offers extended range.

Part #	Description
DOJHDC	JHDC Hoist Operator, 1200LB STD Cycle 120/240 BBU



Premium Series DC Battery Backup Wall Mount Wi-Fi Garage Door Opener

- No cable tension monitor means easier installation.
- Sleek and modern design frees up space in the garage.
- Fast, smooth operation – even for tall and heavy doors. Nearly silent and vibration-free.
- Remote LED lighting gives full garage light coverage. Ability to add up to sixteen 827LM remote work lights.
- Battery backup ensures access in the case of power loss.

Part #	Description
GDOJS98022	98022 Elite Series DC Wall Mount Garage Door Opener with Battery Backup, Wi-Fi Connection, No Cable Tension Monitor and Lifts up to 850 lbs.



Premium Series Heavy Duty DC Battery Backup Wall Mount Wi-Fi Garage Door Opener

- UL325 Certified Lifts Doors 400lbs. to 1100lbs.
 - Sleek and modern design frees up space in the garage.
 - No cable tension monitor means easier installation.
 - Fast, smooth operation – even for tall and heavy doors. Ultra-quiet and vibration-free operation.
- Remote LED lighting gives full garage light coverage.
 - Battery backup ensures access in the case of power loss.

Part #	Description
GDOJS98032	Jackshaft Operator 98032MC HD LM RJO, DC, BBU, WI-FI, US



Track - Prepunched

Part #	Description
DOTR10	Track for 10' Door Prepunched
DOTR12	Track for 12' Door Prepunched
DOTR14	Track for 14' Door Prepunched
DOTR16	Track for 16' Door Prepunched
DOTR18	Track for 18' Door Prepunched
DOTR20	Track for 20' Door Prepunched



Chains & Accessories

Part #	Description
DOTDC48-10	Chain Pack, #48, 10' rails
DOTDC48-12	Chain Pack, #48, 12' rails
DOTDC48-14	Chain Pack, #48, 14' rails
DOTDC48-16	Chain Pack, #48, 16' rails
DOTDC48-18	Chain, Trolley, #48 for 18' Door
DOTDC48-20	Chain, Trolley, #48 for 20' Door
DOTDC41-10	Chain, Trolley, #41 for 10' Door
DOTDC41-12	Chain, Trolley, #41 for 12' Door
DOTDC41-14	Chain Pack, #41, 14' rails
DOTDC41-16	Chain Pack, #41, 16' rails
DOTDC41-18	Chain Pack, #41, 18' rails
DOTDC41-20	Chain Pack, #41, 20' rails
DOTDC41-24	Chain, Trolley, #41 for 24' Door
DOMODSPA	Field-Mod,Trolley,Spacer-Pad,Safety
DOSPR3	Sprocket Kit, 50B22, 1.000B x 1/4", W/SS
SPREADERARM	Adj Spreader Arm Kit
OHDBUMP	Pair Push Down Bumper 27"



Antenna Extender Kit

Part #	Description
041A3504	Antenna Extender Kit



Universal Receiver, Security+ 2.0

- Universal Receiver For Commercial Applications.
- Security Encrypted Code For Extra Dependability.
- Manage Multiple Access Points With A Single Receiver.

Part #	Description
850LM	Liftmaster Universal Receiver, Security+ 2.0



Wireless Keyless Entry System

- Convenient access to your garage without using a remote control or key.
- A personal four-digit pin code allows for easy entry.
- Easily syncs to your existing opener's frequency.

Part #	Description
878MAX	LiftMaster Wireless Keypad



Smart Control Panel®

- Take complete control of your garage with our Smart Control Panel®.
- Its intuitive menu-driven panel lets you easily program remote controls, adjust settings, and even get system diagnostics.

Part #	Description
880LM	LiftMaster Smart Control Panel (MyQ only)



Wireless Control Panel

- Wireless control panel can be installed almost anywhere in the garage.
- Controls one garage door opener and its lights with a large pushbutton.

Part #	Description
885LM	LiftMaster Wireless Control Panel Wall Console (Security+ 2.0 only)

3-Button Visor Remote Control

- Operate up to 3 Garage Door Openers or myQ Light accessories.
- Safeguards your home with Security+ 2.0®.
- Compatible with all LiftMaster Garage Door Openers manufactured since January 1993.

Part #	Description
893MAX	LiftMaster 3-Button Remote Control



4-Button Security+ 2.0® Learning Remote Control

- Ideal for gated communities.
- Each button is independently compatible and programmable.
- Includes directional visor clip.

Part #	Description
894LT	Liftmaster 4 Button Learning Remote Control



Commercial Photo Eyes

- Standard photo-eye included with Logic 5.0 and Medium-Duty Commercial Operators.
- Upgrade to the CPS-UN4, CPS-OPEN4 or CPS-RPEN4 for additional features.
- Primary monitored entrapment protection with NEMA 1 enclosure.

Part #	Description
DOCP5-U	LiftMaster Commercial Logic Protector System Photo Eyes



3-Button Indoor Surface Mount Station

Part #	Description
GDOOCS	Liftmaster Commercial 3-Button Wall Station open-close-stop 1 Door



Liftmaster Keypad

- Compatible with Chamberlain®, LiftMaster® and most Craftsman® garage door openers manufactured after 1997 with safety sensors.
- For more information, click here
- Easily create temporary PINs for guests.
- New and improved, seamless set up.
- Designed to withstand all weather conditions.
- Ultra-secure encryption.
- Illuminated keypad and one touch close.

Part #	Description
L979M	LiftMaster Keypad - Backwards Compatible




Liftmaster 3-Button Remote

- Compatible with Chamberlain®, LiftMaster® and most Craftsman® garage door openers manufactured after 1997 with safety sensors.
- For more information, click here
- Up to 1,300 ft. range (conditions permitting).
- New and improved, seamless set up.
- Control up to 3 garage doors or gates.
- NEW! Set up and manage your remote in the myQ app.*
- *Requires Chamberlain, LiftMaster or Craftsman garage door opener with a yellow learn button.
- Ultra-secure encryption.

Part #	Description
L993M	LiftMaster 3 Button Remote - Backwards Compatible

Round Track Sliding Door



Door Track Slotted

Part #	Description	Size
DOOR8ST	8' Door Track Slotted	8'
DOOR10ST	10' Door Track #3 Slotted	10'
DOOR12ST	12' Door Track #3 Slotted	12'
DOOR14ST	14' Door Track #3 Slotted	14'
DOOR16ST	16' Door Track #3 Slotted	16'
DOOR18ST	18' Door Track #3 Slotted	18'
DOOR20ST	20' Door Track #3 Slotted	20'

Door Track

Part #	Description	Size
DOOR8	8' Door Track	8'
DOOR10	10' Door Track	10'
DOOR12	12' Door Track	12'
DOOR14	14' Door Track	14'
DOOR16	16' Door Track	16'
DOOR18	18' Door Track	18'
DOOR20	20' Door Track	20'

Steel Girt

Part #	Description	Size
STGI12	Steel Girt	127" 1-1/2"x3-1/2"
STGI14	Steel Girt	147" 1-1/2"x3-1/2"
STGI16	Steel Girt	167" 1-1/2"x3-1/2"
STGI18	Steel Girt	187" 1-1/2"x3-1/2"
STGI20	Steel Girt	207" 1-1/2"x3-1/2"
STGI24	Steel Girt	247" 1-1/2"x3-1/2"

Guide Rail

Part #	Description	Size
GR64-6	6' Guide Rail #64	6'
GR64-10	10' Guide Rail #64	10'



Trolleys

Part #	Description
TROLLE	Trolleys

Trolleys - Plastic Wheel

Part #	Description
TROLLEP	Trolleys Plastic Wheel RBP-303-T

Dual Trolleys

Part #	Description
DUALTROLLE	Dual Trolleys

Side Mount Trolley

Part #	Description
SIDETROL	Side Mount Trolley RB-203-L

Center Guide / Stop

Part #	Description
GUIDE320	320 Center Guide/Stop
GUIDE520	520 Center Guide/Stop



Door Stop #540

Part #	Description
STOP	Door Stops #540

Adjustable Door Stop #548

Part #	Description
STOP548	Adjustable Door Stop #548

Jamb Mount Door Stop

Part #	Description
STOP560	Jamb Mount Door Stop #560

Track & Cover Flashing Brackets

Part #	Description
BRKT	Track & Cover Flashing Brackets #3-FB

Top Mount Track Bracket

Part #	Description
BRKT3-AC	Top Mount Track Bracket #3-AC



Face Mount Track Bracket

Part #	Description
BRKT3-BC	Face Mount Track Bracket 3-BC



Track & Cover Bracket

Part #	Description
BRKT3.5	Track & Cover Bracket for (3 1/2" Thick) Door #3-FB3.5



Guide Rail Bracket

Part #	Description
BRKT60	Guide Rail Bracket #60



Double Track Brackets

Part #	Description
DBRKT	Double Track Brackets



Camlatches

Part #	Description
CAMLAT	Camlatches (set/2) 600



Cane Bolt

Part #	Description
CANE	Cane Bolt 624



Center Latch

Part #	Description
CENTERLATCH	Center Latch 610



Door Snugger

Part #	Description
SNUG	Door Snugger



Splice Collar

Part #	Description
SPLICE	Splice Collar SC-3



Stayrollers

Part #	Description
STAYRO	Stayrollers

Insulation



Bubble Insulation



Bubble insulation is a lightweight reflective insulation designed to help control heat transfer and reduce condensation in metal buildings, pole barns, and other structures. Built with reflective outer layers and an interior bubble core, this insulation works by reflecting radiant heat while also slowing heat movement through convection and conduction.

KEY BENEFITS

- Reflects up to 97% of radiant heat transfer
- Helps reduce condensation and moisture buildup
- Resistant to mold and mildew
- Durable, puncture - and tear-resistant construction
- Lightweight and easy to handle and install
- Safe, non-toxic, and unaffected by humidity

Part #	Description	Size
SINGLE	Bubble Insulation - Foil / Single Bubble / Poly	6' x 125'
REFLER	Bubble Insulation - Foil / Double Bubble / Poly	6' x 125'




Therma Guard

Therma-Guard is a high-performance reflective insulation designed for metal buildings, pole barns, garages, and roofing systems. Built with a reflective metalized layer, a closed-cell foam core, and a durable woven backing, it helps control heat transfer while providing a strong barrier against moisture and condensation. This advanced insulation improves energy efficiency and creates a more comfortable building environment year-round.

KEY BENEFITS

- High thermal performance (R-9) for improved insulation
- Reflects up to 97% of radiant heat, helping keep buildings cooler in summer and warmer in winter
- Reduces condensation up to 95%, protecting buildings from moisture issues
- Extremely durable, reinforced with a tear-resistant woven backing
- Easy to install and holds staples securely during installation
- Resistant to pests, wind, and moisture, making it ideal for metal building applications

Part #	Description	Size
THERM	Therma-Guard Vapor Barrier 1/8" White/Foil	6' x1 25'





Fiberglass Insulation



Fiberglass insulation is a cost-effective and widely used solution for improving the thermal performance and energy efficiency of residential and commercial buildings. Made from fine glass fibers, fiberglass insulation helps slow heat transfer, keeping buildings warmer in winter and cooler in summer. Available in both rolls and batts, and in faced or unfaced options, fiberglass insulation is designed for easy installation in walls, ceilings, and floors.

KEY BENEFITS

- Improves energy efficiency by reducing heat transfer
- Available in multiple R-values to meet different insulation requirements
- Faced and unfaced options for walls, ceilings, and floors
- Easy to install in rolls or batts between standard framing
- Made with ECOSE® Techonology for improved indoor air quality and reduced formaldehyde

Part #	Thickness	R-Value	W	L	Type	Facing	Coverage
323RIF	3 1/2"	R-11	23"	70'6"	Roll	Faced	135.13 sq ft
615BIF	6 1/4"	R-19	15"	106"	Batt	Faced	110.42 sq ft
615RIF	6"	R-19	15"		Roll	Faced	48.96 sq ft
623RIF	6"	R-19	23"		Roll	Faced	75.07 sq ft
R1315	3 1/2"	R-13	15"	62'8"	Roll	Faced	78.33 sq ft
R38BF	12"	R-38	24"	48"	Batt	Faced	64 sq ft
615BIU	6 1/4"	R-19	15"	94"	Batt	Unfaced	99.55 sq ft
615RIU	6"	R-19	15"		Roll	Unfaced	48.96 sq ft
623RIU	6"	R-19	23"		Roll	Unfaced	75.07 sq ft
R1315UB	3 1/2"	R-13	15"	94"	Batt	Unfaced	116.25 sq ft
R1315UB9	3 1/2"	R-13	15"	106"	Batt	Unfaced	131.25 sq ft



Expanded Polystyrene Insulation - Rolls



Expanded Polystyrene (EPS) insulation is a lightweight, rigid foam insulation designed to provide reliable thermal performance in a wide range of construction applications. Manufactured from closed-cell expanded polystyrene, EPS offers consistent insulation value, moisture resistance, and long-term durability. It is commonly used in roofing systems, underslab insulation, walls, and other building assemblies where energy efficiency and structural stability are important.

KEY BENEFITS

- High thermal performance with stable R-value over time (approx. R-3.5/inch)
- Lightweight rigid foam that is easy to cut, handle, and install
- Moisture-resistant closed-cell structure that helps maintain insulation performance
- Durable and long-lasting, suitable for roofing, walls, and underslab insulation systems
- Versatile insulation material used in construction, architectural, and specialty applications

Part #	Description	Facing	Thickness	Size
PS038472R	EPS Thermal Insulation - Rolls	Foil/Foil	3/8"	4' x 72'
PS05472R	EPS Thermal Insulation - Rolls	Foil/Foil	1/2"	4' x 72'



EnerGreen® Type | EPS Insulation



EnerGreen® Type I is a rigid expanded polystyrene (EPS) insulation board designed to provide reliable thermal performance and durability in a wide range of building applications. Manufactured with a closed-cell foam structure and laminated protective films on both faces, the board offers consistent insulation value while improving resistance to handling damage. EnerGreen EPS insulation is suitable for both new construction and retrofit projects, including walls, basement applications, and roof assemblies.

KEY BENEFITS

- Closed-cell EPS foam that provides stable thermal performance.
- R-value of approximately 3.9–4.2 per inch depending on temperature conditions.
- Laminated film surfaces improve durability and resistance to handling damage.
- Moisture-resistant insulation with low water absorption and vapor permeance.
- Complies with ASTM C578 Type I standards for rigid EPS insulation.

Part #	Description	Facing	Thickness	Size
EPS5WR	EPS Insulation	White/Reflective	1/2"	4' x 8'
EPS75WR	EPS Insulation	White/Reflective	3/4"	4' x 8'
EPS1WR	EPS Insulation	White/Reflective	1"	4' x 8'
EPS15WR	EPS Thermal Insulation	White/Reflective	1-1/2"	4' x 8'
EPS2WR	EPS Thermal Insulation	White/Reflective	2"	4' x 8'
EPS22WR	EPS Thermal Insulation	White/Reflective	2-1/2"	4' x 8'



Insulation Tape

Part #	Description	Type	Width	Length
R3HTTAPE	High Temperature Tape	Aluminum Foil	3"	180'
W3HTTAPE	High Temperature Tape	Smooth White	3"	108'
WW3HTTAPE	Patch Tape	Woven White Patch	3"	150'



Plastic Washer

Part #	Description	Size
WASHER3HT	Plastic Washer White for 3HT	1-3/4"



Knauf Jet Stream Ultra Blown-In Insulation



This insulation provides consistent thermal performance against outdoor temperatures and helps maintain indoor temperatures. Greater thermal resistance means better temperature control. This premium product is BIBS® approved. Made with recycled glass, it's the smarter way to stand up to the cold.

FEATURES

- Engineered with a class A fire rating, this insulation is noncombustible
- It can provide good air flow resistance and improved sound control versus uninsulated areas
- Installs clean and easy
- Installers can spend less time installing as it requires fewer bags, compared to cellulose material - which can make the job more efficient
- Excellent thermal properties help reduce the operating costs of heating and air conditioning
- Fills all gaps and voids in wall cavities, helping to meet required building codes

Part #	Description	R-Value	Coverage
BLOWN	Knauf Jet Stream Ultra Blown-In Insulation	R-30	73.3 sq/bag



Vinyl Faced Insulation Special Order



Vinyl Faced Insulation is a flexible fiberglass blanket insulation designed specifically for metal buildings. It consists of a resilient, light-density fiberglass blanket laminated to a durable vinyl vapor-retarder facing that helps control moisture and condensation while providing reliable thermal performance. The white vinyl surface also creates a clean, finished interior appearance for roofs and walls in commercial, agricultural, and industrial structures.

KEY BENEFITS

- Integrated vapor retarder helps control condensation and moisture buildup.
- Improves thermal performance with a range of R-values for metal building systems.
- Durable reinforced facing designed to resist tearing during installation.
- Clean white interior finish ideal for exposed metal building interiors.
- Custom laminated rolls sized to fit roof and wall systems in metal buildings.

Part #	R-Value	Description	Type	Thickness	Size
VFR10-36	R-10	White Vinyl Faced Insulation	Roll	3"	36"
VFR10-48	R-10	White Vinyl Faced Insulation	Roll	3"	48"
VFR10-60	R-10	White Vinyl Faced Insulation	Roll	3"	60"
VFR10-72	R-10	White Vinyl Faced Insulation	Roll	3"	72"
VFR13-36	R-13	White Vinyl Faced Insulation	Roll	4"	36"
VFR13-48	R-13	White Vinyl Faced Insulation	Roll	4"	48"
VFR13-60	R-13	White Vinyl Faced Insulation	Roll	4"	60"
VFR13-72	R-13	White Vinyl Faced Insulation	Roll	4"	72"
VFR19-36	R-19	White Vinyl Faced Insulation	Roll	6"	36"
VFR19-48	R-19	White Vinyl Faced Insulation	Roll	6"	48"
VFR19-60	R-19	White Vinyl Faced Insulation	Roll	6"	60"
VFR19-72	R-19	White Vinyl Faced Insulation	Roll	6"	72"
VFR93	R-19	White Vinyl Faced Insulation	Roll	6"	93"



Cellulose CleanFiber Insulation All Borate Stabilized

FEATURES

- The purest, cleanest, best-performing cellulose insulation available
- We infuse an all-borate, liquid fire retardant directly into the fiber walls
- Our proprietary wet separation and infusion process floats off contaminants
- Our stable supply chain of recycled cardboard (thanks Amazon!) ensures product availability and long-term, affordable pricing

Part #	Description	R-Value	Coverage
CELBLO	Cellulose CleanFiber Insulation - Blown - 25 lb	R-30	26.6 sq/bag



Dupont™ Styrofoam™ Insulation




Styrofoam™ Insulation is a rigid extruded polystyrene (XPS) foam board designed to deliver durable thermal performance and moisture resistance for a wide range of building applications. Manufactured with a closed-cell foam structure, Styrofoam™ insulation helps maintain long-term R-value while resisting moisture infiltration, making it suitable for walls, foundations, roofs, and other structural assemblies. It is lightweight, easy to handle, and engineered to support energy-efficient and resilient building designs.

KEY BENEFITS

- High thermal performance with long-term R-value stability (about R-5 per inch).
- Closed-cell foam structure that resists moisture absorption and condensation.
- High compressive strength for use in foundations, roofs, and structural applications.
- Lightweight and easy to install, allowing faster construction.
- Durable and long-lasting, designed to maintain performance in demanding environments.

Part #	R-Value	Description	Type	Thickness	Size
1/2STY	3	Dupont Styrofoam Insulation	Sheet	1/2"	4' x 8'
3/4STY	3.8	Dupont Styrofoam Insulation	Sheet	3/4"	4' x 8'
1STY	5	Dupont Styrofoam Insulation	Sheet	1"	4' x 8'
12STY	7.5	Dupont Styrofoam Insulation	Sheet	1-1/2"	4' x 8'
2STY	10	Dupont Styrofoam Insulation	Sheet	2"	4' x 8'
3STY	15	Dupont Styrofoam Insulation	Sheet	3"	4' x 8'




Creatherm - Radiant Floor Panels



Creatherm Radiant Floor Panels are manufactured out of Expanded Polystyrene and Neopor EPS to offer superior strength and insulating properties. Expanded Polystyrene provides excellent thermal insulation capacity, high compressive strength, outstanding impact absorption and low weight. Foam is an eco-friendly building material and is incredibly strong, quiet, virtually allergen free and is not a food source for insects or mold. Creatherm radiant floor panels offer a great solution for slab-on-grade, snow melt, retro-fit heating.

The most innovative feature is the pre-molded tubing channel system that allows for simple, efficient installation while maintaining proper tube alignment. These channels eliminate ‘hot spots’ and provide a more comfortable environment for the homeowner.



BENEFITS

- Saves Labor & Installation Time
- Reduced Cost to Install and Operate
- Pre-Slotted Channels for Uniform Tube Placement
- Equal Heat Dispersion
- Eliminate On-Site Trip Hazards
- Stay on Schedule
- UV Resistant Packaging
- Simple Walk-In Installation Eliminates Need to Tie, Clip, Staple or Screw to Substrate

APPLICATIONS

- Slab-on-grade
- Snow melt-commercial interiors
- Core & Shell development
- Homes
- Schools
- Health care
- Neighborhood developments
- Laboratories
- Retail
- Agricultural

Part #	Description	Size
CREATHERM	S45 2" Floor Insulation (Cupcakes)	24" x 48"
FLPEX1000	Pex Floor Heat Pipe 1000' Roll	
FLPEX300	Pex Floor Heat Pipe 300' Roll	

Proper Vents Raft-r-mate® Foamular

An attic with balanced ventilation has undereave or soffit vents, which allow fresh air into the attic. The fresh air flows up between rafters to the ridge, where a ridge vent, roof vents or gable vents allow the air to exit. If insulation is allowed to bunch against the inside slope of the roof between the rafters, air will be blocked before it can traverse the attic. Raft-R-Mate® Attic Rafter Vents create a space between each rafter for air to flow freely up the rafters and into the attic.

Part #	Description	Size
PROPER	Proper Vents Raft-r-mate® Foamular	24"



DAP® Mouse Shield - Foam Sealant & Blocker

Guard your home against unwanted pests and drafts with DAP Mouse Shield pest block straw foam. Crafted to repel mice, birds, bats, and a variety of insects, including ants, roaches, spiders, and bees, this specially formulated foam is your defense. Seal gaps and crevices in your garage, attic, crawl space, basement, and around pipe and electrical penetrations. Ensure your living spaces are not only pest-free but also effectively insulated for comfort and peace of mind.

FEATURES

- Paintable and sandable
- Class 1 fire rated
- Interior use only

Part #	Description	Qty/Case	Size
Y100310	DAP Mouse Shield 12 Oz. Foam Sealant & Blocker	6	12 Oz.

DAP® Max Fill - Triple Expanding Foam Sealant

DAP Max Fill is the original maximum expanding one-component foam sealant, in the familiar green can, formulated to fill larger gaps and voids all around the home. Max Fill provides 3x the expansion to fill gaps greater than 1 inch wide. Its weather-resistant bond seals out drafts and moisture. It can be used indoors or outdoors, is paintable, and comes with a reuse adapter for more projects per can.

FEATURES

- Class 1 Fire Rated
 - Paintable and sandable
 - Save energy
 - Interior / Exterior use
 - Triple expansion to fill gaps greater than 1 in.
 - Weather-resistant bond seals out
- drafts
 - Blocks drafts, pests and insects
 - Paintable / Sandable
 - Saves energy
 - Reusable adapter + bonus straw for more projects per can and less waste

Part #	Description	Qty/Case	Size
Y261193	DAP Max Fill 12 Oz. Triple Expanding Foam Sealant	12	12 Oz.

DAP® No Warp - Window & Door Insulating Foam Sealant

DAP No-Warp Foam is formulated to permanently seal around doors, windows and skylights without bowing jambs or deflecting frames. It exerts up to 95% less bowing pressure than competitive foams that may inhibit or prevent proper opening and closing of fenestrations. The expanding polyurethane foam sealant seals cracks and gaps up to 1-1/2 (38mm) wide to insulate and blocks drafts, moisture and insects resulting in improved comfort and reduced energy usage. It is formulated to meet the insulating and air sealing requirements of the professional commercial, industrial, agricultural and residential contractor and can be used on wood, masonry, insulating foam boards, metal, plastics and sheetrock. Once cured, it is non-toxic and fire-retardant.

FEATURES

- Fills and air seals better than fiberglass
- Class 1 fire rated
- Will not bow or warp frames or jambs

Part #	Description	Qty/Case	Size
Y265769	DAP No Warp 12 Oz. Window & Door Insulating Foam Sealant	12	12 Oz.



DAP® Home Seal - Minimum Expanding Foam Sealant

All-seasons and minimally expanding one-component foam sealer perfect for smaller cracks and voids.

FEATURES

- Ideal for gaps and cracks up to 1 in.
- Blocks drafts, pests and insects
- Water resistant
- Class 1 fire rated
- Interior/exterior use

Part #	Description	Qty/Case	Size
Y261211	DAP Home Seal 12 Oz. Minimum Expanding Foam Sealant	12	12 Oz.



DAP® Barrier - Multi-Project Foam Sealant

DAP Barrier Multi-Project Ready-to-Use Foam is proven to offer complete 4X protection for homes while offering more projects per can and less waste. Barriers ultra-durable, high-density, all seasons formula blocks drafts, water, fire and pests. And Barrier is specially formulated for all sealing projects including small & large gaps, windows & doors (meets AAMA-812), pest entry points and fire blocking penetrations. Barrier is bright white in color and is available in a 12oz aerosol with reuse adapter and two straws.

FEATURES

- All seasons formula blocks drafts, water, fire and pests
- Keeps homes dry & comfortable
- Save on energy costs
- Protects foam from mouse attack
- Includes re-use adapter and two straws

Part #	Description	Qty/Case	Size
Y152255	Dap Barrier 12 Oz. Multi-Project Foam Sealant	12	12 Oz.



Great Stuff Pro - Window & Door Foam Sealant for Pro Dispensing Gun

Flexible without compromise, GREAT STUFF PRO Window & Door Polyurethane Foam Sealant quickly and cleanly forms airtight, water-resistant seals between framework and rough openings with the precision professionals expect.

FEATURES

- Expands and contracts to allow for various weather conditions
- Reusable for 30 days when left attached to GREAT STUFF PRO Dispensing Gun
- Bonds to vinyl, wood and metal frames
- Yellow-colored foam for high visibility
- Doesn't bow windows or doors
- 1 can seals up to 16 windows
- Maximum durability for lasting performance

Part #	Description	Qty/Case	Size
Y273252	Great Stuff Pro Window & Door 20 Oz. Applicator Foam Sealant	12	20 Oz.



Great Stuff Pro - Construction Adhesive

When you need a heavy-duty adhesive, premium-grade GREAT STUFF PRO Wall & Floor is up to the task. Its a low-pressure, single-component, moisture-cured, flexible polyurethane foam adhesive.

FEATURES

- Flexible polyurethane foam adhesive
- Single-component
- Moisture-cured
- Cream
- 26.5 Oz.

Part #	Description	Qty/Case	Size
Y269921	Great Stuff Pro 26.5 Oz. Wall And Floor Adhesive	12	26.5 Oz.



Great Stuff Pro - 14 Foam Dispensing Gun

When you're ready to step up to our GREAT STUFF PRO products, youre going to like the feel of a PRO Foam Dispensing Gun, specially designed to take air sealing to the next level. The minute you press the trigger, you'll begin mastering bead size and precision placement, and you'll appreciate getting maximum yield and minimal waste.

FEATURES

- Lightweight, high-strength aluminum body with a metal trigger
- Flow-control mechanism dispenses foam beads from 1/8" to 3"
- No-drip foam spray dispensing gun
- Provides greater precision and access
- to hard-to-reach areas
- Non-stick coated can adapter and needle
- Large flow control knob with secured back-screw system

Part #	Description	Size
Y273260	Great Stuff Pro 7.75" Foam Applicator Tool	7.75"



DAP® Wall & Cavity Foam with Widespray Applicator Kit

DAP Wall & Cavity Foam with Widespray Applicator kits are portable, self-contained one-component polyurethane foam dispensing kits. When used according to manufacturers directions, they effectively air seal and insulate homes and buildings while enhancing R-Value and providing Class A fire resistance. The patent-pending technology offers a broadcast spray solution similar to two-component systems, but in a less complicated, easier to use one-component solution. This one-component system can be applied in a wide temperature range of 40 F - 120 F. Great for repairs, renovations and new installations. Not to be used for direct overhead spraying applications.

FEATURES

- Pre-mixed formula that is always on ratio
- Portable and easy to set up
- Responsive wide spray applicator that can spray horizontally and vertically
- Wide temperature range for greater project versatility
- Great for filling wall cavities, rim joists, attic & crawl spaces (excludes overhead spraying)
- Class A fire rated
- Save on energy costs
- High closed cell content
- Interior use only, ASTM C518 Aged R-Value 4.1 @ 1 in. (25mm)
- Low Global Warning Potential (GWP)

Part #	Description
Y121276	DAP Wall & Cavity Foam with Widespray Applicator Kit, 97 Board Ft.

Concrete & Accessories



Concrete Post Cookies

Concrete Post Cookies are durable concrete spacers designed to keep wood posts elevated above the ground or concrete surface. By creating a small gap between the post and the base, they help reduce moisture contact and protect against rot, extending the life of fence, deck, and structural posts. Ideal for a variety of outdoor post installations.

SKU #	Description	Size
COOKIES	Concrete Post Cookies	15"
COOKIES12	Concrete Post Cookies	12"



Composite Footing Pad

Composite Footing Pads are durable, lightweight foundation supports designed to replace traditional concrete footings. Made from high-strength composite materials, they provide a stable base for posts, decks, and small structures while resisting moisture, rot, and corrosion. Easy to handle and install, they help simplify footing installation while delivering long-lasting performance.

SKU #	Description	Size
FP12	Composite Footing Pad for Posts and Perma Column	12"
FP16	Composite Footing Pad for Posts and Perma Column	16"
FP20	Composite Footing Pad for Posts and Perma Column	20"
FP24	Composite Footing Pad for Posts and Perma Column	24"



Sakrete - High Strength Concrete Mix 80 lb. Bag.

Sakrete 80 lb Concrete Mix is a high-quality, pre-blended mixture of cement, sand, and gravel designed for a wide range of general concrete projects. Ideal for setting posts, pouring slabs, footings, and other structural applications, it delivers dependable strength and durability for both residential and commercial use. Just add water for easy mixing and consistent results.

SKU #	Description	Weight
SACKRE	Sakrete - High Strength Concrete Mix	80lb



Sakrete - Mortar Mix (Type N) 70 lb. Bag.

Sakrete® Mortar Mix Type N is a pre-blended mixture of masonry cement and sand designed for laying brick, block, and stone. It provides good bond strength, workability, and durability for general masonry construction and repair projects above grade. Simply add water to achieve a smooth, consistent mortar mix.

SKU #	Description	Weight
MORTER	Sakrete - Mortar Mix (Type N)	70lb





Sakrete - Mortar / Sand Mix
80 lb. Bag.

Sakrete® Sand Mix is a high-strength blend of sand and Portland cement designed for topping and repair applications. Ideal for resurfacing existing concrete, setting posts, and forming thick mortar beds, it provides a durable, smooth finish for a variety of construction and repair projects. Just add water for easy mixing and consistent performance.

SKU #	Description	Weight
SAND	Sakrete - Mortar / Sand Mix	80lb



Sakrete - Cement / Sand Mix
80 lb. Bag.

Sakrete® Sand Mix is a high-strength blend of sand and Portland cement designed for topping and repair applications. Ideal for resurfacing existing concrete, setting posts, and forming thick mortar beds, it provides a durable, smooth finish for a variety of construction and repair projects. Just add water for easy mixing and consistent performance.

SKU #	Description	Weight
SANDMIX	Sakrete -Cement / Sand Mix	80lb



Quikrete - Portland Cement
94 lb. Bag.

Portland Cement is a high-strength construction cement designed for use in a wide variety of concrete, mortar, and grout mixes. It can be blended with sand and aggregate to create custom mixes for slabs, footings, repairs, and other structural applications. Ideal for both commercial and residential construction projects.

SKU #	Description	Weight
CEMENT	Quikrete - Portland Cement	94lb



Wire Mesh Roll
6" x 6" 10 Ga. 5'x150'

6" x 6" 10-Gauge Welded Wire Mesh Roll provides reliable reinforcement for concrete slabs, sidewalks, and other masonry applications. The heavy 10-gauge wire and 6" grid spacing help strengthen concrete and reduce cracking. Supplied in a convenient 5' x 150' roll for efficient coverage on larger projects.


SKU #	Description	Size
REWIRE	Wire Mesh Roll - 10 Ga.	6"x6" (5' x 150')



Concrete Rebar
1/2" x 20'

½" x 20 ft. Concrete Rebar is a high-strength steel reinforcing bar designed to strengthen concrete in construction projects. It helps improve tensile strength and reduce cracking in concrete slabs, footings, foundations, and other structural applications. Durable and reliable, it provides essential reinforcement for residential and commercial concrete work.

SKU #	Description	Size
REBAR	Concrete Rebar	1/2" x 20'



Wire Mesh Sheets

Wire Mesh Sheets are welded steel grids designed to reinforce concrete and masonry applications. They help strengthen concrete, reduce cracking, and provide added stability in slabs, sidewalks, and other structural pours. Durable and easy to position, they are ideal for a variety of construction and reinforcement projects.

SKU #	Description	Size
WIRE6GA	Wire Mesh Sheet - 6ga.	6"x6" (8' x 15')
WIRE10GA	Wire Mesh Sheet - 10ga.	6"x6" (8' x 15')
WIRE10GA5x10	Wire Mesh Sheet - 10ga.	6"x6" (5' x 10')



Concrete Wire Chair

Concrete Wire Chairs are steel supports designed to hold reinforcing wire mesh or rebar at the proper height within concrete pours. They help ensure consistent placement and proper coverage, improving the strength and performance of concrete slabs, footings, and other structural applications. Durable and easy to install for reliable reinforcement support.

SKU #	Description	Size
WIRECHAIR3	Concrete Wire Chair	3" x 5'



Driveway Mat

Driveway Mats are woven polypropylene stabilization mats designed to reinforce soil and provide a stable base for gravel driveways and pathways. They help distribute weight, reduce rutting, and prevent gravel from sinking into the ground. Durable and easy to install, they are ideal for driveways, walkways, and other ground reinforcement applications.

SKU #	Description	Size
DRMAT	Driveway Mat	12'6" x 432' (Roll)

Pipe & Fittings



Schedule 40 PVC Pressure Pipe

PVC Schedule 40 Pipe is for cold water pressure systems where temperatures will not exceed 140 F. They are highly resilient, with high-tensile and high-impact strength. PVC Schedule 40 has better sound deadening qualities than PVC Schedule 40 DWV Foam Core and ABS Foam Core. Installation requires the use of primer and solvent cement. Do not use plastic pipe and fittings for compressed air systems.

FEATURES

- Conforms to standards: ASTM D 1784, ASTM D 1785, and NSF standards 14 and 61
- Intended for pressure use
- PVC schedule 40 white pipe with red print that is used in potable water applications only
- Maximum working temperature: 140 F
- PVC schedule 40 is highly durable, with high tensile and impact strength
- PVC schedule 40 pipe is used in irrigation, underground sprinkler systems, swimming pools, outdoor applications, and cold water supply lines
- Requires no special tools for cutting and to be installed with solvent cement

Part #	Description	Size	Length
Y413476	Schedule 40 PVC Pressure Pipe	1/2"	10'
Y401544	Schedule 40 PVC Pressure Pipe, Belled End	1/2"	20'
Y413467	Schedule 40 PVC Pressure Pipe	3/4"	10'
Y401552	Schedule 40 PVC Pressure Pipe, Belled End	3/4"	20'
Y441061	Schedule 40 PVC Pressure Pipe	1"	10'
Y401560	Schedule 40 PVC Pressure Pipe, Belled End	1"	20'
Y403032	Schedule 40 PVC Pressure Pipe	1-1/4"	10'
Y401579	Schedule 40 PVC Pressure Pipe, Belled End	1-1/4"	20'
Y431679	PVC DWV/Pressure Dual Rated Schedule 40 Pipe	1-1/2"	10'
Y401587	Schedule 40 PVC Pressure Pipe, Belled End	1-1/2"	20'
Y415928	PVC DWV/Pressure Dual Rated Schedule 40 Pipe	2"	10'
Y401609	Schedule 40 PVC Pressure Pipe, Belled End	2"	20'
Y405859	PVC-DWV Cellular Core Schedule 40 Pipe	3"	10'
Y460702	DWV Cellular Core Schedule 40 Pipe	3"	20'
Y409061	PVC-DWV Cellular Core Schedule 40 Pipe	4"	10'



Charlotte Pipe 1/2"

Part #	Description	Size
Y410807	Charlotte Pipe Slip x Slip 90 Deg. CPVC Street Elbow	1/2"
Y419416	Charlotte Pipe Schedule 40 Pressure Slip PVC Cap	1/2"
Y426541	Charlotte Pipe Schedule 40 PVC Tee	1/2"
Y426621	Charlotte Pipe Slip x Slip Schedule 40 PVC Elbow	1/2"
Y427087	Charlotte Pipe 45 Degree White PVC Elbow	1/2"
Y427862	Charlotte Pipe Sch. 40 PVC Coupling	1/2"
Y434480	Charlotte Pipe 90 deg CPVC Elbow	1/2"
Y438654	Charlotte Pipe Schedule 40 Street MIP PVC Elbow	1/2"



Charlotte Pipe 1"

Part #	Description	Size
Y419363	Charlotte Pipe Schedule 40 Pressure Slip PVC Cap	1"
Y426578	Charlotte Pipe Schedule 40 PVC Tee	1"
Y426970	Charlotte Pipe Schedule 40 PVC Elbow	1"
Y427176	Charlotte Pipe Schedule 40 45 Degree PVC Elbow	1"
Y427880	Charlotte Pipe Sch. 40 PVC Coupling	1"



Charlotte Pipe 1-1/2"

Part #	Description	Size
Y400036	Charlotte Pipe 45D DWV PVC Street Elbow	1-1/2"
Y416437	Charlotte Pipe 90D Sanitary PVC Elbow	1-1/2"
Y416446	Charlotte Pipe White PVC P-Trap w/Union	1-1/2"
Y416479	Charlotte Pipe 90D PVC Long Sweep Elbow	1-1/2"
Y420315	Charlotte Pipe 90D PVC Street Elbow	1-1/2"
Y426603	Charlotte Pipe Schedule 40 PVC Tee	1-1/2"
Y427336	Charlotte Pipe Schedule 40 Standard Weight PVC Elbow	1-1/2"
Y428004	Charlotte Pipe Sch. 40 PVC Coupling	1-1/2"
Y429806	Charlotte Pipe White PVC P-Trap	1-1/2"
Y431884	Charlotte Pipe Schedule 40 DWV Hub PVC Wye	1-1/2"
Y432044	Charlotte Pipe Schedule 40 Sanitary PVC Tee	1-1/2"
Y435686	Charlotte Pipe 45D Sanitary PVC Elbow	1-1/2"
Y441613	Charlotte Pipe Schedule 40 Pressure Slip PVC Cap	1-1/2"



Charlotte Pipe 2"

Part #	Description	Size
Y415759	Charlotte Pipe Schedule 40 DWV Hub PVC Wye	2"
Y415802	Charlotte Pipe Schedule 40 60 Deg. DWV PVC Elbow	2"
Y415900	Charlotte Pipe 45D DWV PVC Street Elbow	2"
Y416366	Charlotte Pipe Schedule 40 Sanitary PVC Tee	2"
Y416428	Charlotte Pipe 90D Sanitary PVC Elbow	2"
Y416460	Charlotte Pipe 90D PVC Long Sweep Elbow	2"
Y420306	Charlotte Pipe 90D PVC Street Elbow	2"
Y426612	Charlotte Pipe Schedule 40 PVC Tee	2"
Y428157	Charlotte Pipe Sch. 40 PVC Coupling	2"
Y430064	Charlotte Pipe White PVC P-Trap	2"
Y435694	Charlotte Pipe 45D Sanitary PVC Elbow	2"
Y441604	Charlotte Pipe Schedule 40 Pressure Slip PVC Cap	2"



Charlotte Pipe 3"

Part #	Description	Size
Y405531	Charlotte Pipe Schedule 40 Pressure Slip PVC Cap	3"
Y406420	Charlotte Pipe 90D Sanitary PVC Elbow	3"
Y406956	Charlotte Pipe Schedule 40 90 Deg. DWV PVC Street Elbow	3"
Y407526	Charlotte Pipe Schedule 40 DWV Hub PVC Wye	3"
Y407571	Charlotte Pipe Schedule 40 Sanitary PVC Tee	3"
Y416452	Charlotte Pipe 90D PVC Long Sweep Elbow	3"
Y440124	Charlotte Pipe Tee-Wye DWV PVC Tee	3"
Y442523	Charlotte Pipe Hub Schedule 40 DWV PVC Coupling	3"
Y443212	Charlotte Pipe Sch. 40 PVC Coupling	3"
Y443344	Charlotte Pipe Schedule 40 PVC Tee	3"



Charlotte Pipe 4"

Part #	Description	Size
Y405558	Charlotte Pipe Schedule 40 Pressure Slip PVC Cap	4"
Y409123	Charlotte Pipe 90D Sanitary PVC Elbow	4"
Y409132	Charlotte Pipe Schedule 40 DWV Hub PVC Wye	4"
Y409169	Charlotte Pipe Schedule 40 Sanitary PVC Tee	4"
Y414064	Charlotte Pipe 90D PVC Street Elbow	4"
Y416487	Charlotte Pipe 90D PVC Long Sweep Elbow	4"
Y442532	Charlotte Pipe Hub Schedule 40 DWV PVC Coupling	4"

Electrical



PVC Conduit

Rigid PVC plastic conduit. Proven durable and effective for years of maintenance free performance in underground, encased, and exposed applications in accordance with the National Electrical Code.

FEATURES

- Proven durable and effective for years of maintenance free performance
- Ideal in underground, encased, and exposed applications in accordance with the National Electrical Code
- Rigid PVC construction
- UL listed

Part #	Description	Size
Y506660	Schedule 40 PVC Conduit	1/2" x 10'
Y506697	Schedule 40 PVC Conduit	3/4" x 10'
Y506704	Schedule 40 PVC Conduit	1" x 10'
Y506713	Schedule 40 PVC Conduit	1-1/4" x 10'
Y506731	Schedule 40 PVC Conduit	1-1/2" x 10'
Y506875	Schedule 40 PVC Conduit	2" x 10'
Y520594	Schedule 80 PVC Conduit	2" x 10'
Y538361	Schedule 40 PVC Conduit	3" x 10'

PVC Conduit 45° Elbow

PVC (polyvinyl chloride) Schedule 40, 45-degree elbow. Couplings not included. UL (Underwriter's Laboratories) listed.

FEATURES

- Durable PVC
- 0.5 Dia.
- UL listed

Part #	Description	Size
Y512145	Schedule 40 - 45° PVC Conduit Elbow	1/2"
Y512252	Schedule 40 - 45° PVC Conduit Elbow	3/4"
Y512261	Schedule 40 - 45° PVC Conduit Elbow	1"
Y512314	Schedule 40 - 45° PVC Conduit Elbow	1-1/4"
Y512323	Schedule 40 - 45° PVC Conduit Elbow	1-1/2"
Y512332	Schedule 40 - 45° PVC Conduit Elbow	2"
YY3PVC45	Schedule 40 - 45° PVC Conduit Elbow	3"

PVC Conduit 90° Elbow

Part #	Description	Size
Y512350	Schedule 40 - 90° PVC Conduit Elbow	1/2"
Y512421	Schedule 40 - 90° PVC Conduit Elbow	3/4"
Y512449	Schedule 40 - 90° PVC Conduit Elbow	1"
Y512458	Schedule 40 - 90° PVC Conduit Elbow	1-1/4"
Y512467	Schedule 40 - 90° PVC Conduit Elbow	1-1/2"
Y512476	Schedule 40 - 90° PVC Conduit Elbow	2"
Y538396	Schedule 40 - 90° PVC Conduit Elbow	3"





Conduit Couplings

Socket-type conduit coupling. Ideal for jointing PVC (polyvinyl chloride) conduit. Requires solvent cement. UL (Underwriter’s Laboratories) listed.

FEATURES

- Ideal for jointing PVC conduit
- 1/2 In. trade size
- Socket-type connection
- UL listed

Part #	Description	Size
Y506982	PVC Socket Conduit Coupling	1/2"
Y507017	PVC Socket Conduit Coupling	3/4"
Y507080	PVC Socket Conduit Coupling	1"
Y507099	PVC Socket Conduit Coupling	1-1/4"
Y507286	PVC Socket Conduit Coupling	1-1/2"
Y507393	PVC Socket Conduit Coupling	2"
Y538388	PVC Socket Conduit Coupling	3"



Conduit Adapters

Adapter ideal for adapting PVC (polyvinyl chloride) conduit to threaded fittings, metallic systems. Female threads on 1 end, socket end on other. UL (Underwriter’s Laboratories) listed.

FEATURES

- Ideal for adapting PVC conduit to threaded fittings, metallic systems
- Female threads on 1 end, socket end on other
- 0.5 Dia.
- UL Listed

Part #	Description	Size
Y507464	Female Threaded & Socket PVC Conduit Female Adapter	1/2"
Y507838	Female Threaded & Socket PVC Conduit Female Adapter	3/4"
Y507856	Female Threaded & Socket PVC Conduit Female Adapter	1"
Y508258	Female Threaded & Socket PVC Conduit Female Adapter	1-1/4"
Y508338	Female Threaded & Socket PVC Conduit Female Adapter	1-1/2"
Y508436	Female Threaded & Socket PVC Conduit Female Adapter	2"



Terminal Adapters

Adapter ideal for adapting PVC (polyvinyl chloride) conduit to boxes, threaded fittings, and metallic systems. Male threads on 1 end, socket end on other. UL (Underwriter’s Laboratories) listed.

Part #	Description	Size
Y508533	Carlön Male Threaded & Socket Terminal Adapter	1/2"
Y508579	Carlön Male Threaded & Socket Terminal Adapter	3/4"
Y508597	Carlön Male Threaded & Socket Terminal Adapter	1"
Y508668	Carlön Male Threaded & Socket Terminal Adapter	1-1/4"
Y508739	Carlön Male Threaded & Socket Terminal Adapter	1-1/2"
Y508757	Carlön Male Threaded & Socket Terminal Adapter	2"
Y538418	Carlön Male Threaded & Socket Terminal Adapter	3"



T Access Fitting



LB Access Fitting



LR Access Fitting



Access Fitting

Type T access fitting. Ideal to adapt PVC (polyvinyl chloride) conduit to boxes, threaded fittings, and metallic systems. UL (Underwriter’s Laboratories) listed.

FEATURES

- Adapts PVC conduit to boxes, threaded fittings, and metallic systems
- Compatible with 1.25 conduit
- UL Listed

Part #	Description	Size
Y510192	Carlön PVC T Access Fitting	1/2"
Y510209	Carlön PVC T Access Fitting	3/4"
Y510218	Carlön PVC T Access Fitting	1"
Y510245	Carlön PVC T Access Fitting	1-1/4"
Y510557	Carlön PVC T Access Fitting	1-1/2"
Y510959	Carlön PVC T Access Fitting	2"
Y511985	Carlön PVC LB Access Fitting	1/2"
Y511994	Carlön PVC LB Access Fitting	3/4"
Y512001	Carlön PVC LB Access Fitting	1"
Y512047	Carlön PVC LB Access Fitting	1-1/4"
Y512056	Carlön PVC LB Access Fitting	1-1/2"
Y512074	Carlön PVC LB Access Fitting	2"
Y540382	Carlön PVC LR Access Fitting	3/4"

Conduit Locknuts

For rigid conduit and IMC, steel. Fully reversible, UL (Underwriter’s Laboratories) listed.

FEATURES

- Rigid & IMC Steel
- Fully reversible
- UL Listed

Part #	Description	Size
Y518922	Halex 1/2" Rigid & IMC Steel Reversible Conduit Locknut (4-Pack)	1/2"
Y540233	Halex 1-1/4" Rigid & IMC Steel Reversible Conduit Locknut (2-Pack)	1-1/4"
Y544116	Halex 3" Rigid & IMC Steel Reversible Conduit Locknut	3"
Y551717	Halex 3/4" Rigid & IMC Steel Reversible Conduit Locknut (4-Pack)	3/4"
Y554724	Halex 1" Rigid & IMC Steel Reversible Conduit Locknut (2-Pack)	1"
Y555282	Halex 1-1/2" Rigid & IMC Steel Reversible Conduit Locknut (2-Pack)	1-1/2"
Y555290	Halex 2" Rigid & IMC Steel Reversible Conduit Locknut (2-Pack)	2"



Y501074





Y506274

Conduit Straps

Part #	Description	Size
Y501074	Gardner Bender 1/2" PVC Conduit Strap (20-Pack)	1/2"
Y501075	Gardner Bender 3/4" PVC Conduit Strap (20-Pack)	3/4"
Y501076	Gardner Bender 1" PVC Conduit Strap (10-Pack)	1"
Y506274	Halex 1" Click-On EMT 1-Hole Conduit Strap (50-Pack)	1"
Y506695	Halex 1" Snap-On Rigid/Intermediate Grade 2-Hole Conduit Strap (4-Pk)	1"
Y514307	Halex 1-1/4" Snap-On Rigid 2-Hole Conduit Strap (4-Pack)	1-1/4"
Y517410	Halex 1/2" Click-On EMT 1-Hole Conduit Strap (100-Pack)	1/2"
Y518889	Halex 1-1/2" Snap-On Rigid/Intermediate Grade 2-Hole Conduit Strap (2-Pk)	1-1/2"
Y519144	Halex 2" Snap-On Rigid/Intermediate Grade 2-Hole Conduit Strap (2-Pack)	2"
Y521002	Halex 1" Click-On EMT 1-Hole Conduit Strap (4-Pack)	1"
Y521771	Halex 1-1/4" Click-On EMT 1-Hole Conduit Strap (4-Pack)	1-1/4"
Y522119	Halex 3/4" Click-On EMT 1-Hole Conduit Strap (100-Pack)	3/4"
Y544731	Halex 1/2" Click-On EMT 1-Hole Conduit Strap (4-Pack)	1/2"
Y552472	Halex 1/2" Click-On EMT 2-Hole Conduit Strap (4-Pack)	1/2"
Y553682	Halex 3/4" Click-On EMT 1-Hole Conduit Strap (4-Pack)	3/4"
Y555118	Halex 1/2" Snap-On Rigid/Intermediate Grade 2-Hole Conduit Strap (10-Pack)	1/2"
Y555126	Halex 3/4" Snap-On Rigid/Intermediate Grade 2-Hole Conduit Strap (10-Pack)	3/4"
Y555592	Halex 1" Click-On EMT 2-Hole Conduit Strap (4-Pack)	1"
Y560298	Halex 3/4" Click-On EMT 2-Hole Conduit Strap (4-Pack)	3/4"

Welded Wire Fencing & Poultry





Sold by the roll or foot.

Black Vinyl Coated Wire

Black vinyl coated poultry netting is a flexible wire mesh made from galvanized steel and coated with a protective vinyl (PVC) layer. It features 1-inch hexagonal openings and is commonly used for animal enclosures, garden protection, and light-duty fencing applications where durability and low visibility are important.

FEATURES

- 1" hexagonal mesh design
- Vinyl (PVC) coating
- Galvanized steel core
- Flexible and easy to install
- Low-visibility black finish
- Multi-purpose use

Part #	Description	Gauge	Height	Length
18CTWR	Poultry Netting 1" Hex Wire Vinyl Black	20	18"	150'
24CTWR	Poultry Netting 1" Hex Wire Vinyl Black	20	24"	150'
36CTWR	Poultry Netting 1" Hex Wire Vinyl Black	20	36"	150'
48CTWR	Poultry Netting 1" Hex Wire Vinyl Black	20	48"	150'
60CTWR	Poultry Netting 1" Hex Wire Vinyl Black	20	60"	150'
72CTWR	Poultry Netting 1" Hex Wire Vinyl Black	20	72"	150'



Y718076

Y717950

Sold by the roll or foot.

Galvanized Welded Wire

Strong and versatile welded wire fence. Features uniform commercial zinc coating. Ideal for a wide variety of applications including concrete reinforcement, yard fencing, tree guards, barn & shed partitions, and more.


FEATURES

- Strong and versatile construction
- Uniform commercial zinc coating
- Ideal for a wide variety of applications including concrete reinforcement, yard fencing, tree guards, barn & shed partitions, and more
- Galvanized Before Welded

Part #	Description	Gauge	Height	Length
Y717950	(1×1) Zinc-Coated Galvanized Welded Wire Fence (14-Ga.)	14	36"	100'
Y717969	(1×1) Zinc-Coated Galvanized Welded Wire Fence (14-Ga.)	14	48"	100'
Y711494	(2×4) Galvanized Welded Wire Fence (14-Ga.)	14	60"	100'
Y718076	Hexagonal 1" Hex Wire Poultry Netting Galvanized	20	12"	150'

Gutter & Accessories





Gutter & Accessories

(** represents color)

Part #	Description
GUT5**	5" Gutter
GUT6**	6" Gutter
GUCORN5	Gutter Corner 5" (Inside)
CUCORN6	Gutter Corner 5" (Outside)
GUDOW**	Downspout 4×3 - 10' (All Metal Colors Avail)
GUDROP5	Gutter Drop 2"x3"
GUDROP6	Gutter Drop 3"x4"
GUECA5L**	Gutter End Cap 5" LH (All Metal Colors Avail)
GUECA5R**	Gutter End Cap 5" RH (All Metal Colors Avail)
GUECA6L**	Gutter End Cap 6" LH (All Metal Colors Avail)
GUECA6R**	Gutter End Cap 6" RH (All Metal Colors Avail)
GUELA**	Elbow 75° Stlye (A) 3×4 (All Metal Colors Avail)
GUELB**	Elbow 75° Style (B) 3×4 (All Metal Colors Avail)
GUFERRO5	Gutter Ferrows 5"
GUFERRO6	Gutter Ferrows 6"
GUHIDE5	Gutter Hidden Hanger 5"
GUHIDE6	Gutter Hidden Hanger 6"
GULEAF5	Drop in Gutter Leaf Guard 5"
GULEAF6	Drop in Gutter Leaf Guard 6"
GUMITIS5**	Gutter Inside Miter Strip 5"
GUMITIS6**	Gutter Inside Miter Strip 6"
GUMITOS5**	Gutter Outside Miter Strip 5"
GUMITOS6**	Gutter Outside Miter Strip 6"
GUSPIKE5	Gutter Spike 8"
GUSPIKE6	Gutter Spike 10"
GUSTR6**	Strap 3×4 (All Metal Colors Avail)
GUT5**	Gutter 5" x Length (All Metal Colors Avail)
GUT6**	Gutter 6" x Length (All Metal Colors Avail)
POP**	Pop Rivet SS 1/8" - Colors Avail = Black, Blue, Brown, Burn Slate, Burgundy, Charcoal, Clay, Copper, Crimson Red, Gallery Blue, Green, Gray, Hartford Green, Red, Stone, Tan, White

COLORS AVAILABLE FOR MITER STRIPS:

- Unpainted
 - Black
 - Brown
 - Burnished Slate
 - Burgundy
- Br. White
 - Charcoal
 - Clay
 - Dark Red
 - Green
- Gray
 - Hartford Green
 - Red
 - Shiny Black
 - White

Snow Retention Systems




Snow Defender 4500

The Snow Defender® 4500 is the snow guard you need for long lasting protection against melting snow. Designed for use with exposed fastener panels on 2×4 purlins in the flat position. The EPDM rubber seal makes installation quick and easy. No extra caulk to take up on the roof, just screws and snow guards. The 304 stainless steel design and ability to use up to a #14 screw for fastening assures that these snow guards stay on the roof. They come in 40+ colors which allows you to match virtually any metal roofing color. They are designed for use with wood furring strips or purlins under metal. The traditional look adds character to your roof project while protecting people, vehicles, and landscaping below. The Snow Defender® 4500 allows snow to come off the roof in small pieces, while keeping it from sliding off all at once.

FEATURES

- Made w/16 Gauge Type 304 Stainless Steel
- EPDM Rubber Seal
- Powder Coated
- Multiple Colors in Stock
- 50 Pieces per 15 LB Box
- No Caulk Needed

Part #	Description
SNBLBK	Black/Shiny Black Snow Block S/S 4500
SNBLBL	Blue Snow Block S/S 4500
SNBLBR	Brown Snow Block S/S 4500
SNBLBS	Burnish Slate Snow Block S/S 4500
SNBLBU	Burgandy Snow Block S/S 4500
SNBLBW	Brite White Snow Block S/S 4500
SNBLCH	Charcoal Snow Block S/S 4500
SNBLCL	Clay Snow Block S/S 4500
SNBLCO	Copper Snow Block S/S 4500
SNBLCR	Crimson Red Snow Block S/S 4500
SNBLDR	Dark Red Snow Block S/S 4500
SNBLGB	Gallery Blue Snow Block S/S 4500
SNBLGN	Green Snow Block S/S 4500
SNBLGO	Gold Snow Block S/S 4500
SNBLGR	Gray Snow Block S/S 4500
SNBLHG	Hartford Green Snow Block S/S 4500
SNBLIV	Ivory Snow Block S/S 4500
SNBLMILL	Mill Finish Snow Block S/S 4500
SNBLRE	Red/Dk Red Snow Block S/S 4500
SNBLSB	Shiny Black Snow Block S/S 4500
SNBLST	Stone Snow Block S/S 4500
SNBLTA	Tan Snow Block S/S 4500
SNBLWH	White/Brite White Snow Block S/S 4500





Snow Defender 6500 Special Order Only

The patented Snow Defender® 6500 is designed for standing seam roofs and is the snow guard of choice for many roofers. It fits standing seams up to 3/8" width and most 1" through 1-3/4" seam heights. This strong 304 stainless design and patented non-piercing clamping attachment allows snow retention on most standing seam profiles. It's also available in 40 plus colors that match with popular standing seam roof colors.

FEATURES

- Made with Type 304 Stainless Steel
- 410 Stainless Steel Set Screws to prevent Seizing
- Powder Coated
- Multiple Colors in Stock
- 32 Pieces Per Box
- Does Not Penetrate Through metal
- Patented
- Textured Colors Available
- Copper Plated Also Available

Part #	Description
SOSNBL6500	Special Order 6500 Snow Block [Color]



Snow Defender PC240 - Polycarbonate

Clear and virtually invisible, Levi's PC240 meets the builder's needs for a strong and reasonably priced snow guard. Made of polycarbonate lexan, the PC240 holds up to the weather elements. Patented exclusively by Levi's and made in the USA.

FEATURES

- UV Stable
- Polycarbonate Lexan 103-112
- Very Strong
- Mount with Screws and Adhesive
- Patented
- Made in USA

Part #	Description
SNBLCLR	Clear Snow Block S/S PC240

S-5![®] Clamps



ColorGard® 2.0 Installation Guide

⚠ **ATTENTION INSTALLERS** ⚠

PLEASE READ THESE INSTRUCTIONS ALL THE WAY THROUGH BEFORE BEGINNING WORK.

IT WILL SAVE TIME, MONEY AND PREVENT MISTAKES!

Components

Crossmember and Splice

Unpunched and punched crossmembers are available. Use the included splice to join two pieces of crossmember together, ensuring structural continuity. ColorGard 2.0 now accommodates a wider allowable span, up to 42-inch seam spacings.

SnoClip™ 2.0

SnoClip can be added to slow the migration of snow and ice beneath the crossmembers. Simply hinge it onto the ColorGard crossmember during or following installation and secure the fastener to engage the SnoClip foot onto the roof.

VersaClip™ 2.0

VersaClip is placed “on the fly” as the ColorGard crossmember is installed. (No preassembly)


ColorStrip™

Not included: The **ColorStrip** can be obtained in **2-inch (50.8 mm) wide strips** by the roofing material manufacturer to ensure a perfect color match and durability.

Note: It is recommended to have the ColorStrip **sheared**, not slit, during manufacturing to maintain clean edges and optimal performance. Use **tin snips** to trim the ColorStrip to the required length on-site as needed.




Scan QR Code
FOR INSTALL TIPS,
VIDEOS AND WARRANTY
INFORMATION.



Tools Required:

- Screw Gun
- 13mm Socket for Impact or Ratchet [Box-End Hand Wrench Optional]
- Reciprocating Saw or Circular Saw with Non-Ferrous Blade [minimal use]
- String Line
- Calibrated Dial Indicating Torque Wrench
- T30 Torx Bit [provided]
- Vice Grip Pliers

How to Install ColorGard:



1 INSTALLING S-5! CLAMPS/BRACKETS

PRO TIP If desired, attach the VersaClip 2.0 to the VersaBracket on the ground, making sure to leave the nut and bolt loose so the crossmember can be snapped into place on the roof.

Step 1a: Preparing the Clamps/Brackets

- I. Review the **S-5! instructions** for your specific S-5! clamps or brackets. Read these instructions to the end before beginning work—it will save time and avoid mistakes.
- II. Attach a clamp/bracket within **3-6" (76.2-152.4 mm) of the eave** at both ends of the planned installation area.

Step 1b: Aligning Clamps/Brackets with a String Line

- I. Stretch a **tight string line** between the two end clamps/brackets.
 - Make sure the line is taut to avoid sagging or being affected by wind.
- II. Then install all clamps/brackets to line at their predetermined spacing.

Note for Longer Assemblies: For installations that span longer distances, additional intermittent clamps or brackets should be used at intervals to stabilize and anchor the string line securely in place.

2 INSTALLING THE COLORGARD CROSSMEMBER

Step 2a: Place the Crossmember

- I. Position the crossmember **downslope** of the installed S-5! clamps/brackets.

Step 2b: Attaching the Crossmember

For Unpunched Crossmembers:

- Place the **VersaClip** on the crossmember at each clamp/bracket location.
- Secure the crossmember using the provided **stainless steel M8 bolts** through the **upslope** clamp hole.
- Leave the bolts **loosely tightened** to allow for adjustments as the assembly progresses.

For Punched Crossmembers:

- Secure it using an **M8 bolt** through the **downslope** clamp hole (no VersaClip required).
- Leave the bolts **loosely tightened** to allow for adjustments as the assembly progresses.

Step 2c: Tightening the Bolts


Note: if installing ColorStrip, please read Step 3 before tightening the bolts.

- I. Once the entire assembly is aligned and adjustments are complete, tighten all bolts progressively to achieve or exceed the specified torque: **160 inch-pounds (18 Nm)** for unpunched/punched crossmembers


Step 2d: Connecting Crossmembers with Splices

- I. Insert a **splice piece** at each joint between crossmembers to maintain structural integrity.
 - If trimming the crossmember at the end of assembly, ensure the crossmember does not cantilever more than **8" beyond the last clamp/bracket**.
 - Secure trimmed sections with **at least two** clamps/brackets.

Note: For unpunched crossmembers at splices, the VersaClip can be placed directly at the clamp/bracket location if needed.



3 INSTALLING THE COLORSTRIP



Step 3a: Insert the ColorStrip

- I. As you assemble the system, slide the **ColorStrip** into the crossmembers while the bolts remain loose to allow for smooth insertion of the strip
- II. Stagger the joints of the ColorStrip from the crossmember joints to conceal connections.
- III. Overlap adjacent ColorStrips by **.5 inch (13 mm)**

Step 3b: Secure the ColorStrip

- I. Use **vice grip pliers** to pinch the retainer lip of the crossmember at various points along its length. This prevents the ColorStrip from shifting laterally during or after installation.


4 INSTALLING THE SNOCLIP

I. Position the SnoClip

- For one SnoClip per panel, center it on the crossmember between two clamps/brackets.
- For two or more SnoClips per panel, space them evenly between the clamps/brackets to ensure uniform support.
- Important:** SnoClip 2.0 should be placed between panel striations, not on top. Do not install SnoClip where it cannot fully engage the crossmember, including at or near the small gaps created by the splices.

II. Attach the SnoClip

- Hinge the SnoClip directly onto the crossmember.
- Ensure the rubber foot engages the surface of the panel for proper functionality.



III. Secure the SnoClip

Drive the included fastener through the prepunched hole in the SnoClip 2.0 to secure it to the crossmember using the T30 bit. Tighten the screw until the head is fully seated against the SnoClip 2.0.

SnoClip 2.0 II
Designed for Seam Heights of 1" - 2"

SnoClip 2.0 III
Designed for Seam Heights of 2" - 3¼"

Important Notice! When installing any S-5! snow retention assembly with SnoClip, be sure that the toe of the SnoClip part bears on an area of the roof panel that is well supported and not subject to excessive deflection. Should panel deflection be excessive under load allowing the SnoClip to rotate under the ColorGard, then SnoClips should not be used.


Note: Any S-5! warranty and/or calculation may be void if hardware is used that was not furnished by S-5! directly or through one of their licensed distributors or any assembly that has not been tested by S-5! These instructions are for use by those experienced in the trade. Always follow appropriate safety precautions and use appropriate tools.



S-5!® ColorGard 2.0® Crossmember

- Includes 1 splice collar
- Online calculator at www.S-5.com/calculator

Part #	Description
S5COLPUN	ColorGard Punched 7'8" Rail



S-5-N 1.5 Clamp

The S-5-N 1.5 Clamp was designed for application on popular 1.5" nail strip metal roof profiles. An angled wall with a nose permits the S-5-N 1.5 to engage the triangle-type profiles during the installation process, and a wider throat accommodates most nail strip profiles. The combination of these two features allows the S-5-N 1.5 clamp to sit straighter on the seam.

Part #	Description
S5N1.5	S-5-N 1.5 Clamp (6 Clamps Per 8' rail)



Flat Strip 2" S-5! SnowGard 8'4"

Part #	Description
S5FLXX	Flat Strip 2" S5 SnowGard 8'4"

xx = GBP metal color, available in all metal colors.

Product Index

Symbols

3/8" Sealant Tape.....	37
30" Weathervanes.....	130

A

Adhesive Backer Rod - for Standing Seam	18
Ag Panel Shears with Detachable Blades	25
Aluminum Roof Vent	49
Andy Snips - Malco	19
Antenna Extender Kit	147
Aviation Snips - Wiss	23

B

Blown-In Insulation	160
Bubble Insulation	157

C

Camo Screws	116
Chains & Accessories	147
ColorGard® 2.0	188
Composite Footing Pad	167

Concrete & Accessories

Concrete Rebar 1/2" x 20'	169
Concrete Wire Chair	169
Driveway Mat	169
Quikrete - Portland Cement 94 lb. Bag.	168
Sakrete - Cement / Sand Mix 80 lb. Bag.	168
Sakrete - High Strength Concrete Mix 80 lb. Bag.	167
Sakrete - Mortar Mix (Type N) 70 lb. Bag.	167
Sakrete - Mortar / Sand Mix 80 lb. Bag.	168
Wire Mesh Roll 6" x 6" 10 Ga. 5'x150'	168
Wire Mesh Sheets	169

Concrete Post Cookies	167
Concrete Screws	117
Concrete Wire Chair	169
Conduit Adapters	176
Conduit Couplings	176
Conduit Locknuts	177
Conduit Straps	178
Cupola Kit 24" Louvered Sides	129
Cupola Kit 24" Window Sides	129
Cupola Kit 36" Louvered Sides	129
Cupola Kit 36" Window Sides	130
Cupola Kit 48" Louvered Sides	129
Cupola Kit 48" Window Sides	130

Cupolas & Weathervanes

24" Complete Cupola	132
36" Complete Cupola	132
48" Complete Cupola	132

D

DAP 4000 - Subfloor Construction Adhesive.....	38
DAP Alex Plus®	106
DAP DryDex® Drywall Repair Kit	106
DAP Fast 'N Final®	106
DAP - Heavy Duty Construction Adhesive.....	38
DAP Silicone Sealant.....	36

Decking & Railing

External Post Cap	124
TimberTech® CONCEALoc®	122
TimberTech® Legacy Collection®	120
TimberTech® Reserve Collection®	120
TimberTech® Terrain+	122
TimberTech® Terrain Collection®	121
Vinyl Post Skirt	124
Vinyl Post Sleeve	124
Washington Vinyl Railing	123

Door Track.....	151
Door Track Slotted.....	151
Double Hung Windows	134
Drip Edge - Aluminum	59
Drywall Corner Bead.....	104

Drywall Mud.....	105
Sheetrock All-Purpose	105
Sheetrock Easy Sand	105
Sheetrock Plus 3	105
Sheetrock Topping	105

Drywall Patch.....	106
--------------------	-----

Drywall Tools	107
Aluminum English Drywall Square.....	108
Drywall Hand Sander	107
Drywall Jab Saw	108
Drywall Trowel	107
Mud Mixer	108
Mud Mixer (Wood Handle)	107

Duraclad Installation Accessories.....	53
Duraclad PVC Liner	52

E

Eclipse with no Washer Screw White	30
Eclipse Woodbinder Screw	30

Electrical

Access Fitting	177
Conduit Adapters	176
Conduit Couplings.....	176
Conduit Locknuts	177
Conduit Straps.....	178
PVC Conduit	175
PVC Conduit 45° Elbow	175
PVC Conduit 90° Elbow	175

Terminal Adapters.....	176
------------------------	-----

Entry Doors

Ag Door Series 99E	138
Fiberglass Doors	138
Series 20 Walk Doors	137

F

Fasteners

Camo Screws	116
Concrete Screws.....	117, 118
GRK RSS Screw	115
GRK Star Drive Bits.....	116
GRK Structural Screws	114, 115

Felt Paper	62
FibaTape	104
Fiberglass Doors	138
Fiberglass Insulation	158
Flex Seal Liquid Rubber Sealant Coating.....	38
Flex Tape.....	39
Foam Dispensing Gun	165
Foam Sealant & Blocker.....	163

G

GPB G-Rib Skylight .032	55
GPB Skylight Ridgecap	56
Grade Guard	78
Gutter & Accessories	183

H

Hand Notcher - Malco	19
Hand Seamers - Malco	24
High Temperature Round Roof Boot	42
Home Cutter - Malco	20

Horse Stall Components

Front Wall System	126
Horse Stall Parts	127
Partition or Rear Wall System	127
Side Wall System	126

Horse Stall Parts.....	127
House Wrap - Rex Wrap.....	63
House Wrap Typar®	63
Huber Zip Tape	63

I

Insulation

Blown-In Insulation.....	160
Bubble Insulation	157
Cellulose CleanFiber Insulation.....	160
Creatherm - Radiant Floor Panels	162
DAP® Barrier - Multi-Project Foam Sealant.....	164
DAP® Home Seal	164

DAP® Max Fill	163
DAP® Mouse Shield	163
DAP® No Warp	163
DAP® Wall & Cavity Foam	165
Dupont™ Styrofoam™ Insulation	161
EnerGreen® Type EPS Insulation	159
Expanded Polystyrene Insulation	158
Fiberglass Insulation.....	158
Great Stuff Pro - 14 Foam Dispensing Gun	165
Great Stuff Pro - Construction Adhesive	165
Great Stuff Pro - Window & Door Foam	164
Insulation Tape	159
Plastic Washer	159
Proper Vents Raft-r-mate® Foamular	162
Therma Guard	157
Vinyl Faced Insulation.....	161

Insulation Tape.....	159
----------------------	-----

J

James Way Slitter.....	20
------------------------	----

Joist Hangers & Ties

Adjustable Post Base.....	85
Anchor	87
Angles	83
Base/Caps	85
Coiled Straps	86
Deck Ties	86
Face Mount Hanger	84
Fasteners	87
Fence Bracket.....	83
H Clips for Plywood	87
Hurricane Ties	84
I-Joist Hanger.....	87
Laredo Sunset Bolts and Nuts	83
Laredo Sunset Outside L Connector.....	83
Laredo Sunset Post Base Kit	82
Laredo Sunset Post to Beam Connector	82
Laredo Sunset Rafter Clips.....	82
Laredo Sunset T-Tie Plate Connector	82
Mending / Tie Plate	86
Protection Plate.....	86
Straps & Ties	86
Tension Bridging	85
Truss Hanger.....	84
Truss Spacer.....	84
Wood Rod Hanger.....	85

L

Lauan	76
-------------	----

Lumber

1×4 #2 Treated MCA .14 GC	69
1×6 #2 Treated.....	69
2×2 SPF #2 Premium.....	71
2×4 MSR.....	68
2×4 Precut Stud.....	73
2×4 Southern Yellow Pine #1.....	67
2×4 Southern Yellow Pine #2	67
2×4 SPF #2 Premium.....	72
2×4 Treated MCA .14 GC	70
2×6 2-Ply Door Post.....	76
2×6 3Ply Treated Bottom	77
2×6 Ground Contact Treated T & G.....	72

2×6 MSR.....	68
2×6 Precut Stud.....	73
2×6 Southern Yellow Pine #1.....	67
2×6 Southern Yellow Pine #2.....	67
2×6 SPF #2 Premium.....	72
2×6 Treated MCA .14 GC.....	70
2×8 3Ply Treated Bottom	77
2×8 Ground Contact Treated T&G	72
2×8 MSR.....	68
2×8 Southern Yellow Pine #1.....	66
2×8 Treated MCA .14 GC.....	70
2×10 MSR.....	68
2×10 Southern Yellow Pine #1.....	66
2×10 Treated MCA .14 GC	70
2×12 MSR.....	69
2×12 Southern Yellow Pine #1.....	66
2×12 Treated MCA .14 GC	70
4×4 Ground Contact Poles.....	71
4×6 Severe Treated Poles	71
5/4 Premium Deck Board Ground Contact	69
6×6 Severe Treated Poles	71
9 1/2" LVL	73
11 7/8" LVL	73
14" LVL	74
16" LVL.....	74
18" LVL.....	74
24" LVL	74
Lauan	76
OSB	75
Southern Yellow Pine Gorman Elite Premium.....	73
Stock Trusses	74
Tongue & Groove OSB	75
Treated Plywood	75
ZIP System OSB - 4×8 - 5/8".....	75
ZIP System OSB - 4×8 - 7/16"	75

M

Malco Siding Removal Tool.....	98
MAX Offset Snips - Malco	18
Metal Panel Hemming Tool - JS Design	24
Metal Panel Panning Tool.....	24

Metal Panels

1.25" Corrugated Panel.....	12
AkzoNobel CERAM-A-STAR®.....	12
Board & Batten Panel	11
Cottage Panel.....	15
G-10 G-Rib Liner Panel	7
G-Rib AG Panel	6
G-Rib Secondary AG Panel	6
M-Rib Panel.....	10
Perforated Board & Batten	11
Perforated G-Rib	7
Premium Stone Coated Steel Profiles	15
R-Rib Panel	8
Smooth Colors	14
Snap-Loc - Standing Seam.....	9
Textured Colors	14
Unified Steel Accessories	16
Unified Steel Stone Coated	15
Wood grain print options.....	13

Metal Roof Exhaust Vent for 4" Flex Pipe	50
Metal Roof Vent, Black	49
Multi-Wall Polycarbonate	57
Multi-Wall Trim.....	57

N

NovaFlex Metal Roofing Sealant.....	35
-------------------------------------	----

O

Oatey All-Flash Thermoplastic Roof Pipe	43
Oatey Retro Master EDPM Roof Pipe	43
Octagon White Gable Attic Vent	50
Offset Snips - Channellock	21
Offset Snips - Midwest.....	22
Offset Snips - Milwaukee	21
Offset Snips - Wiss.....	22

Operators

3-Button Indoor Surface Mount Station	149
3-Button Visor Remote Control	148
4-Button Learning Remote Control.....	149
Antenna Extender Kit.....	147
Backup Chain Drive.....	144
Battery Backup Wall Mount.....	146
Belt Drive Opener.....	144
Chains & Accessories.....	147
Commercial Photo Eyes	149
Hoist Commercial Door	146
Jackshaft Commercial Door.....	145
Liftmaster 3-Button Remote	149
Liftmaster Keypad.....	149
Smart Control Panel®.....	148
Track - Prepunched	147
Trolley Commercial Door.....	145
Trolley Operator.....	145
Universal Receiver, Security+ 2.0.....	148
Wireless Control Panel.....	148
Wireless Keyless Entry System	148

OSB Woodbinder Screw.....	28
---------------------------	----

Overhead Garage Doors

2283 Insulated Glass.....	141
2283 Stockton Insert	141
3250 White Frame w/Glass	140
Overhead Door Floor Seal CHI.....	143
Series 2250	140
Series 2283	141
Struts	143
Vinyl Weather Strip.....	142

P

Paint & Stain

Exterior Semi-Gloss.....	111
Interior Eggshell	111
Interior Satin	110
Interior Semi-Gloss.....	110
Primer.....	112
Ready Seal - 7" Staining Brush	112
Stain	112

Panel Shear Replacement Blades	25
Panel Shears with Detachable Blades - Swenson	25
PBR Skylight .032	56
Perma-Column.....	79
Perma Column Hardware	80
Pipe Crimper - Malco	20
Pipe Crimper - Midwest	22

Pipe & Fittings

Charlotte Pipe 1"	172
Charlotte Pipe 1-1/2"	172
Charlotte Pipe 1/2"	172
Charlotte Pipe 2"	173
Charlotte Pipe 3"	173
Charlotte Pipe 4"	173
Schedule 40 PVC Pressure Pipe	171

Plywood	75
Polycarbonate Screws	57
Pop Rivets	32
Post Proservative	78
Post Protector™.....	78
Power Shears - Malco.....	19
PVC Conduit	175
PVC Conduit 45° Elbow	175
PVC Conduit 90° Elbow	175

R

Radiant Floor Panels	162
Raised Panel Shutter	99
Replacement Blades - Malco	20
Replacement Woodbinder Screw	29
Retrofit Round Roof Boot - Spring Seal	41
Rivet Tool - Channellock Heavy-Duty	33
Rivet Tool - Channellock Swivel Head.....	33
Round Roof Boot - Spring Seal.....	41

Round Track Sliding Door

Adjustable Door Stop #548	153
Camlatches	154
Cane Bolt	155
Center Guide / Stop	152
Center Latch.....	155
Door Snugger	155
Door Stop #540	153
Double Track Brackets	154
Dual Trolleys.....	152
Face Mount Track Bracket	154
Guide Rail	151
Guide Rail Bracket.....	154
Jamb Mount Door Stop.....	153
Side Mount Trolley	152
Splice Collar	155
Stayrollers	155
Steel Girt	151
Top Mount Track Bracket.....	153
Track & Cover Bracket.....	154
Track & Cover Flashing Brackets	153
Track End Caps	155
Trolleys	152
Trolleys - Plastic Wheel	152

S

S-5!® Clamps

ColorGard® 2.0	188
Crossmember	190
Flat Strip 2" S-5! SnowGard 8'4"	190
S-5-N 1.5 Clamp	190

Sashco Lexel - Caulk Polymer Sealant.....	36
Schedule 40 PVC Pressure Pipe	171
Shear Jig Kit	25

Sheating Tape - Tyvek	64
Sheetrock Paper Joint Drywall Tape	104
Shingle Starter MFM	59
Shingle Vent - Lomanco OmniRidge®	59

Siding

Affinity Stone Accessories	102
Affinity Stone Aspen	100
Affinity Stone Column Kits.....	101
Affinity Stone Glacier.....	100
Affinity Stone Highland	100
Affinity Stone Redwood	100
Affinity Stone Wainscot Caps	101
Affinity Stone Yukon	101
Board & Batten Panel	91
Cedar Peaks® Vinyl Siding.....	96
G-Rib AG Panel	89
Harbor Mill™ Shingle & Shake Siding	93
Hearttech™ Vinyl Siding	95
Malco Siding Removal Tool	98
Raised Panel Shutter	99
R-Rib Panel	90
Soffit Aluminum	98
Vinyl Board and Batten Siding	97
Vinyl Louvers	92
Vinyl Soffit.....	98
Willowbrook™ Vinyl Siding	94
Willowbrook Vinyl Siding.....	92

Single Hung & Fixed Windows	134
Skirt Board Protector	78
Snap Lock Punch - Malco	20
Snow Defender 4500.....	185
Snow Defender 6500	186
Snow Defender PC240 - Polycarbonate	186
Soffit Aluminum.....	98
Stainless Steel Pop Rivets	32
Stainless Steel Trim Nails	31
Steelbinder Metal to Metal Screw.....	28
Step Flashing - Aluminum	60
Stitch Screw	29
Structural Screws	114
Struts	143
Sturdi-Floor Plywood	76
Sturdi-Wall Drill Set Bracket.....	79
Sturdi-Wall Wet Set.....	80
Swivel Head Shear - DeWalt.....	18

T

Terminal Adapters	176
Therma Guard.....	157
Through the Roof! - Cement & Patching Sealant ..	36
Through the Roof! Cement & Patching Sealant	37
Touch Up Paint	18
Trolleys	152
Trolleys - Plastic Wheel.....	152
Trolley Operator.....	145
Trusses	74
Truss Hanger	84
Two Station Bender - Malco	23

U

Underlayment EPILAY - Synthetic	62
Underlayment for Tile & Metal Roofs	62

V

Ventamatic Attic Ventilation Solutions.....	50
---	----

Ventilation	47
1" x 2" Flex-O-Vent 20' Roll	46
10' Low Profile RV100 Vent	45
36" Vented LP2 Closures - G-Rib & R-Panel	45
G-Rib Outside & Inside Glued Closures 36".....	47
Outside & Inside Glued Closures 36".....	48
Provent Vented Ridge Closures & Rolls	46

Vinyl Corner Bead	104
Vinyl Faced Insulation	161
Vinyl Louvers	92
Vinyl Post Skirt.....	124
Vinyl Post Sleeve.....	124
Vinyl Railing	123
Vinyl Slider Windows	135
Vinyl Soffit	98

W

Wafer Clip Woodbinder Screw Bare.....	31
Wall Vents and Shutters	49
Weathervane Accessories.....	130

Windows

Double Hung Windows	134
Replacement Screens.....	135
Single Hung & Fixed Windows	134
Vinyl Slider Windows	135

Window Tape - Pella.....	64
--------------------------	----

Wire Fencing

Black Vinyl Coated Wire	180
Galvanized Welded Wire.....	180

Wire Mesh Sheets	169
Woodbinder Metal to Wood Screw	27

Z

Zip Screw REZIST	31
ZXL Woodbinder Metal to Wood Screw	27



Indiana's Premier Building Material Supplier

For over 50 years Graber Post Buildings has been Indiana's premier building material supplier, a name known for quality, reliability, and expertise. We understand that every project, whether big or small, deserves the best materials and support. We've established ourselves as a one-stop shop for all your building needs, providing not just the construction supplies but also comprehensive guidance and installation support.

We're more than just a building material supplier; we're your partner in construction. Our commitment lies in offering a curated selection of high-quality materials at competitive prices, all backed by exceptional customer service. We serve a diverse clientele, from experienced contractors managing large-scale projects to DIY builders and homeowners embarking on their first endeavor. Whatever your project requires, you can trust us to provide the right construction supplies and the expert advice to get the job done right.



GraberPost.com
(800) 264 - 5013
7716 N. 900 E. Montgomery, IN 47558

VERSION 26.01

